

Lectern


Departments: Staff Space

Manufacturer: Enwork
Address: 12900 Christopher Dr
Lowell, MI 49331
Phone: (800) 815-7251
Rep: Shannon Hawley

Product Name:	Zori Lectern with Back Panel (no cabinet) with Casters
Product #:	CYL3FC
Description:	Mobile Lectern with slanted top
Dimensions:	32" Wide x 26-1/2" Deep x 48" Overall Height Front Edge: 42" High
Paint:	Medium Tone (T)
Accent Foot:	Standard Foot (N)
Caster Color:	Black (B)
Laminate:	Formica Aged Ash 8844-WR (K)
Construction:	Tubular steel frame construction, all joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust. Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premuim grade. All joints are to be glued, screwed and corner blocked for max strength.
Construction:	Provide structurally sound product with the proper base to top proportions to ensure stability and prevent tipping. All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes
Sustainability:	Indoor Advantage Gold
BIFMA:	N/A
Warranty:	12-year limited



Lectern



Paint



Laminate

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Desk Power

Departments: Staff Space

Manufacturer: Fellowes (ESI)
Address: 1789 Norwood Ave
Itasca, IL 60143
Phone: (630) 893-1600
Rep: VPI/ Mike McFarlane

Product Name: FlexChar4CX
Product #: FCH4CX-WHT
Finish: White
Dimensions: Overall: 7" Wide x 3-3/4" Deep x 6-1/2" High
Desktop Unit: 7" Wide x 1-1/2" Deep x 3" High
Power Strip: 14-3/4" Wide

Description: Desktop mounted power with (2) power outlets, (1) USB-A, (1) USB-C ports above.
Below desk powerstrip with (6) power outlets. Has universal mounting bracket that allows for a desk clamp, 2" grommet or under worksurface mount. 8'-0" long power cord (black). Indicator light illuminates when built-in surge protection is active.

Construction: All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes

Sustainability: N/A
BIFMA: N/A
Warranty: 5-year limited



Desk Power

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Cable Management Kit, Small

Departments: Staff Space

Manufacturer: Human Scale

Address: 1114 Ave of the Americas, 15th Fl

New York, NY 10036

Phone: (212) 725-4749

Product Name: NeatTech, Small

Product #: NT1SGG

Finish: Pinstrip Mesh, Graphite (GG)

Dimensions: 38" Wide (for workstations 48"W - 58"W)

Description: A lightweight mesh basket mounted under the worksurface, to store power strips and cables. Features unique velcro ties to secure wayward cables and offers easy access once installed

Construction: All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes

Sustainability: SCS Indoor Advantage Gold

Level 3 Certified

Living Building Challenge Declare Certified

BIFMA: Conforms to the ANSI/ BIFMA e3-2019 Furniture Sustainability Standard

Warranty: 15-year limited



Cable Management



- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Cable Management Kit, Large

Departments: Staff Space

Manufacturer: Human Scale
Address: 1114 Ave of the Americas, 15th Fl
New York, NY 10036
Phone: (212) 725-4749

Product Name: NeatTech, Large
Product #: NT1LG
Finish: Pinstrip Mesh, Graphite (GG)
Dimensions: 48" Wide (for workstations 60"W and larger)

Description: A lightweight mesh basket mounted under the worksurface, to store power strips and cables. Features unique velcro ties to secure wayward cables and offers easy access once installed

Construction: All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes

Sustainability: SCS Indoor Advantage Gold
Level 3 Certified
Living Building Challenge Declare Certified

BIFMA: Conforms to the ANSI/ BIFMA e3-2019 Furniture Sustainability Standard

Warranty: 15-year limited



Cable Management



- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Vertical Cable Riser

Departments: Staff Space

Manufacturer: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Product Name: Ology Cable Riser with Leg Connection
Product #: OLCR
Finish: Merle
Dimensions: Inside Dimensions: 1" D x 1" W

Description: Cable risers support cable management vertical between the floor and the underside of a height adjustable desk

Construction: All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes

Sustainability: N/A
BIFMA: N/A
Warranty: Limited Lifetime



Vertical Cable Riser

Refer to following sheets for approved alternates product information

- Notes:
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Vertical Cable Riser

Approved Alternates

Rep: Think Office
Mfr: KI
Item: Vertical Cable Manager

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Rep: System Center
Mfr: Haworth
Item: Vertical Cable Manager

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Privacy Screen, 48" Wide

Departments: Staff Space

Manufacturer: Steelcase
 Address: 901 44th Street, SE
 Grand Rapids, MI 49508
 Phone: (616) 247-2710
 Rep: Capital Office

Product Name: Sarto Privacy/ Modesty Screen
 Product #: PSPM.48.24
 Finish: Merle - 7360
 Dimensions: 48" Wide x 24" High
Privacy: 12" above worksurface
Modesty: 12" below worksurface

Description: Desk mounted screen with radiused corners and a fully tackable surface. The under worksurface brackets integrate seamlessly into the bottom of the screen without any visible clamps. Screens allow for 1-1/8" cord drop.

Upholstery: See next sheet
 Upholstery Detail: Upholstered privacy screen with stitched perimeter over tackable substrate

Construction: All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes

Sustainability: Level 2
 SCS Indoor Advantage Gold - Furniture
 Healthier Hospitals Initiative (HHI)

BIFMA: ANSI/ BIFMA X5.5 Desk/ Table Products
 ANSI/ BIFMA X6.5 Occasional-Use Desk, Table & Storage Products

Warranty: Limited Lifetime



Desk Screen

Final privacy/ modesty heights to be confirmed prior to fabrication

Refer to following sheets for approved alternates product information

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Privacy Screen



Locations:

1344/ 1360 MAT/ Detox ICT (level 1)
3301/ 3307 Pharmacy (level 3)
3532 OPBH ICT (level 3)
3562 Novel ICT (level 3)
OPBH - Therapy & Psych Provider Offices
(level 3)

Screen Upholstery

Mfr.: Maharam
Pattern: Metaphor 466553
Color: 020 Undergrowth
Width: 54" Wide
Content: 100% Polyester
Backing: None
Durability: 100,000 DR

Locations:

1102a Crisis Stabilization ICT (level 1)
2005 Security Office (level 2)
2150 Crisis Residential ICT (level 2)

Screen Upholstery

Mfr.: Maharam
Pattern: Metaphor 466553
Color: 022 Patina
Width: 54" Wide
Content: 100% Polyester
Backing: None
Durability: 100,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.
-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Privacy Screen, 54" Wide

Departments: Staff Space

Manufacturer: Steelcase
 Address: 901 44th Street, SE
 Grand Rapids, MI 49508
 Phone: (616) 247-2710
 Rep: Capital Office

Product Name: Sarto Privacy/ Modesty Screen
 Product #: PSPM.54.24
 Finish: Merle - 7360
 Dimensions: 54" Wide x 24" High
Privacy: 12" above worksurface
Modesty: 12" below worksurface

Description: Desk mounted screen with radiused corners and a fully tackable surface. The under worksurface brackets integrate seamlessly into the bottom of the screen without any visible clamps. Screens allow for 1-1/8" cord drop.

Upholstery: See next sheet
 Upholstery Detail: Upholstered privacy screen with stitched perimeter over tackable substrate

Construction: All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes

Sustainability: Level 2
 SCS Indoor Advantage Gold - Furniture
 Healthier Hospitals Initiative (HHI)

BIFMA: ANSI/ BIFMA X5.5 Desk/ Table Products
 ANSI/ BIFMA X6.5 Occasional-Use Desk, Table & Storage Products

Warranty: Limited Lifetime



Desk Screen


Final privacy/ modesty heights to be confirmed prior to fabrication

Refer to following sheets for approved alternates product information

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Privacy Screen



Locations:

1344/ 1360 MAT/ Detox ICT (level 1)
3301/ 3307 Pharmacy (level 3)
3532 OPBH ICT (level 3)
3562 Novel ICT (level 3)
OPBH - Therapy & Psych Provider Offices
(level 3)

Screen Upholstery

Mfr.: Maharam
Pattern: Metaphor 466553
Color: 020 Undergrowth
Width: 54" Wide
Content: 100% Polyester
Backing: None
Durability: 100,000 DR

Locations:

1102a Crisis Stabilization ICT (level 1)
2005 Security Office (level 2)
2150 Crisis Residential ICT (level 2)

Screen Upholstery

Mfr.: Maharam
Pattern: Metaphor 466553
Color: 022 Patina
Width: 54" Wide
Content: 100% Polyester
Backing: None
Durability: 100,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.
-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Modesty Screen, 60" Wide

Departments: OPBH - 3526 & 3560

Manufacturer: Steelcase
 Address: 901 44th Street, SE
 Grand Rapids, MI 49508
 Phone: (616) 247-2710
 Rep: Capital Office

Product Name: Sarto Modesty Screen
 Product #: PSPM.60.13
 Finish: Merle - 7360
 Dimensions: 60" Wide x 13-1/2" High

Description: Desk mounted screen with radiused corners and a fully tackable surface. The under worksurface brackets integrate seamlessly into the bottom of the screen without any visible clamps. Screens allow for 1-1/8" cord drop.


Upholstery: See next sheet
 Upholstery Detail: Upholstered privacy screen with stitched perimeter over tackable substrate

Construction: All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes

Sustainability: Level 2
 SCS Indoor Advantage Gold - Furniture
 Healthier Hospitals Initiative (HHI)

BIFMA: ANSI/ BIFMA X5.5 Desk/ Table Products
 ANSI/ BIFMA X6.5 Occasional-Use Desk, Table & Storage Products

Warranty: Limited Lifetime




Modesty Screen

Refer to following sheets for approved alternates product information

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Modesty Screen



Locations:

3526 OPBH Psych Provider Office
3560 OPBH Consult Room

Screen Upholstery

Mfr.: Maharam
Pattern: Metaphor 466553
Color: 020 Undergrowth
Width: 54" Wide
Content: 100% Polyester
Backing: None
Durability: 100,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.
-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Approved Alternates

Rep: Think Office
Mfr: Herman Miller
Item: Ambit Screens

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Rep: System Center
Mfr: Haworth
Item: Belong Plus Privacy Screens

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Single Monitor Arm


Departments: Detox ICT

Manufacturer: Fellowes (ESI)
Address: 1789 Norwood Ave
Itasca, IL 60143
Phone: (630) 893-1600
Rep: VPI/ Mike McFarlane

Product Name:	Rising- Single Monitor Arm
Product #:	RSNGEX1-MS-PLT
Monitor Mount:	Single
Mounting Method:	Desk Clamp Mounting Method
Finish:	2-Tone Platinum
Dimensions:	3.6" - 27.6" Height Adjustment
Description:	With Rising, the SnapKinect connection system allows the arm to be assembled and installed in 3 easy steps. Rising is thoughtfully engineered with RotationStop™, a revolutionary new feature that enables you to adjust your monitor swing between 14 distinct stop points. Designed to protect people and equipment, RotationStop can help you keep your monitor swing under control and within a pre-determined swing range.
Construction:	All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes
Sustainability:	Level 2 Certified
BIFMA:	BIFMA Compliant
Warranty:	Limited Lifetime



Single Monitor Arm



Desk Clamp Detail



- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Single Monitor Arm


Manufacturer: Fellowes (ESI)
Address: 1789 Norwood Ave
Itasca, IL 60143
Phone: (630) 893-1600
Rep: VPI/ Mike McFarlane

Departments: 1st Fl. Lobby, Crisis ICT,
Detox ICT & Milieu

Product Name:	Rising - Single Monitor Arm
Product #:	RSNGEX1-MS-PLT
Monitor Mount:	Single
Mounting Method:	Grommet Method Mounting Bracket
Finish:	2-Tone Platinum
Dimensions:	3.6" - 27.6" Height Adjustment
Description:	With Rising, the SnapKinect connection system allows the arm to be assembled and installed in 3 easy steps. Rising is thoughtfully engineered with RotationStop™, a revolutionary new feature that enables you to adjust your monitor swing between 14 distinct stop points. Designed to protect people and equipment, RotationStop can help you keep your monitor swing under control and within a pre-determined swing range.
Construction:	All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes
Sustainability:	Level 2 Certified
BIFMA:	BIFMA Compliant
Warranty:	Limited Lifetime



Single Monitor Arm



Grommet Mount



- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Double Monitor Arm

Departments: Typical ICT Desks' @
Crisis, Detox, Pharmacy & OPBH

Manufacturer: Fellowes (ESI)
Address: 1789 Norwood Ave
Itasca, IL 60143
Phone: (630) 893-1600
Rep: VPI/ Mike McFarlane

Product Name: Rising- Double Monitor Arm
Product #: RSNEX2-FMS-PLT

Monitor Mount: Double
Mounting Method: Desk Clamp Mounting Method

Finish: 2-Tone Platinum
Dimensions: 3.6" - 27.6" Height Adjustment


Description: With Rising, the SnapKinect connection system allows the arm to be assembled and installed in 3 easy steps. Rising is thoughtfully engineered with RotationStop™, a revolutionary new feature that enables you to adjust your monitor swing between 14 distinct stop points. Designed to protect people and equipment, RotationStop can help you keep your monitor swing under control and within a pre-determined swing range.

Construction: All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes

Sustainability: Level 2 Certified
BIFMA: BIFMA Compliant
Warranty: Limited Lifetime



Double Monitor Arm



Desk Clamp Detail



- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Double Monitor Arm


Departments: Greeter, Typical
Check-ins (Crisis, Detox, OPBH)

Manufacturer: Fellowes (ESI)
Address: 1789 Norwood Ave
Itasca, IL 60143
Phone: (630) 893-1600
Rep: VPI/ Mike McFarlane

Product Name:	Rising- Double Monitor Arm
Product #:	RSNGEX2-FMS-PLT
Monitor Mount:	Double
Mounting Method:	Grommet Method Mounting Bracket
Finish:	2-Tone Platinum
Dimensions:	3.6" - 27.6" Height Adjustment
Description:	With Rising, the SnapKinect connection system allows the arm to be assembled and installed in 3 easy steps. Rising is thoughtfully engineered with RotationStop™, a revolutionary new feature that enables you to adjust your monitor swing between 14 distinct stop points. Designed to protect people and equipment, RotationStop can help you keep your monitor swing under control and within a pre-determined swing range.
Construction:	All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes
Sustainability:	Level 2 Certified
BIFMA:	BIFMA Compliant
Warranty:	Limited Lifetime



Double Monitor Arm



Grommet Mount



- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Desk Storage Accessory

Departments: OPBH Therapy & Psych Providers Office

Manufacturer: Steelcase

Address: 901 44th Street, SE
Grand Rapids, MI 49508

Phone: (616) 247-2710

Rep: Capital Office

Product Name: Soto Monitor Bridge + (3) Personal Boxes

Product #: DSMB + DSPB

Dimensions: 29-1/2" Wide x 9" Deep x 4-1/2" High

Item Weight: 4.1lbs

Box Finish: 6009 Arctic White

Pad Finish: Grey Felt Pad

Description: Monitor bridge with fabric covered pad. Aids to reclaim worksurface space by securing and elevating monitors, tablets and laptops as second screens. Anti-skid pad to prevent slipping. Configure with (3) Soto personal boxes

Weight Capacity: Holds up to 50lbs

Sustainability: Level 2 Certified
SCS Indoor Advantage Gold - Furniture
Healthier Hospital Initiative (HHI)

BIFMA: ANSI/ BIFMA X5.5-2021 - Desk/ Table Products

Warranty: Limited Lifetime



Monitor Bridge



Box Finish



Felt Pad Finish

Refer to following sheets for approved alternates product information

- Notes:
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Desk Storage Accessory

Approved Alternates

Rep: Think Office
Mfr: Miller Knoll/ Muuto
Item: Arrange Desktop Series, Configuration 1

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Rep: System Center
Mfr: Haworth
Item: Belong Accessories Group

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Task Lamp

**Departments: Crisis, Detox,
OPBH & Pharmacy**

Manufacturer: Human Scale
Address: 1114 Ave of the Americas, 15th Fl
New York, NY 10036
Phone: (212) 725-4749

Product Name: Nova Task Lamp
Product #: NV3EBB
Base Type: Desktop Base
Dimensions: Lower Arm: 15.8" Long
Upper Arm: 15" Long
Reach: 32.8"
Metal Finish: Jet Black (B)
Description: LED and light guide package minimize glare and creates perfectly uniform footprint of light. Occupancy sensor for energy conservation.
Color Temp: 3000K (Warm White)
CRI: 92CRI
Dimming: Ranges 14% - 100%
Watts: 7 Watts
Switching: Touch Dimming
Cord: Provide 8'-0", clear cord with polarized plug.
Construction: Provide structurally sound product with the proper base to top proportions to ensure stability and prevent tipping. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust. All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes
Sustainability: SCS Indoor Advantage Gold - Furniture
BIFMA: ANSI/BIFMA e3-2019 Furniture Sustainability Standard
Warranty: 10-year



Task Lamp

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Privacy Wrap

Departments: OPBH

Manufacturer: Steelcase
 Address: 901 44th Street, SE
 Grand Rapids, MI 49508
 Phone: (616) 247-2710
 Rep: Capital Office

Product Name: Flex Personal Space
 Product Number: FLXDWR
 Dimensions: 52-9/10" Wide x 25-4/5" Deep x 45-1/4" Overall Height
 Modesty: 9" High
 Privacy: 36" High

Description: Tackable acoustic privacy wrap, 90-degree desk mount

Bracket Finish: Merle 6527
 Wrap Fabric: Sand (Beige) 5KJ4

Upholstery Detail: Tightly upholstered tackable/ acoustic screen, upholstery follows the curve of the screen and has modern tufted upholstery detail


Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Sustainability: N/A
 BIFMA: ANSI/BIFMA X5.5 Desk/ Table Products
 ANSI/ BIFMA X5.6 Panel Systems

Warranty: 12-year



Privacy Screen



Tuft Detail



Wrap Fabric

Refer to following sheets for approved alternates product information

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
 architecture • interior design

Approved Alternates

Rep: Architectural Design Products
Brad Rains/ brains@archdesignpro.com
Mfr: Unika Vaev
Item: Stitch Table Screens/ per desk
(1) 33.9"W x 25.6"H
(1) 57.5W x 25.6"H

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Infection Prevention Center

**Departments: Crisis & Detox
Waiting**

Manufacturer: Peter Pepper Products
Address: 6525 Flotilla Street
Commerce, CA 90040
Phone: (800) 496-0204 x7
Rep: Kayser-Wesner/ Kevin Kayser

Product Name: Infection Prevention, Poster Holder, Lock for Dispenser
Product Number: ICF-2M + ICF-P + IC-L + DV487
Dimensions: 24" Wide x 15" Deep x 63" High

Compartments: Masks: (2) 3-3/4"W x 3-3/4"D x 8-1/4"H
Tissue: 9-7/8"W x 3-3/4"D x 16-1/4"H
Sanitizer: 7"W x 3-3/4"D x 18"H
Poster Holder: 21"W x 3/8"D x 11"H
Magazine Pocket: 14"H x 4" D

Item Weight: 84lbs

Dispenser Front: Stainless Steel 304 #4 finish
Panel Finish: Taupe Metallic
Wood Frame: Honey, HO
Base: Melamine - Graphite Finish
Glides: (4) Adjustable Glides


Description: Freestanding Infection Control Center provides a single enclosure for dispensing sanitizer with drip dish, masks, tissues, trash receptacle with spring loaded flap door and a poster area for health related messages

Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength. All wood veneers must have solid wood banding. Raw or veneered edges are not acceptable. Wood to be treated with clear protective sealer to prevent alcohol and stain damage

Sustainability: Contain recycled content
BIFMA: N/A
Warranty: PPP warrants that the goods it sells will be free from defects in material and workmanship for a period of three years from the invoice date.



Infection Prevention Center



Wood Frame



Panel Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
architecture • interior design

Infection Prevention Center

**Departments: 2nd & 3rd Floor
Lobbies & OPBH**

Manufacturer: Peter Pepper Products
Address: 6525 Flotilla Street
Commerce, CA 90040
Phone: (800) 496-0204 x7
Rep: Kayser-Wesner/ Kevin Kayser

Product Name: Infection Prevention, Poster Holder, Lock for Dispenser
Product Number: ICF-2TX + ICF-P +IC-L
Dimensions: 24" Wide x 15" Deep x 63" High

Compartments: Masks: (2) 3-3/4"W x 3-3/4"D x 8-1/4"H
Tissue: 9-7/8"W x 3-3/4"D x 16-1/4"H
Sanitizer: 7"W x 3-3/4"D x 18"H
Trash: 14"W x 7-3/4"D x 18"H
Poster Holder: 21"W x 3/8"D x 11"H

Item Weight: 96lbs

Dispenser Front: Stainless Steel 304 #4 finish
Panel Finish: Taupe Metallic
Trash Finish: Stainless Steel 304 #4 finish
Dispenser Interior: Soft White
Wood Frame: Honey, HO
Base: Melamine - Graphite Finish
Glides: (4) Adjustable Glides


Description: Freestanding Infection Control Center provides a single enclosure for dispensing sanitizer with drip dish, masks, tissues, trash receptacle with spring loaded flap door and a poster area for health related messages

Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength. All wood veneers must have solid wood banding. Raw or veneered edges are not acceptable. Wood to be treated with clear protective sealer to prevent alcohol and stain damage


Sustainability: Contain recycled content
BIFMA: N/A
Warranty: PPP warrants that the goods it sells will be free from defects in material and workmanship for a period of three years from the invoice date.



Infection Prevention Center



Wood Frame



Panel Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Receptacle A

Manufacturer: Peter Pepper Products
Address: 6525 Flotilla Street
Commerce, CA 90040
Phone: (800) 496-0204 x7
Rep: Kayser-Wesner/ Kevin Kayser

Departments: 2nd & 3rd Floor
Lobbies, 3rd Floor Conference/
Learning Circle & OPBH

Product Name: Reveal Receptacles
Product Number: RVL-161528-W
Large Opening - 10"W x 10"D

Dimensions: 16" Wide x 16" Deep x 28" High
Item Weight: 34lbs

Powdercoat Finish: Black / RAL9005

Description: Powder-coated receptacle with unique corner-reveal details

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Sustainability: The recycled content of these metals are consistent with the industry standard up to 60% Post Consumer and 40% Pre-Consumer.

BIFMA: N/A

Warranty: PPP warrants that the goods it sells will be free from defects in material and workmanship for a period of three years from the invoice date.



Receptacle



Detail

Bin Icons: Ships with two complete sets of die-cut vinyl graphics in Soft White and Graphite



- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Receptacle B

Departments: 2nd & 3rd Floor
Lobbies

Manufacturer: Peter Pepper Products
Address: 6525 Flotilla Street
Commerce, CA 90040
Phone: (800) 496-0204 x7
Rep: Kayser-Wesner/ Kevin Kayser

Product Name: Reveal Receptacles
Product Number: RVL-161628-R
Small Opening - 4"W x 10"D

Dimensions: 16" Wide x 16" Deep x 28" High
Item Weight: 34lbs

Powdercoat Finish: Black / RAL9005

Description: Powder-coated receptacle with unique corner-reveal details

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Sustainability: The recycled content of these metals are consistent with the industry standard up to 60% Post Consumer and 40% Pre-Consumer.

BIFMA: N/A

Warranty: PPP warrants that the goods it sells will be free from defects in material and workmanship for a period of three years from the invoice date.



Receptacle



Detail

Bin Icons: Ships with two complete sets of die-cut vinyl graphics in SoftWhite and Graphite



- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Display Case

Departments: Pharmacy

Manufacturer: Claridge Products
Address: 480 Wrangler Drive, Suite 200
Coppell, TX 75019
Phone: (800) 434-4610

Product Name: Contemporary Bulletin Board Cabinet with Hinged Doors
Product Number: 2041
Dimensions: 48" Wide x 36" High
Item Weight: 72lbs

Powder Coat: RAL7013 Brown Grey
Cork Color: 1109 Buff
Mounting: Z-Bar Mounting Hangers


Cork: Made from pure, natural ingredients including linseed oil, pine resin, cork and pigments that are calendared onto a jute backing to create a smooth, suede-like surface. Washable stain-resistant finish. Tacks insert easily, are gripped firmly. Does not crack, peel, or crumble. Naturally inhibits bacterial growth.

Construction: Cabinet feature a 1-1/2" x 3" heavy-gauge rectangular aluminum trim with powdercoat finish. Inside depth is 1-3/4". Tackable panels to be Claridge Cork. 3/16" tempered glass doors hung on piano hinges, with flat key tumbler locks. Z-Bar mounting hangers.

Sustainability: Indoor Advantage Gold; Indoor Air Quality Certified to SCS-105 v4.2
BIFMA: ANSI/ BIFMA Furniture emissions standard (M7.1/ X7.1-2011 R2021)
Warranty: 1-year guarantee



Display Case



Power Coat Frame Finish



Cork Color

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Display Rack

Departments: 1st Floor Lobby and
OPBH Waiting

Manufacturer: Safco Products

Address: 9300 W Research Center Rd
Minneapolis, MN 55428

Phone: (510) 909-2708

Rep: Joe Victoriano

Product Name: Reveal Magazine and Pamphlet Display

Product Number: 5606CL

Dimensions: 30" Wide x 34-3/4" High x 2" Projection

Item Weight: 12lbs

Description: Display Rack with 6 pamphlet holders and 6 magazine holders.

Construction: Thermoformed, one-piece units have no sharps edges or corners.

Sustainability: N/A

BIFMA: N/A

Warranty: Limited Lifetime Warranty



Display Rack

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Planter, Low 31" Wide

Departments: CSC ICT, CR ICT,
OPBH Waiting, Public Lobbies

Manufacturer: Veradek, Inc
Address: 2345 Walden Ave
Cheektowage, NY 14225
Phone: (888) 538-5552

Product Name:	Pure Series - Midori Thirty-One Planter + The Only Drip Tray
Product Number:	N/A
Top Dimensions:	31" Wide x 10" Deep
Bottom Dimsensions:	27-1/4" Wide x 6-1/4" Deep
Overall Height:	15-1/4" High
Tray Dimensions:	27-1/4" Wide x 6-1/4" Deep x 1-1/2" High
Item Weight:	11lbs
Finish:	Black
Features:	Scratch Resistant, Fade Resistant, Crack-Proof, and Drainage Holes
Construction:	Durable Polypropylene Construction
Capacity:	14 gallon
Sustainability:	N/A
BIFMA:	N/A
Warranty:	5-year Limited Warranty



Planter, Low



Drip Tray

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Planter, Low 39.5" Wide

Departments: Detox ICT,
Staff Lounge, Public Lobbies

Manufacturer: Veradek, Inc
Address: 2345 Walden Ave
Cheektowage, NY 14225
Phone: (888) 538-5552

Product Name:	Pure Series - Midori Thirty-Nine Planter + The Only Drip Tray
Product Number:	N/A
Top Dimensions:	39-1/2" Wide x 12-1/2" Deep
Bottom Dimsensions:	36" Wide x 9-1/2" Deep
Overall Height:	19-3/4" High
Tray Dimensions:	36" Wide x 9-1/2" Deep x 1-1/2" High
Item Weight:	23lbs
Finish:	Black
Features:	Scratch Resistant, Fade Resistant, Crack-Proof, and Drainage Holes
Construction:	Durable Polypropylene Construction
Capacity:	32 gallon
Sustainability:	N/A
BIFMA:	N/A
Warranty:	5-year Limited Warranty



Planter, Low



Drip Tray

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Manufacturer: Veradek, Inc
Address: 2345 Walden Ave
Cheektowage, NY 14225
Phone: (888) 538-5552

Planter, Square 15.25"
Departments: Detox ICT,
OPBH Waiting,

Product Name: Pure Series - Midland Planter Thirty with Insert Shelf + The Only Drip Tray
Product Number: N/A
Top Dimensions: 15-1/4" Wide x 15-1/4" Deep
Bottom Dimsensions: 10-1/4" Wide x 10-1/4" Deep
Overall Height: 30" High
Tray Dimensions: 10-1/4" Wide x 10-1/4" Deep x 1-1/2" High
Item Weight: 17lbs
Finish: Black
Features: Insert Shelf, Scratch Resistant, Fade Resistant, Crack-Proof, and Drainage Holes
Construction: Durable Polypropylene Construction
Capacity: 10.4 gallon
Sustainability: N/A
BIFMA: N/A
Warranty: 5-year Limited Warranty



Planter



Drip Tray

Notes:
-All Finish Samples to be submitted for approval prior to fabrication.
-Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
-Must be properly marked with Item Number and location.
-Must be contract quality and structurally stable for commercial use.
-Must meet or exceed Federal, State, Local Fire Codes and Standards.

Trash Bin, Medium

Departments: Crisis, Detox, OPBH,
Staff Space

Manufacturer: Rubbermaid Commercial
Address: 8900 Northpointe Executive Dr
Huntersville, NC 28078
Phone: (800) 347-9800
Rep: Customer Service

Product Name: Wastebasket Medium, 28 Quart
Product Number: FG295600BLA
Dimensions: 14-1/2" Wide x 10-1/2" Deep x 15" High
Item Weight: 1.6lbs

Color: Black

Construction: All plastic construction won't chip, rust or bend. Rolled rims add strength. Made using resin blend of 20% or more recycled material.

Capacity: 28 quarts
Sustainability: Made with some recycled content
BIFMA: N/A
Warranty: 3-year Limited Warranty



Trash Bin

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Recycle Bin, Medium

Departments: Crisis, Detox, OPBH,
Staff Space

Manufacturer: Rubbermaid Commercial
Address: 8900 Northpointe Executive Dr
Huntersville, NC 28078
Phone: (800) 347-9800
Rep: Customer Service

Product Name: Wastebasket Recycling Medium, 28 Quart
Product Number: FG295673BLUE
Dimensions: 14-1/2" Wide x 10-1/2" Deep x 15" High
Item Weight: 1.6lbs

Color: Blue

Construction: All plastic construction won't chip, rust or bend. Rolled rims add strength. Made using resin blend of 20% or more recycled material.

Capacity: 28 quarts
Sustainability: Made with some recycled content
BIFMA: N/A
Warranty: 3-year Limited Warranty



Recycle Bin

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Trash Bin

Departments: Crisis & Public Space

Manufacturer: Pineapple Furniture
Address: 7105 19 Mile Rd
Sterling Heights, MI 48314
Phone: (800) 496-9324
Rep: Edward Larsen

Product Name: Ryno Safewaste, Reduced Ligature Waste Basket
Product Number: 1RYQ-51 - Heavyweight Option
Dimensions: 17-3/4" Diameter x 33" High
Item Weight: 112lbs

Color: Moonwalk Gray

Description: Sloping design features and the inside of the opening. Securely locked by staff to prevent unauthorized access. 25 Liter internal waste washable bin avoids the safety risks normally associated with liner bags. Narrow opening reduced spillages in the event of an overturn. 100% waterproof construction with hygienic wipe-clean surface.

Construction: Rotationally molded, durable polyethylene, one-piece construction provides excellent strength and stability. Flamed, textured finish further strengthens the fire-retardant, water-resistant shell. Hygienic wipe-clean surface, quick to dry ready to be used again.

Capacity: 6.6 Gallons
Sustainability: Includes recycled content
BIFMA: ANSI/ BIFMA X5:5:2012 Standards
Warranty: Lifetime guarantee against all manufacturing faults



BH - Trash Bin

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Trash Bin, Large

Departments: Detox, Staff Gym

Manufacturer: Rubbermaid Commercial
Address: 8900 Northpointe Executive Dr
Huntersville, NC 28078
Phone: (800) 347-9800
Rep: Customer Service

Product Name: Wastebasket Large 41 Quart
Product Number: FG295700BLA
Dimensions: 15-1/4" Wide x 11-1/4" Deep x 20" High
Item Weight: 2.29lbs

Color: Black

Construction: All plastic construction won't chip, rust or bend. Rolled rims add strength. Made using resin blend of 20% or more recycled material.

Capacity: 41 quarts
Sustainability: Made with some recycled content
BIFMA: N/A
Warranty: 3-year Limited Warranty



Trash Bin

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Trash Bin, Undercounter

Departments: Laundry Rooms

Manufacturer: Rubbermaid Commercial
Address: 8900 Northpointe Executive Dr
Huntersville, NC 28078
Phone: (800) 347-9800
Rep: Customer Service

Product Name: Slim Jim 13 Gallon Under Counter Container
Product Number: 2026696
Dimensions: 22-1/4" Wide x 11-1/4" Deep x 26-1/4" High
Item Weight: 6.73lbs

Color: Black

Construction: Commercial-grade construction with high-quality resin material. Reinforced rim maintains structural integrity to resist crushing. Integrated venting channels make removing liners 80% easier. Rim and base handles improve grip and control while lifting and emptying full containers

Capacity: 13 Gallons
Sustainability: Made with some recycled content
BIFMA: N/A
Warranty: 3-year Limited Warranty



Undercounter Trash Bin

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Trash Bin, 23 Gallon

Departments: Pharmacy,
Semi-Private Lounge (Staff)

Manufacturer: Rubbermaid Commercial
Address: 8900 Northpointe Executive Dr
Huntersville, NC 28078
Phone: (800) 347-9800
Rep: Customer Service

Product Name: Slim Jim 23 Gallon
Product Number: FG354060BLA
Dimensions: 22" Wide x 11" Deep x 30" High
Item Weight: 7.8lbs

Color: Black

Construction: Commercial-grade construction with high-quality resin material. Reinforced rim maintains structural integrity to resist crushing. Integrated venting channels make removing liners 80% easier. Rim and base handles improve grip and control while lifting and emptying full containers

Capacity: 23 Gallons
Sustainability: Made with some recycled content
BIFMA: N/A
Warranty: 3-year Limited Warranty



Trash Bin

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Trash Bin, 16 Gallon

Departments: Warming Kitchens,
Lockers, Main Kitchen, Pharmacy

Manufacturer: Rubbermaid Commercial
Address: 8900 Northpointe Executive Dr
Huntersville, NC 28078
Phone: (800) 347-9800
Rep: Customer Service

Product Name: Slim Jim 16 Gallon
Product Number: 1955959
Dimensions: 22" Wide x 11" Deep x 25" High
Item Weight: 7.8lbs

Color: Black

Construction: Commercial-grade construction with high-quality resin material. Reinforced rim maintains structural integrity to resist crushing. Integrated venting channels make removing liners 80% easier. Rim and base handles improve grip and control while lifting and emptying full containers

Capacity: 23 Gallons
Sustainability: Made with some recycled content
BIFMA: N/A
Warranty: 3-year Limited Warranty



Trash Bin

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Trash Bin, Medium Touchless

Departments: Public & Staff
Toilet Rooms & Lactation Rooms

Manufacturer: EKO Sensible Eco Living

Website: <https://ekousa.com/>

Phone: (800) 354-5605

Email: support@ekonorthamerica.com

Product Name:	Mirage-T 50 Liter/ 13.2 Gallon Touchless Rectangular Motion Sensor Trash Can, Matte Black
Product Number:	N/A
Dimensions:	15-1/4" Wide x 10-1/4" Deep x 24-3/4" High 32-3/4" High with Lid Open
Item Weight:	8.8lbs
Color:	Matte Black
Description:	Our stylish Mirage-T Motion Sensor trash-can has a fingerprint resistant coating over brushed stainless steel and offers sanitary, touchless trash disposal. Offering the convenience of hands-free operation, the Mirage T sits flush against a wall or cabinet. The intelligent sensor opens only when you want it to. With the soft close feature, the lid descends gently and quietly. A simple touch switch will hold the lid open for longer when required. This no-liner sensor can allows greater trash volume, but with smaller external dimensions. The Mirage T has an easy-to-remove inner rim that holds your trash bag in place, facilitates changing, and helps keep the bag out of sight. Uses standard 13-gallon kitchen trash bags.
Battery:	Use with AA alkaline batteries (approx. 6-month usage)
Capacity:	13 Gallons
Sustainability:	N/A
BIFMA:	N/A
Warranty:	N/A



Trash Bin

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Trash Bin, Medium Touchless

Departments: Exam Rooms

Manufacturer: EKO Sensible Eco Living

Website: <https://ekousa.com/>

Phone: (800) 354-5605

Email: support@ekonorthamerica.com

Product Name: Mirage-T 50 Liter/ 13.2 Gallon Touchless Rectangular Motion Sensor Trash Can, Brushed Stainless Steel

Product Number: N/A

Dimensions: 15-1/4" Wide x 10-1/4" Deep x 24-3/4" High
32-3/4" High with Lid Open

Item Weight: 8.8lbs

Color: Stainless Steel

Description: Our stylish Mirage-T Motion Sensor trash-can has a fingerprint resistant coating over brushed stainless steel and offers sanitary, touchless trash disposal. Offering the convenience of hands-free operation, the Mirage T sits flush against a wall or cabinet. The intelligent sensor opens only when you want it to. With the soft close feature, the lid descends gently and quietly. A simple touch switch will hold the lid open for longer when required. This no-liner sensor can allows greater trash volume, but with smaller external dimensions. The Mirage T has an easy-to-remove inner rim that holds your trash bag in place, facilitates changing, and helps keep the bag out of sight. Uses standard 13-gallon kitchen trash bags.

Battery: Use with AA alkaline batteries (approx. 6-month usage)

Capacity: 13 Gallons

Sustainability: N/A

BIFMA: N/A

Warranty: N/A



Trash Bin

- Notes:
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Trash Bin, Small

Departments: Crisis & Detox
Waiting Beverage Stations,
OPBH Exam B

Manufacturer: EKO Sensible Eco Living
Website: <https://ekousa.com/>
Phone: (800) 354-5605
Email: support@ekonorthamerica.com

Product Name: Kitchen Compost Bin, 7L/ 1.85 Gal Stainless Steel with Removable Inner Bucket

Product Number: EK9008

Dimensions: 9-3/4" Wide x 6-3/4" Deep x 11-1/2" High

Item Weight: 2.8lbs

Color: Stainless Steel

Description: Elevate your space with EKO's kitchen trash can, boasting a sleek design coupled with optimal functionality – a blend of style and practicality. Whether you hang it over cabinet doors, mount it on walls, or simply place it on countertops, this trash can is designed for adaptability to fit your space seamlessly. Keep odors at bay and maintain hygiene with our swing lid mechanism – ensuring your garbage can remains sealed when not in use. Crafted from high-quality stainless steel, our trash can resists fingerprints, corrosion, and staining, promising longevity, and a pristine appearance. The removable inner liner Ensure your garbage bags stay in place, preventing slip-offs and unsightly bag overhang.

Capacity: 1.85 Gallons

Sustainability: N/A

BIFMA: N/A

Warranty: N/A



Trash Bin

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Throw Pillow, 22"x11"

**Departments: OPBH
Therapy & Psych Provider Offices**

Manufacturer: OFS Brands
Address: 1204 East 6th Street
Huntingburg, IN 47542
Phone: (800) 521-5381
Rep: VPI/ Mike McFarlane


Product Name: Pillows, 22" x 11" Rectangular Pillow
Product #: CTP-22X11
Dimensions: 22" Wide x 11" High
Description: Throw Pillow with removable cover and hidden zipper
Fill: Poly-Filled
Upholstery: See next sheet
Upholstery Detail: Pillow with knife edges, removable cover and a hidden zipper
Yardage Required: 1 yards/ each
Sustainability: N/A
BIFMA: N/A
Warranty: N/A



Throw Pillow

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crooking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Throw Pillow

Pillow Upholstery
Mfr.: Maharam
Pattern: Metaphor 466553
Color: 020 Undergrowth
Width: 54" Wide
Content: 100% Polyester
Backing: None
Durability: 100,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Coat Hook

Manufacturer: Drop Metal
Address: Huntsville, AL
Email: shop@dropmetal.com
Website: https://dropmetal.com/

Departments: OPBH -
Therapy & Psych Provider Offices
and 3014 Learning Circle

Product Name: Modern Double Hook- Steel Wall Hook, Coat Hook
Product #: CTP-22X11
Dimensions: 1-1/4" Wide x 2-3/4" Projection x 6" High

Color: Turquoise

Description: Steel Double Coat Hook with smooth powder coat finish.
Must be mounted into a stud for a durable installation

Construction: Rugged steel and finish is a durable smooth powder coat.

Sustainability: N/A
BIFMA: N/A
Warranty: N/A



Coat Hook - not for color



Turquoise

Color

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Coat Hook

Departments: Staff Spaces

Manufacturer: Drop Metal
Address: Huntsville, AL
Email: shop@dropmetal.com
Website: https://dropmetal.com/

Product Name: Modern Double Hook- Steel Wall Hook, Coat Hook
Product #: CTP-22X11
Dimensions: 1-1/4" Wide x 2-3/4" Projection x 6" High

Color: Red

Description: Steel Double Coat Hook with smooth powder coat finish.
Must be mounted into a stud for a durable installation

Construction: Rugged steel and finish is a durable smooth powder coat.

Sustainability: N/A
BIFMA: N/A
Warranty: N/A



Coat Hook



Red

Color

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Coat Rack

Departments: Staff Spaces

Manufacturer: Peter Pepper Products
Address: 6525 Flotilla Street
Commerce, CA 90040
Phone: (800) 496-0204 x7
Rep: Kayser-Wesner/ Kevin Kayser

Product Name: Flower Coat Tree
Product #: FLW-202064-S
Dimensions: 20" Diameter x 64" High
Top Branches: 64" High
Lower Hooks: 48" High (ADA Compliant)

Color: Salmon Pink RAL3022

Description: Flower features 5 upper branches and 5 lower hooks for flexible hanging, each topped with a black cap for a clean finish.

Construction: Powder-coated 100% post consumer steel, indoor use.

Sustainability: N/A
BIFMA: N/A
Warranty: 3-year



Coat Rack

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Rolling Coat Rack

Departments: Staff Spaces

Manufacturer: Magnuson Group
Address: 1400 Internationale Parkway
Woodridge, IL 60517
Phone: (800) 342-5725
Rep: Eaton Group/ Dave Eaton

Product Name: Rap Rak + Heavy Duty Locking Casters + Hangers
Provide (2) 24 packs of Hangers
Product #: RR-4F-HD + CST-4RE + MG-17PH
Dimensions: 48" Wide x 23" Deep x 60" Overall Height
Item Weight: 60lbs
Color: Black Rap Rack & Black Hangers
Description: Heavy Duty Double Sided Floor Rack – Coats can be hung on the center rod, on one side, or both sides of the shelf. Featuring a black painted steel frame, black powder coated steel shelf and a second spacer bar, adding strength and rigidity.
Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.
Sustainability: Indoor Advantage Gold Certification (SCS); US Green Building Council (USGBC)
BIFMA: N/A
Warranty: 2-year



Rolling Coat Rack



Hanger

To be stored in 3110 Table/ Chair Storage

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Yoga Mat

Departments: Staff Gym

Manufacturer: Manduka
Email Address: wholesale@manduka.com
info@manduka.com
Phone: (877) 626-3852
Rep: Customer Service

Product Name: PROlite Yoga Mat, 4.7mm
Dimensions: 24" Wide x 71" Long
Density: 4.7mm dense cushioning

Color: Root

Description: Proprietary dot pattern on the bottom layer keeps mat in place. Bimodal foam technology creates industry leading density, durability, and compression set. Closed-cell PVC construction seals out moisture and bacteria, easy to clean and disinfect. Free of phthalates and harmful substances. Vegan friendly.

Construction: Closed-cell PVC Construction. Made from OEKO-TEX certified STANDARD 100 PVC. 100% Latex-free. 5.0% Polyester (Scrim) + 95% PVC

Storage: Roll mats with the top facing outwards. Keeps the corners of the mats flat when in use.

Sustainability: N/A
BIFMA: N/A
Warranty: N/A



Yoga Mat

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Yoga Mat

Departments: Crisis Residential
& Detox Milieu

Manufacturer: Manduka
Email Address: wholesale@manduka.com
info@manduka.com
Phone: (877) 626-3852
Rep: Customer Service

Product Name: PROlite Yoga Mat, 4.7mm
Dimensions: 24" Wide x 71" Long
Density: 4.7mm dense cushioning


Color: Dark Deep Sea

Description: Proprietary dot pattern on the bottom layer keeps mat in place. Bimodal foam technology creates industry leading density, durability, and compression set. Closed-cell PVC construction seals out moisture and bacteria, easy to clean and disinfect. Free of phthalates and harmful substances. Vegan friendly.

Construction: Closed-cell PVC Construction. Made from OEKO-TEX certified STANDARD 100 PVC. 100% Latex-free. 5.0% Polyester (Scrim) + 95% PVC

Storage: Roll mats with the top facing outwards. Keeps the corners of the mats flat when in use.

Sustainability: N/A
BIFMA: N/A
Warranty: N/A



Yoga Mat

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Platform Bed with Storage

Departments: Crisis Residential

Manufacturer: Pineapple Furniture
 Address: 7105 19 Mile Rd
 Sterling Heights, MI 48314
 Phone: (800) 496-9324
 Rep: Edward Larsen

Product Name: Ryno Storage Bed (storage on both sides) with Floor Fixing + Ryno Bed Infill (left & right side)
 Product #: 1RYBS + 1RYB-IR
 Dimensions: 39-3/4" Wide x 82-3/4" Long x 19" Overall Height
 Mattress #: 1TRM6-78-36 (Ryno)
 Mattress Dims: 36" Wide x 78" Long x 6" High

Poly Color: Cool Green

Product Weight: 227lbs
 Ballast: Ballast unavailable for this item

Mounting: Floor Fixing System - Template provided by Pineapple
 Use fastenings of an appropriate strength and use high strength thread-locker on fastenings in challenging environments.

Description: One-piece roto-molded platform bed with bed infills at wall to reduce stashing points

Construction: Rotationally molded, durable polyethylene, one-piece construction provides excellent strength and stability. Flamed, textured finish further strengthens the fire-retardant, water-resistant, UV-stabilized shell. Anti-microbial material gives high chemical resistance (e.g. ammonia, sodium hydroxide) throughout the product.

Mattress Const. Cover made from fire-retardant, 'anti-vandal' (rip stop) vinyl with radio-frequency welded seams provides a tear-proof mattress with an impervious seal. Foam is flame-retardant, multi-density foam allows you to choose between firm or soft sides for ultimate comfort

Weight Capacity: Rated to 750lbs.
 Sustainability: Includes recycled content
 BIFMA: N/A
 Warranty: Limited Lifetime guarantee against all manufacturing faults



Platform Bed



Mattress



Corner Installs - Infills



Poly Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
 architecture • interior design

BH - Platform Bed with Storage

Departments: Crisis Residential

Manufacturer: Pineapple Furniture
 Address: 7105 19 Mile Rd
 Sterling Heights, MI 48314
 Phone: (800) 496-9324
 Rep: Edward Larsen

Product Name: Ryno Storage Bed (storage on both sides) with Floor Fixing + Ryno Bed Infill (left & right side)
 Product #: 1RYBS + 1RYB-IR
 Dimensions: 39-3/4" Wide x 82-3/4" Long x 19" Overall Height
 Mattress #: 1TRM6-78-36 (Ryno)
 Mattress Dims: 36" Wide x 78" Long x 6" High

Poly Color: Teal

Product Weight: 227lbs
 Ballast: Ballast unavailable for this item

Mounting: Floor Fixing System - Template provided by Pineapple
 Use fastenings of an appropriate strength and use high strength thread-locker on fastenings in challenging environments.

Description: One-piece roto-molded platform bed with bed infills at wall to reduce stashing points

Construction: Rotationally molded, durable polyethylene, one-piece construction provides excellent strength and stability. Flamed, textured finish further strengthens the fire-retardant, water-resistant, UV-stabilized shell. Anti-microbial material gives high chemical resistance (e.g. ammonia, sodium hydroxide) throughout the product.

Mattress Const. Cover made from fire-retardant, 'anti-vandal' (rip stop) vinyl with radio-frequency welded seams provides a tear-proof mattress with an impervious seal. Foam is flame-retardant, multi-density foam allows you to choose between firm or soft sides for ultimate comfort

Weight Capacity: Rated to 750lbs.
 Sustainability: Includes recycled content
 BIFMA: N/A
 Warranty: Limited Lifetime guarantee against all manufacturing faults



Platform Bed



Mattress



Corner Installs - Infills



Poly Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
 architecture • interior design

BH - Platform Bed with Storage

Departments: Crisis Residential

Manufacturer: Pineapple Furniture
 Address: 7105 19 Mile Rd
 Sterling Heights, MI 48314
 Phone: (800) 496-9324
 Rep: Edward Larsen

Product Name: Ryno Storage Bed (storage on both sides) with Floor Fixing + Ryno Bed Infill (left & right side)
 Product #: 1RYBS + 1RYB-IR
 Dimensions: 39-3/4" Wide x 82-3/4" Long x 19" Overall Height
 Mattress #: 1TRM6-78-36 (Ryno)
 Mattress Dims: 36" Wide x 78" Long x 6" High

Poly Color: Warm Terracotta

Product Weight: 227lbs
 Ballast: Ballast unavailable for this item

Mounting: Floor Fixing System - Template provided by Pineapple
 Use fastenings of an appropriate strength and use high strength thread-locker on fastenings in challenging environments.

Description: One-piece roto-molded platform bed

Construction: Rotationally molded, durable polyethylene, one-piece construction provides excellent strength and stability. Flamed, textured finish further strengthens the fire-retardant, water-resistant, UV-stabilized shell. Anti-microbial material gives high chemical resistance (e.g. ammonia, sodium hydroxide) throughout the product.

Mattress Const. Cover made from fire-retardant, 'anti-vandal' (rip stop) vinyl with radio-frequency welded seams provides a tear-proof mattress with an impervious seal. Foam is flame-retardant, multi-density foam allows you to choose between firm or soft sides for ultimate comfort

Weight Capacity: Rated to 750lbs.
 Sustainability: Includes recycled content
 BIFMA: N/A
 Warranty: Limited Lifetime guarantee against all manufacturing faults



Platform Bed



Mattress



Corner Installs - Infills



Poly Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
 architecture • interior design

BH - Open Nightstand Departments: Crisis Residential

Manufacturer: Pineapple Furniture
Address: 7105 19 Mile Rd
Sterling Heights, MI 48314
Phone: (800) 496-9324
Rep: Edward Larsen

Product Name: Ryno Open Nightstand
Product #: 1RYOB
Dimensions: 15-3/4" Wide x 15" Deep x 23-1/2" Overall Height

Poly Color: Cool Green

Product Weight: 29lbs
Ballast: Ballast unavailable for this item

Mounting: Floor Fixing Kit provided by Pineapple
Wall Fixed (using wall anchors, bolts and washers) by dealer

Description: One-piece roto-molded nightstand

Construction: Rotationally molded, durable polyethylene, one-piece construction provides excellent strength and stability. Flamed, textured finish further strengthens the fire-retardant, water-resistant, UV-stabilized shell. Anti-microbial material gives high chemical resistance (e.g. ammonia, sodium hydroxide) throughout the product.

Weight Capacity: Not Rated
Sustainability: Includes recycled content
BIFMA: N/A
Warranty: Limited Lifetime guarantee against all manufacturing faults



Nightstand



Poly Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Open Nightstand Departments: Crisis Residential

Manufacturer: Pineapple Furniture
Address: 7105 19 Mile Rd
Sterling Heights, MI 48314
Phone: (800) 496-9324
Rep: Edward Larsen

Product Name: Ryno Open Nightstand
Product #: 1RYOB
Dimensions: 15-3/4" Wide x 15" Deep x 23-1/2" Overall Height

Poly Color: Teal

Product Weight: 29lbs
Ballast: Ballast unavailable for this item

Mounting: Floor Fixing Kit provided by Pineapple
Wall Fixed (using wall anchors, bolts and washers) by dealer

Description: One-piece roto-molded nightstand

Construction: Rotationally molded, durable polyethylene, one-piece construction provides excellent strength and stability. Flamed, textured finish further strengthens the fire-retardant, water-resistant, UV-stabilized shell. Anti-microbial material gives high chemical resistance (e.g. ammonia, sodium hydroxide) throughout the product.

Weight Capacity: Not Rated
Sustainability: Includes recycled content
BIFMA: N/A
Warranty: Limited Lifetime guarantee against all manufacturing faults



Nightstand



Poly Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Open Nightstand

Departments: Crisis Residential

Manufacturer: Pineapple Furniture
 Address: 7105 19 Mile Rd
 Sterling Heights, MI 48314
 Phone: (800) 496-9324
 Rep: Edward Larsen

Product Name: Ryno Open Nightstand +
 Product #: 1RYOB
 Dimensions: 15-3/4" Wide x 15" Deep x 23-1/2" Overall Height
 Poly Color: Warm Terracotta
 Product Weight: 29lbs
 Ballast: Ballast unavailable for this item
 Mounting: Floor Fixing Kit provided by Pineapple
 Wall Fixed (using wall anchors, bolts and washers) by dealer
 Description: One-piece roto-molded nightstand
 Construction: Rotationally molded, durable polyethylene, one-piece construction provides excellent strength and stability. Flamed, textured finish further strengthens the fire-retardant, water-resistant, UV-stabilized shell. Anti-microbial material gives high chemical resistance (e.g. ammonia, sodium hydroxide) throughout the product.
 Weight Capacity: Not Rated
 Sustainability: Includes recycled content
 BIFMA: N/A
 Warranty: Limited Lifetime guarantee against all manufacturing faults



Nightstand



Poly Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
 architecture • interior design

BH - Seclusion Bed with Restraints

Departments: Crisis Residential

Manufacturer: ModuForm
 Address: 172 Industrial Road
 Fitchburg, MA 01420
 Phone: (978) 345-7942
 Rep: Donna Belton

Product Name: Restraint - Seclusion Bed
 Product #: 450-11
 Floor Anchor: 450-AN-KT1
 Dimensions: 30" Wide x 80" Long x 18" Overall Height

Vinyl Color: #426 - Slate Blue
 Product Weight: 205lbs

Description: The Seclusion Bed includes 10 restraint rings (five per side), constructed from durable steel and secured with concealed, continuous woven polypropylene webbing. This system ensures safety, reliability, and patient dignity during use.

Floor Anchor Detail: Fabricated steel mounting system enables secure floor attachment for added stability, while still allowing easy removal for thorough cleaning.

Construction: One-piece molded polyvinyl chloride cover. Fully molded one-piece without seams, gaps or added components to prevent hiding of contraband, absorption of fluids or other risks. Non-porous, pick and puncture resistant and sealed for long-life and humanizing use. The beds core is crafted from high-density flexible polyurethane foam, eliminating springs, hard edges and puddling fabrics. A high-impact plinth base prevents the concealment of contraband and simplifies cleaning by containing the fluids and contaminants.

Weight Capacity: Rated for 550lbs
 Sustainability: LEED v4 EQ Credit: Low-Emitting Materials furniture evaluation criteria

BIFMA: Testing: ANSI/BIFMA X7.1-2011 (R2016)
 ANSI/BIFMA e3-2019 Furniture Sustainability Standard Sections 7.6.1, 7.6.2, and 7.6.3

Warranty: 5-year limited warranty



Seclusion Bed



Anchor Detail



Vinyl Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
 architecture • interior design

BH - Restraint Kit

Departments: Crisis Residential

Manufacturer: Anchortex Corp
 Address: 420 Commerce Lane
 West Berlin, NJ 08091
 Phone: (888) 786-5240
 Rep: Customer Service

Product Name:	Humane Restraint Kit #8 Non-Locking Bed Restraint Kit - Polyurethane
Product #:	H600210
Includes:	
(1) CBW-201-POLY:	Polyurethane Bed Wrist Restraint, Non-Locking Center section is 38" long and 3" wide. Side Straps: 32"L and 1¼"W, 12 size adjustments Wrist cuffs: 12"L and 2¾"W, 4 size adjustments Ankle cuffs: 14"L and 2¾"W with 4 size adjustments Wristlets are spaced at 26" and anklets are 14" apart
(1) CBR-101-POLY:	Polyurethane Bed Torso Restraint, Non-Locking Center webbing: 48"L and 4"W Side Straps: 20"L and 1¼"W, Straps have 10 size adjustments
(1) CBA-201-POLY	Polyurethane Bed Ankle Restraint, Non-Locking Center section: 38"L and 3"W Side Straps: 32"L and 1¼"W, 12 size adjustments Wrist Cuffs: 12"L and 2¾"W, 4 size adjustments Ankle Cuffs: 14"L and 2¾"W, 4 size adjustments Wristlets are spaced at 26" and anklets are 14" apart
(1)RBL-100-POLY	Large Restraint Bag Nylon with Nylon Zipper
Content:	Polyurethane, steel loops, and 1-1/4" steel roller buckles.
Storage:	Store away from heat greater than 280degrees or open flame
Cleaning:	Regular cleaning - wipe the polyurethane with mild soap and water. Decontaminating bloodborne pathogens, use 1 cup Bleach to a gallon of water, then rinse and dry
Weight Capacity:	Unknown
Sustainability:	N/A
BIFMA:	N/A
Warranty:	All products for defects in material and workmanship for a period of one year from date of purchase. We will repair or replace, at our option, any product timely delivered to us because of defects in material or workmanship. Humane Restraint Co., Inc. shall not be liable or responsible for incidental or consequential damages.



Restraint Kit

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
 architecture • interior design

Nightstand

Departments: Detox Bedrooms

Manufacturer: Kwalu
Address: 6160 Peachtree Dunwoody Rd
Atlanta, GA 30328
Phone: (887) 695-9258
Rep: Gina Principe

Product Name: Ethan Bedside Cabinet, Floating Top
Product #: ETNBS10FTSSCL
Dimensions: 22-1/4" Wide x 21-1/2" Deep x 30-1/2" Overall Height
Product Weight: 92lbs

Protea Finish: Medium Oak, P-MO-0525
Protea Fusion Finish: Medium Oak, PF-MO-0525
Solid Surface: Hanex - Coldstone, T-098

Description: Bedside cabinet with (1) drawer with liner, floating top, solid surface top with spill-proof edge, classic leg

Drawer Handle: Pull, Matte Black
H/WIRE/002/128/MTBK
Length: 5"

Drawer Details: Constructed with both dowel and mechanical fasteners for additional strength. Ball bearing removable slides are fully extendable

Construction: Durable and resilient, Protea™ and Protea™ Fusion deliver the beauty of wood without any of the drawbacks. The finish is moisture impervious, easy to clean, and maintenance-free. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Sustainability: Indoor Advantage Gold, CARB Compliant, 99% recycled inner-steel framing and long lasting polymers
BIFMA: BIFMA Certified, Level 1
Warranty: 24/7, 10-year performance warranty on Kwalu-made frames



Nightstand



Drawer Pull



Protea Finish



Protea Fusion Finish



Solid Surface Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Overbed Table

Departments: Detox Bedrooms

Manufacturer: Kwalu
Address: 6160 Peachtree Dunwoody Rd
Atlanta, GA 30328
Phone: (887) 695-9258
Rep: Gina Principe

Product Name: Overbed Table, Low Profile, Gas Assist, C-Base
Product #: OTCB2 - Overbed Table
OTCB2NB - 32"x18" Kidney Bean Top
Dimensions: 32" Wide x 18" Deep x 28-1/2" - 42-1/2" Overall Height
Product Weight: 53lbs

Protea Fusion Finish: Medium Oak, PF-MO-0525
Base: Cream (Standard, no options)

Description: Overbed table with low profile base, height-adjustable solid surface kidney bean shaped top. C-shaped base allows for use at hospital bed and patient chair

Accessory: Storage Basket

Construction: Durable and resilient, Protea™ and Protea™ Fusion deliver the beauty of wood without any of the drawbacks. The finish is moisture impervious, easy to clean, and maintenance-free. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Weight Capacity: 100lbs evenly distributed weight
Sustainability: Indoor Advantage Gold, CARB Compliant, 99% recycled inner-steel framing and long lasting polymers

BIFMA: BIFMA Certified, Level 1
Warranty: 24/7, 10-year performance warranty on Kwalu-made frames



Overbed Table



Kidney Bean Top



Storage Basket



Protea Fusion Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
architecture • interior design

Wardrobe - Left

Departments: Detox Bedrooms

Manufacturer: Kwalu
Address: 6160 Peachtree Dunwoody Rd
Atlanta, GA 30328
Phone: (887) 695-9258
Rep: Gina Principe

Product Name: Custom Ethan Wardrobe - Left Hand Hinge
Product #: *C2680830/ 1A Custom Ethan Wardrobe
Dimensions: 26-1/2" Wide x 24-1/4" Deep x 72" Overall Height
Product Weight: 92lbs

Protea Finish: Medium Oak, P-MO-0525
Protea Fusion Finish: Medium Oak, PF-MO-0525

Description: Custom wardrobe with single door (left hand swing), with no clothing rod, (4) fixed shelves inside, and an open cubby below

Drawer Handle: Pull, Matte Black
H/WIRE/002/128/MTBK
Length: 5"

Construction: Durable and resilient, Protea™ and Protea™ Fusion deliver the beauty of wood without any of the drawbacks. The finish is moisture impervious, easy to clean, and maintenance-free. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Sustainability: Indoor Advantage Gold, CARB Compliant, 99% recycled inner-steel framing and long lasting polymers

BIFMA: BIFMA Certified, Level 1
Warranty: 24/7, 10-year performance warranty on Kwalu-made frames



Wardrobe Concept Image



Drawer Pull



Protea Finish



Protea Fusion Finish

Notes:
-All Finish Samples to be submitted for approval prior to fabrication.
-Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
-Must be properly marked with Item Number and location.
-Must be contract quality and structurally stable for commercial use.
-Must meet or exceed Federal, State, Local Fire Codes and Standards.


Wardrobe - Left




Axonimetric



Front Elevation
with Left Hand Hinge



Floor Plan
with Left Hand Hinge



Section Cut - Shelving

Wardrobe - Right

Departments: Detox Bedrooms

Manufacturer: Kwalu
Address: 6160 Peachtree Dunwoody Rd
Atlanta, GA 30328
Phone: (887) 695-9258
Rep: Gina Principe

Product Name: Custom Ethan Wardrobe - Right Hand Hinge
Product #: *C2680830/ 2A Custom Ethan Wardrobe
Dimensions: 26-1/2" Wide x 24-1/4" Deep x 72" Overall Height
Product Weight: 92lbs

Protea Finish: Medium Oak, P-MO-0525
Protea Fusion Finish: Medium Oak, PF-MO-0525

Description: Custom wardrobe with single door (right hand swing), with no clothing rod, (4) fixed shelves inside, and an open cubby below

Drawer Handle: Pull, Matte Black
H/WIRE/002/128/MTBK
Length: 5"

Construction: Durable and resilient, Protea™ and Protea™ Fusion deliver the beauty of wood without any of the drawbacks. The finish is moisture impervious, easy to clean, and maintenance-free. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Sustainability: Indoor Advantage Gold, CARB Compliant, 99% recycled inner-steel framing and long lasting polymers

BIFMA: BIFMA Certified, Level 1
Warranty: 24/7, 10-year performance warranty on Kwalu-made frames



Wardrobe Concept Image



Drawer Pull



Protea Finish



Protea Fusion Finish


Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.


Wardrobe - Right




Axonimetric



Front Elevation
with Right Hand Hinge



Floor Plan
with Right Hand Hinge



Section Cut - Shelving



Rocking Armchair

Departments: Detox Bedrooms

Manufacturer: Stance Healthcare
 Address: 901 44th Street, SE
 Grand Rapids, MI 49508
 Phone: (616) 247-2710
 Rep: Fine Lines NW/ Troy Busch

Product Name: Abrazo Mid-Back Rocker
 Product Number: ABC121-RB-MB
 Dimensions: 27-1/4" Wide x 32-1/2" Deep x 30-1/4" Overall High
 Seat: 18-1/2" High
 Arms: 28" High
 Product Weight: 51lbs
 Metal Frame: Metallic Beige - MB
 Arm Cap: Corian Canyon
 Description: Metal framed rocking chair with floating back design, 360-degree clean out, and solid surface arm caps
 Construction: Internal construction made up of boxed 1/2" and 3/4" plywood, with individual pieces interlocked, stapled and glued for added strength. Internal elastomeric seating suspension system provides long term performance and support. Foam contains environmentally-friendly bio-based materials. Rocker base is 1" round x 16ga powder-coated steel tubing with polymer wrap under rocker rails. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.
 Upholstery: See next sheet
 Upholstery Detail: Tight upholstered with lapped seam double stitched
 Yardage Required: 4 yard/ each
 Weight Capacity: Rated to 300lbs
 Sustainability: Level Certified, MAS Certification Green
 BIFMA: BIFMA Compliant, X5.4-2020
 Warranty: 5-year



Mid-Back Rocker



Metal Frame




Arm Cap

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Rocking Armchair



Seat Upholstery
Mfr.: Momentum
Pattern: Whisp
Color: Dew
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

High Back Armchair

Departments: Detox Bedrooms

Manufacturer: Stance Healthcare
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Fine Lines NW/ Troy Busch

Product Name: Abrazo High-Back Chair
Product Number: ABC121-LB-HB
Dimensions: 27-1/4" Wide x 28-3/4" Deep x 45" Overall High
Seat: 18-1/4" High
Arms: 27-3/4" High
Product Weight: 52lbs
Metal Frame: Metallic Beige - MB
Arm Cap: Corian Canyon
Description: Metal framed chair with floating back design, 360-degree clean out, and solid surface arm caps
Construction: Internal construction made up of boxed 1/2" and 3/4" plywood, with individual pieces interlocked, stapled and glued for added strength. Internal elastomeric seating suspension system provides long term performance and support. Foam contains environmentally-friendly bio-based materials. Four Leg Base, powdercoat steel 1.25" x 16ga legs with nylon fixed glides. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.
Upholstery: See next sheet
Upholstery Detail: Tight upholstered with lapped seam double stitched
Yardage Required: 4.5 yard/ each
Weight Capacity: Rated to 300lbs
Sustainability: Level Certified, MAS Certification Green
BIFMA: BIFMA Compliant, X5.4-2020
Warranty: 5-year



High-Back Arm Chair




Metal Frame



Arm Cap

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Submit "Cutting for Approval" for fabric approval prior production.
 - All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

High Back Armchair



Seat Upholstery
Mfr.: Momentum
Pattern: Whisp
Color: Dew
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Bariatric High Back Armchair

Departments: Detox Bedrooms

Manufacturer: Stance Healthcare
 Address: 901 44th Street, SE
 Grand Rapids, MI 49508
 Phone: (616) 247-2710
 Rep: Fine Lines NW/ Troy Busch

Product Name: Jensen Bariatric High-Back Chair, closed arms
 Product Number: JEC124-CA-HB
 Dimensions: 27" Wide x 26-1/2" Deep x 45" Overall High
 Seat: 18-1/4" High
 Arms: 27" High
 Product Weight: 60lbs
 Metal Frame: Metallic Beige - MB
 Arm Cap: Corian Canyon
 Description: Metal framed bariatric chair with floating back design, 360-degree clean out, and solid surface arm caps
 Construction: Internal construction made up of boxed 1/2" and 3/4" plywood, with individual pieces interlocked, stapled and glued for added strength. Internal elastomeric seating suspension system provides long term performance and support. Foam contains environmentally-friendly bio-based materials. Four Leg Base, powdercoat steel 1.25" x 16ga legs with nylon fixed glides. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.
 Upholstery: See next sheet
 Upholstery Detail: Tight upholstered with lapped seam double stitched
 Yardage Required: 3.75 yard/ each
 Weight Capacity: Rated to 500lbs
 Sustainability: Level Certified, MAS Certification Green
 BIFMA: BIFMA Compliant, X5.4-2020
 Warranty: 5-year



High-Back Arm Chair



Metal Frame



Arm Cap

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION


YESHJESH T'UH

FF&E PACKAGE



spark design
 architecture • interior design

Bariatric High Back Armchair



Seat Upholstery
Mfr.: Momentum
Pattern: Whisp
Color: Dew
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Task Chair, Knit Back

Departments: General

Mfr: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Product Name: Amia Air
Product #: 4821414S
Dimensions: 26-5/8" Wide x 21-3/4" - 24-3/4" Deep x XXX
Seat Height: 16" - 21" High

Mesh Back: 3D Knit, Nickel 5093
Frame Finish: Merle - 7360
Base Finish: Merle - 7360

Description: Task chair with Air LiveBack lumbar support, manual adjustment, plastic Air back with 3D microknit and upholstered seat.

Ergo Features: Adjustable Air LiveBack lumbar system, manual synchro-tilt mechanism, recline adjustments with full recline and lock, 4-Dimensional arms (move in height, width, depth and pivot), seat height and depth adjustments.

Upholstery: See next sheet
Upholstery Detail: Tight upholstery with double stitched seams

Yardage Required: 1 yards/ each

Weight Capacity: Supports up to 400lbs.
Sustainability: Environmental Product Declaration by NSF LEVEL3
BIFMA: NSI/ BIFMA X5.1 General Purpose Office Chair
Warranty: Limited Lifetime



Task Chair



Mesh Back Finish



Frame and Base Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
architecture • interior design



Seat Upholstery

Mfr.: Architex

Pattern: Tussar

Color: Cement

Width: 54" Wide

Content: 100% Silicone Hybrid

Backing: Polyester

Durability: 200,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Approved Alternates

Rep: Think Office
Mfr: Herman Miller
Item: Verus Task Chair, Mesh Back and upholstered seat

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Rep: System Center
Mfr: Haworth
Item: Fern Mesh, Mesh Back and upholstered seat

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Task Chair, Upholstered Back

Departments: General

Mfr: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Product Name: Amia Task Chair
Product #: 4821410
Dimensions: 26-5/8" Wide x 21-3/4" - 24-3/4" Deep x
Seat Height: 16" - 21" High

Frame Finish: Merle - 7360
Base Finish: Merle - 7360
Casters: Hard Dual-wheeled casters (for carpet)

Description: Task chair with LiveLumbar system, manual adjustment, plastic Air back with upholstered seat and back.

Ergo Features: Adjustable Air LiveBack lumbar system, manual synchro-tilt mechanism, recline adjustments with full recline and lock, 4-Dimensional arms (move in height, width, depth and pivot), seat height and depth adjustments.

Upholstery: See next sheet
Upholstery Detail: Tight upholstery with double stitched seams

Yardage Required: 2.5 yards/ each

Weight Capacity: Rated to 400lbs.
Sustainability: Environmental Product Declaration by NSF LEVEL3
BIFMA: NSI/ BIFMA X5.1 General Purpose Office Chair
Warranty: Limited Lifetime



Task Chair



Frame and Base Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crooking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.


SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
architecture • interior design



Seat Upholstery

Mfr.: Architex

Pattern: Tussar

Color: Cement

Width: 54" Wide

Content: 100% Silicone Hybrid

Backing: Polyester

Durability: 200,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Approved Alternates

Rep: Think Office
Mfr: Herman Miller
Item: Embody Chair

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Rep: System Center
Mfr: Haworth
Item: Fern Chair

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Patient Side Chair

Departments: Crisis, Detox, OPBH
& Public Space

Manufacturer: Global Furniture Group
Address: 17 West Stow Road
Marlton, NJ 08053
Phone: (856) 596-3390
Rep: Doug Vance

Product Name: Willow Armchair
Product Number: W5APUG
Dimensions: 24-1/4" Wide x 23-1/2" Deep x 32" Overall High
Seat: 17" High
Arm: 20-1/2" High
Product Weight: 21lbs

Poly Finish: Latte - LAB
Frame Finish: Toast - TOA
Glides: Non-Marking Nylon Glides

Description: Metal frame arm chair with upholstered seat, polypropylene back, and grip-assist ergo arm.

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Upholstery: See next sheet
Upholstery Detail: Tight upholstery seat pad with concealed attachment hardware

Yardage Required: 0.75 yards/ each


Stacking: Stacks 4 high on the floor
Weight Capacity: Rated to 400lbs
Sustainability: GREENGUARD Gold Certification
BIFMA: LEVEL 3 Certified
Warranty: Limited Lifetime



Patient Chair



Cleanable under seat shroud




Frame Finish



Poly Finish

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Submit "Cutting for Approval" for fabric approval prior production.
 - All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Patient Side Chair



Seat Upholstery
Mfr.: Momentum
Pattern: Twill EPU
Color: Dolomite
Width: 54" Wide
Content: 100% EPU Polyurethane
Backing: Polyester
Durability: 130,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.



Patient Side Chair - Mother/ Baby

**Departments: Crisis, Detox, OPBH
& Public Space**

Manufacturer: Global Furniture Group
Address: 17 West Stow Road
Marlton, NJ 08053
Phone: (856) 596-3390
Rep: Doug Vance

Product Name: Willow Bariatric Armchair
Product Number: W530AUU
Dimensions: 35-1/4" Wide x 23-1/2" Deep x 32" Overall High
Seat: 17" High
Arm: 20-1/2" High

Frame Finish: Toast - TOA
Glides: Non-Marking Nylon Glides

Description: Metal frame bariatric arm chair with upholstered seat and back, and grip-assist arm finish.

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Upholstery: See next sheet
Upholstery Detail: Tight upholstery with concealed hardware

Yardage Required: 1.75 yards/ each


Weight Capacity: Rated to 600lbs
Sustainability: GREENGUARD Gold Certification
BIFMA: LEVEL 3 Certified
Warranty: Limited Lifetime



Patient Side Chair -
Mother/ Baby



Cleanable under seat shroud




Frame Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crooking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Patient Side Chair - Mother/ Baby



Seat and Back Upholstery

Mfr.: Momentum

Pattern: Twill EPU

Color: Dolomite

Width: 54" Wide

Content: 100% EPU Polyurethane

Backing: Polyester

Durability: 130,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Patient Side Chair
Departments: Public Space

Manufacturer: Global Furniture Group
Address: 17 West Stow Road
Marlton, NJ 08053
Phone: (856) 596-3390
Rep: Doug Vance

Product Name: Willow Armless Chair
Product Number: W5NUPG
Dimensions: 20-3/4" Wide x 23-1/2" Deep x 32-1/4" Overall High
Seat: 17" High
Arm: 20-1/2" High
Product Weight: 17lbs

Poly Finish: Latte - LAB
Frame Finish: Toast - TOA
Glides: Non-Marking Nylon Glides

Description: Metal frame chair with upholstered seat, polypropylene back, and grip-assist ergo arm.

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Upholstery: See next sheet
Upholstery Detail: Tight upholstery with concealed hardware

Yardage Required: 0.75 yards/ each


Stacking: Stacks 4 high on the floor
Weight Capacity: Rated to 400lbs
Sustainability: GREENGUARD Gold Certification
BIFMA: LEVEL 3 Certified
Warranty: Limited Lifetime



Patient Side Chair



Cleanable under seat shroud




Frame Finish



Poly Finish

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Submit "Cutting for Approval" for fabric approval prior production.
 - All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crooking.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Patient Side Chair



Seat Upholstery
Mfr.: Momentum
Pattern: Twill EPU
Color: Dolomite
Width: 54" Wide
Content: 100% EPU Polyurethane
Backing: Polyester
Durability: 130,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Dr. Stool

Manufacturer: OFS Brands
 Address: 1204 East 6th Street
 Huntingburg, IN 47542
 Phone: (800) 521-5381
 Rep: VPI/ Mike McFarlane

Departments: Crisis, Detox & OPBH

Manufacturer: Carolina
 Product Name: Stray Stool
 Product Number: Physician's Stool 2501
 Dimensions: 26" Diameter x 19-1/4" - 26-1/2" Height
 Seat: 16-1/4" Diameter
 Product Weight: 20lbs

Base Finish: Graphite - FGR
 Seat Pan Finish: Graphite - FGR
 Casters: Black Soft Wheel Casters - for use on resilient sheet goods.
 Controls: 360-degree ring actuator
 Cylinder: Class 4 gas cylinders

Description: Pneumatic height adjustable stool, 5-star base with casters

Construction: Low-profile chair base is manufactured of solid injection-molded, glass reinforced nylon resin.

Upholstery: See next sheet
 Upholstery Detail: Standard 3/4", one-piece multicore hardwood plywood seat, fitted with Riveted T nuts fixed on both sides of the plywood, with injection molded seat cover made out of polypropylene. Seat cushion is 1-3/4" thick, high resilience molded foam.

Yardage Required: 0.75 yard/ each

Weight Capacity: Rated for 300lbs
 Sustainability: Indoor Advantage Gold
 BIFMA: BIFMA Certified, Level 1
 Warranty: 12-year



Dr. Stool



Base Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Seat Upholstery

Mfr.: Architex

Pattern: Tussar

Color: Cement

Width: 54" Wide

Content: 100% Silicone Hybrid

Backing: Polyester

Durability: 200,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Guest Chair - Office

Departments: OPBH

Manufacturer: Leland International
 Address: 5695 Easgle Dr, SE
 Grand Rapids, MI 49512
 Phone: (616) 975-9260
 Rep: Customer Service
 hello@lelandfurniture.com

Product Name: Amadeus Tapered Four Leg Base Chair
 Product #: AM4-PU
 Dimensions: 21-1/2" Wide x 22" Deep x 32" Overall Height
 Seat: 19" High

Product Weight: 24bs

Polypropylene: White - W
 Powder Coat: Foundry Texture - FNT
 Glides: Nylon (standard)

Description: Tapered four legs finished in powdercoat with polypropylene shell and upholstered seat onlay.


Upholstery: See next sheet
 Upholstery: Tight upholstered seat pad

Yardage Required: 0.75 yards/ each


Weight Capacity: Rated for 500lbs
 Sustainability: SCS Indoor Advantage Gold Certificate
 BIFMA: BIFMA Compliant
 Warranty: 5-year



Guest Chair



Polypropylene



Powder Coat

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
 architecture • interior design



Seat & Back Upholstery
Mfr.: Momentum
Pattern: Silica Etch
Color: Manta
Width: 54" Wide
Content: 100% Silicone
Backing: Polyester
Durability: 270,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Meeting Chair

**Departments: Staff Space
Meeting Rooms**

Manufacturer: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Product Name: Move
Product #: 490412C
Dimensions: 25-3/4" Wide x 20-1/4" Deep x 31-1/2" Overall Height
Seat: 18" Height
Product Weight: 17lbs

Polypropylene: Element - 6337
Leg Finish: Lux Night Bronze - 4B24
Casters: 2-1/2" hard composition, dual wheel casters, black

Description: Pivoting mesh backrest and gliding seat move allowing comfort in changing postures.

Ergo Features: 15-degree Pivoting back automatically follows the natural motion of your back as you recline, encouraging movement and supporting multiple postures

Upholstery: See next sheet
Upholstery Detail: Tight upholstered seat cushion

Yardage Required: 1 yards/ each

Weight Capacity: Rated for 300lbs
Sustainability: Indoor Advantage Gold
BIFMA: BIFMA Certified, Level 3
Warranty: Limited Lifetime



Meeting Chair



Polypropylene



Leg

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crooking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Meeting Chair



Seat Upholstery
Mfr.: Momentum
Pattern: Silica Stride
Color: Limestone
Width: 54" Wide
Content: 100% Silicone
Backing: Polyester
Durability: 500,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Approved Alternates

Rep: Think Office
Mfr: Herman Miller
Item: Caper Stacking Chair

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Rep: Doug Vance
Mfr: Global Furniture Group
Item: Stream

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Training Chair

**Departments: Staff Space
Conference Rooms**

Manufacturer: OFS Brands
Address: 1204 East 6th Ave
Huntingburg, IN 47542
Phone: (800) 521-5381
Rep: VPI/ Mike McFarlane


Product Name: Acen Nesting Chair with Arms
Product #: 50091
Dimensions: 27-3/4" Wide x 24" Deep x 34-3/4" Overall Height
Seat: 18" High
Arms: 26" High
Product Weight: 20lbs
Mesh Back: Storm - MSM
Frame Finish: Black - BLKP
Casters: Black Hard Wheel Casters - W48
Description: Nesting chair with pivoting back and arms.
Construction: 7/8" Diameter Steel Tubing frame. Polypropylene seat liner encased in nylon seat frame. Built-in seat slider mechanism. Mesh back is a combination of polyester and polyelastomer.
Upholstery: See next sheet
Upholstery Detail: Tight upholstered seat cushion on 1-3/4" molded foam.
Yardage Required: 1 yards/ each
Weight Capacity: Rated to 300lbs
Sustainability: Indoor Advantage Gold
BIFMA: BIFMA Certified, Level 1
Warranty: 12-year



Training Chair



Mesh Back



Frame

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crooking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Seat Upholstery
Mfr.: Momentum
Pattern: Twill EPU
Color: Sequoia
Width: 54" Wide
Content: 70% Polyurethane/PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Cafe Chair - Staff

Departments: Staff Lounge

Manufacturer: Source International
 Address: 17 Gilmore Drive
 Sutton, MA 01590
 Phone: (800) 722-0474
 Rep: Concentric/ Chris Fuller

Product Name: Paisans Chair
 Product #: 350FL-WA-UBPU
 Dimensions: 24" Wide 21" Deep x 30-1/4" Overall Height
 Seat: 18-1/2" High
 Arms: 27-1/2" High
 Item Weight: 15lbs

Back Shape: Phantom
 Wood Back Finish: Walnut - WNT
 Metal Frame Finish: Matte Black - BLK
 Glides: Felt Glides

Description: Metal Frame chair with attached upholstered seat cushion with upholstered back pad and exposed wood back.

Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength. All wood veneers must have solid wood banding. Raw or veneered edges are not acceptable. Wood to be treated with clear protective sealer to prevent alcohol and stain damage. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Upholstery: See next sheet
 Upholstery Detail: Tight upholstered seat and back pad with (2) pulled in button details centered on back cushion.

Yardage Required: 0.75 yards/ each

Weight Capacity: Rated to 300lbs
 Sustainability: GREENGUARD Certified
 BIFMA: Meets ANSI/ BIFMA Standards
 Warranty: Lifetime Limited Warranty



Cafe Chair with Arms



Wood Back



Frame

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH
 FF&E PACKAGE



spark design
 architecture • interior design

Cafe Chair - Staff



Seat and Back Upholstery

Mfr.: Momentum

Pattern: Silica Suede

Color: Clay

Width: 54" Wide

Content: 70% Polyurethane/ PVC Free, 30% Silicone

Backing: Polyester

Durability: 500,000 DRs

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Cafe Chair - Staff

Departments: Staff Lounge

Manufacturer: Source International
 Address: 17 Gilmore Drive
 Sutton, MA 01590
 Phone: (800) 722-0474
 Rep: Concentric/ Chris Fuller

Product Name: Paisans Chair
 Product #: 350FL-NA-UBPU
 Dimensions: 20" Wide 21" Deep x 30-1/4" Overall Height
 Seat: 18-1/2" High
 Item Weight: 13lbs

Back Shape: Phantom
 Wood Back Finish: Walnut - WNT
 Metal Frame Finish: Matte Black - BLK
 Glides: Felt Glides

Description: Metal Frame chair with attached upholstered seat cushion with upholstered back pad and exposed wood back.

Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength. All wood veneers must have solid wood banding. Raw or veneered edges are not acceptable. Wood to be treated with clear protective sealer to prevent alcohol and stain damage. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Upholstery: See next sheet
 Upholstery Detail: Tight upholstered seat and back pad with (2) pulled in button details centered on back cushion.

Yardage Required: 0.75 yards/ each

Weight Capacity: Rated to 300lbs
 Sustainability: GREENGUARD Certified
 BIFMA: Meets ANSI/ BIFMA Standards
 Warranty: Lifetime Limited Warranty



Cafe Chair, Armless

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Cafe Chair - Staff



Seat and Back Upholstery

Mfr.: Momentum

Pattern: Silica Suede

Color: Clay

Width: 54" Wide

Content: 70% Polyurethane/ PVC Free, 30% Silicone

Backing: Polyester

Durability: 500,000 DRs

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Cafe Barstool - Staff Departments: Staff Lounge

Manufacturer: Source International
Address: 17 Gilmore Drive
Sutton, MA 01590
Phone: (800) 722-0474
Rep: Concentric/ Chris Fuller

Product Name: Paisans Barstool
Product #: 350STL30-NA-UBPU
Dimensions: 20" Wide 23" Deep x 42" Overall Height
Seat: 30-1/2" High
Item Weight: 16lbs

Back Shape: Phantom
Wood Back Finish: Walnut - WNT
Metal Frame Finish: Matte Black - BLK
Glides: Felt Glides

Description: Metal Frame stool with attached upholstered seat cushion with upholstered back pad and exposed wood back.

Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength. All wood veneers must have solid wood banding. Raw or veneered edges are not acceptable. Wood to be treated with clear protective sealer to prevent alcohol and stain damage. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Upholstery: See next sheet
Upholstery Detail: Tight upholstered seat and back pad with (2) pulled in button details centered on back cushion.

Yardage Required: 0.75 yards/ each


Weight Capacity: Rated to 300lbs
Sustainability: GREENGUARD Certified
BIFMA: Meets ANSI/ BIFMA Standards
Warranty: Lifetime Limited Warranty



Cafe Barstool

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Seat and Back Upholstery

Mfr.: Momentum

Pattern: Twill EPU

Color: Sequoia

Width: 54" Wide

Content: 100% EPU Polyurethane

Backing: Polyester

Durability: 130,000 DRs

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Cafe Barstool - Staff

**Departments: Staff Lounge
1st Floor**

Manufacturer: Source International
Address: 17 Gilmore Drive
Sutton, MA 01590
Phone: (800) 722-0474
Rep: Concentric/ Chris Fuller

Product Name: Paisans Barstool
Product #: 350STL30-NA-UBPU
Dimensions: 20" Wide 23" Deep x 42" Overall Height
Seat: 30-1/2" High
Item Weight: 16lbs

Back Shape: Phantom
Wood Back Finish: Walnut - WNT
Metal Frame Finish: Matte Black - BLK
Glides: Felt Glides

Description: Metal Frame stool with attached upholstered seat cushion with upholstered back pad and exposed wood back.

Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength. All wood veneers must have solid wood banding. Raw or veneered edges are not acceptable. Wood to be treated with clear protective sealer to prevent alcohol and stain damage. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Upholstery: See next sheet
Upholstery Detail: Tight upholstered seat and back pad with (2) pulled in button details centered on back cushion.

Yardage Required: 0.75 yards/ each


Weight Capacity: Rated to 300lbs
Sustainability: GREENGUARD Certified
BIFMA: Meets ANSI/ BIFMA Standards
Warranty: Lifetime Limited Warranty



Cafe Barstool

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Seat and Back Upholstery

Mfr.: Momentum

Pattern: Whisp

Color: River Stream

Width: 54" Wide

Content: 70% polyurethane/PVC Free, 30% Silicone

Backing: Polyester

Durability: 500,000 DRs

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.



BH - Dining Chair

Departments: Detox

Manufacturer: OFS Brands
 Address: 1204 East 6th Ave
 Huntingburg, IN 47542
 Phone: (800) 521-5381
 Rep: VPI/ Mike McFarlane

Manufacturer: Carolina
 Product Name: Chrys
 Product #: JBH-195S
 Dimensions: 21-3/4" Wide x 23-1/2" Deep x 32-1/4" Overall Height
 Seat: 18" High
 Product Weight: 25.5lbs
 Ballast: Not Required
 HDPE Finish: SEAS - Sea Salt
 Glides: Tamper-resistant adjustable glides
 Description: HDPE molded chair, upholstered seat cushion with tamper-resistant hardware. Ligature-resistant design features.
 Construction: Durable, one-piece HDPE construction, 100% recyclable with enhanced impact resistance and compressive strength. Contains long-term UV stabilization. Wipe clean surface. Chemical and Water Resistant.
 Upholstery: See next sheet
 Upholstery Detail: Tight upholstery with accent stitching and concealed hardware
 Yardage Required: 1 yard/ each
 Weight Capacity: Rated for 300lbs
 Sustainability: 100% recyclable with enhanced impact resistance and compressive strength
 BIFMA: N/A
 Warranty: 12-year



Dining Chair




Seat Cushion Detail



HDPE Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crooking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Seat Upholstery
Mfr.: Momentum
Pattern: Twill EPU
Color: Fountain
Width: 54" Wide
Content: 100% EPU Polyurethane
Backing: Polyester
Durability: 130,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Dining Chair

Departments: Detox

Manufacturer: OFS Brands
 Address: 1204 East 6th Ave
 Huntingburg, IN 47542
 Phone: (800) 521-5381
 Rep: VPI/ Mike McFarlane

Manufacturer: Carolina
 Product Name: Chrys
 Product #: JBH-195S
 Dimensions: 21-3/4" Wide x 23-1/2" Deep x 32-1/4" Overall Height
 Seat: 18" High
 Product Weight: 25.5lbs
 Ballast: Not required
 HDPE Finish: AGVE - Agave
 Glides: Tamper-resistant adjustable glides
 Description: HDPE molded chair, upholstered seat cushion with tamper-resistant hardware. Ligature-resistant design features.
 Construction: Durable, one-piece HDPE construction, 100% recyclable with enhanced impact resistance and compressive strength. Contains long-term UV stabilization. Wipe clean surface. Chemical and Water Resistant.
 Upholstery: See next sheet
 Upholstery Detail: Tight upholstery with accent stitching and concealed hardware
 Yardage Required: 1 yard/ each
 Weight Capacity: Rated for 300lbs
 Sustainability: 100% recyclable with enhanced impact resistance and compressive strength
 BIFMA: N/A
 Warranty: 12-year



Dining Chair




Seat Cushion Detail



HDPE Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Seat Upholstery
Mfr.: Momentum
Pattern: Twill EPU
Color: Blue Sage
Width: 54" Wide
Content: 100% EPU Polyurethane
Backing: Polyester
Durability: 130,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Dining Chair

Departments: 1st Floor Lobby

Manufacturer: OFS Brands
 Address: 1204 East 6th Ave
 Huntingburg, IN 47542
 Phone: (800) 521-5381
 Rep: VPI/ Mike McFarlane

Manufacturer: Carolina
 Product Name: Chrys
 Product #: JBH-195S
 Dimensions: 21-3/4" Wide x 23-1/2" Deep x 32-1/4" Overall Height
 Seat: 18" High
 Product Weight: 25.5lbs
 Ballast: Not required
 HDPE Finish: AGVE - Agave
 Glides: Tamper-resistant adjustable glides
 Description: HDPE molded chair, upholstered seat cushion with tamper-resistant hardware. Ligature-resistant design features.
 Construction: Durable, one-piece HDPE construction, 100% recyclable with enhanced impact resistance and compressive strength. Contains long-term UV stabilization. Wipe clean surface. Chemical and Water Resistant.
 Upholstery: See next sheet
 Upholstery Detail: Tight upholstery with accent stitching and concealed hardware
 Yardage Required: 1 yard/ each
 Weight Capacity: Rated for 300lbs
 Sustainability: 100% recyclable with enhanced impact resistance and compressive strength
 BIFMA: N/A
 Warranty: 12-year



Dining Chair




Seat Cushion Detail



HDPE Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Seat Upholstery
Mfr.: Maharam
Pattern: Nimble 466488
Color: 013 Mezcal
Width: 54" Wide
Content: 100% Polyurethane/ Silicone
Backing: Polyester
Finish: Ink-Resistant Protective Topcoat
Durability: 100,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.
-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Patient Exam Chair

**Departments: Crisis Exam, Detox
Hybrid Exam, OPBH - Exam A and
Novel Therapy**

Manufacturer: IOA
Address: 829 Blair Street
Thomasville, NC 27360
Phone: (336) 475-7106
Rep: Garrison & Assoc./ Dale Kepley

Product Name: Motorized Lift Recliner with Trendelenberg
Straight Back
Model: 628-29M-T
Dimensions: 34" Wide x 37" Deep x 46-1/2" Overall Height
Seat: 19" High
Arm: 24-1/2" High
Reclined: 72" Deep
Item Weight: 290lbs
Polyester Arm Cap: Concrete - 43
Back Style: STANDARD - Straight Back
Table Finish: Thermofoil - Swiss Elm Matte 2231
Mechanism: Motorized recliner with vertical left to exam height and
reverse recline
Operation: Motorized mechanism that can be reclined to any position,
including flat and a vertical left feature with reverse recline
Accessories: 4000FHLP Fixed Hi/Low Pedal
Pedal Central Locking System
4000FAR-B - Folding Arm Push Button
FPT - Fall Prevention Technology
4000OBS - OB Pull-Out Stirrups
4000PRD - Paper Roll Holder
4000SPT2 - Swiveling Profile Tablet
4000CFR - Continuous Footrest
MISC - Exam Light
Upholstery: See next sheet
Upholstery Detail: Tight upholstery with double stitched seams
Yardage Required: 9 yards/ each
Weight Capacity: Rated to 650lbs
Sustainability: HHI Compliant
BIFMA: Air Quality Certification 207.7HI
Warranty: 12-year



Patient Exam Chair



Arm Cap Finish



Tablet Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Patient Exam Chair



Barrier Free



ADA Seat Height



Fall Prevention Technology



Fixed Hi/ Low Pedal



Folding Arm



Folding Arm Push Button



Swinging Profile Table



Paper Roll Dispenser



Continuous Footrest

Patient Exam Chair



Seat Upholstery
Mfr.: Momentum
Pattern: Silica Suede
Color: Hickory
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Intake Patient Exam Chair

Departments: Detox Intake Exam

Manufacturer: IOA
 Address: 829 Blair Street
 Thomasville, NC 27360
 Phone: (336) 475-7106
 Rep: Garrison & Assoc./ Dale Kepley

Product Name: Suspend Powered Recliner with Stand & Lift Assist
 Product Number: 628-25M
 Dimensions: 30-1/2" Wide x 35" Deep x 41-1/2" Overall Height
 Seat: 19-1/2" High
 Arm: 26" High
 Item Weight: 176lbs

Polyester Arm Cap: Concrete - 43
 Tablet Finish: Thermofoil - Swiss Elm Matte 2231

Mechanism: Motorized with patient stand assist
 Operation: Motorized mechanism that easily lifts patients to standing position

Description: Multiple reclining positions including; lay-flat, and trendelenburg. Back and footrest adjust independently for more position options. Locking caster base.

Accessories: Pedal Central Locking System
 4000FAR-B - Folding Arm Push Button
 FPT - Fall Prevention Technology
 4000PRD - Paper Roll Holder
 4000SPT2 - Swiveling Profile Tablet
 4000CFR - Continuous Footrest

Upholstery: See next sheet
 Upholstery Detail: Tight upholstery with reinforced seams

Yardage Required: 9 yards/ each

Weight Capacity: Rated to 550lbs
 Sustainability: HHI Compliant
 BIFMA: Air Quality Certification 207.7HI
 Warranty: 12-year



Intake Patient Exam Chair



Arm Cap Finish



Tablet Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Patient Exam Chair



Patient Lift Assist



ADA 18.5" Seat Height



Barrier Free



Fall Prevention Technology



Swinging Profile Table



Paper Roll Dispenser




Continuous Footrest



Folding Arm Push Button

Patient Exam Chair



Seat Upholstery
Mfr.: Momentum
Pattern: Silica Suede
Color: Hickory
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Blood Draw Chair

Departments: OPBH - Exam B

Manufacturer: Henry Schein
 Address:
 Phone: (800) 772-4346
 Rep: Brandon Young
 Cell: (907) 854-5559

Manufacturer: UMF Medical
 Product Name: Phlebotomy Chair
 Bariatric and Parent with Child Phlebotomy Chair
 Product Number: (8690) 1195125
 Dimensions: 24" Wide x 36" Deep x 30" High
 Product Weight: 78lbs

Metal Finish: Powder-Coat in White
 Vinyl Color: Smoky Cashmere

Description: Metal frame phlebotomy chair with flip arms, side tray table, storage box, and tight seat and back cushion upholstery. Adjustable leg levelers

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Upholstery: Tight upholstery with reinforced seams

Weight Capacity: Rated for 750lbs
 Sustainability: N/A
 BIFMA: N/A
 Warranty: 3-year limited warranty



Blood Draw Chair



Vinyl Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Rocking Chair

Departments: Detox Milieu & Learning Circle

Manufacturer: Stance Healthcare
 Address: 901 44th Street, SE
 Grand Rapids, MI 49508
 Phone: (616) 247-2710
 Rep: Fine Lines NW/ Troy Busch

Product Name: Abrazo Mid-Back Rocker
 Product Number: ABC121-RB-MB
 Dimensions: 27-1/4" Wide x 32-1/2" Deep x 30-1/4" Overall High
 Seat: 18-1/2" High
 Arms: 28" High
 Product Weight: 51lbs
 Metal Frame: Textured Black - TB
 Arm Cap: Corian Dove
 Description: Metal framed rocking chair with floating back design, 360-degree clean out, and solid surface arm caps
 Construction: Internal construction made up of boxed 1/2" and 3/4" plywood, with individual pieces interlocked, stapled and glued for added strength. Internal elastomeric seating suspension system provides long term performance and support. Foam contains environmentally-friendly bio-based materials. Rocker base is 1" round x 16ga powder-coated steel tubing with polymer wrap under rocker rails. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.
 Upholstery: See next sheet
 Upholstery Detail: Tight upholstered with lapped seam double stitched
 Yardage Required: 4 yard/ each
 Weight Capacity: Rated to 300lbs
 Sustainability: Level Certified, MAS Certification Green
 BIFMA: BIFMA Compliant, X5.4-2020
 Warranty: 5-year



Mid-Back Rocker




Arm Cap



Metal Frame

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Rocking Chair**Seat Upholstery**

Mfr.: Architex

Pattern: Posy

Color: Myrtle

Width: 54" Wide

Repeat: 18-1/2"V, 21"H

Content: 100% Polyurethane (Polycarbonate)

Finish: Write-Off Ink and Stain Resistant

Backing: Polyester

Durability: 100,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Stacking Chair

Departments: Crisis

Manufacturer: Norix
Address: One Innovation Drive
West Chicago, IL 60185
Phone: (630) 231-1331
Rep: Bob Meucci

Product Name: Integra Stacking Armless Chair
Product #: C110
Dimensions: 17-1/2" Wide x 17-1/4" Deep x 32" Overall Height
Seat: 17-1/2" High
Item Weight: 7.1lbs
Poly Color: Sand
Description: Light weight stacking chair. Stacks 15 High.
Construction: One-piece injection-molded, without steel or wood components. High impact grade copolymer polypropylene. Chemically resistant to acetone, alcohol, blood, vinegar, urine, feces, salt solution and chlorine solution. Premium Tru-Color polymer is fully compounded for superior color consistency and durability.
Weight Capacity: Rated to 500lbs.
Sustainability: GREENGUARD and GREENGUARD Gold Certified
BIFMA: BIFMA 5.4 15.4.2
Warranty: 10-year limited replacement



Stacking Chair



Poly Color

Notes:
-All Finish Samples to be submitted for approval prior to fabrication.
-Submit "Cutting for Approval" for fabric approval prior production.
-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.
-Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
-Must be properly marked with Item Number and location.
-Must be contract quality and structurally stable for commercial use.
-Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Patient Recliner

Departments: Crisis Milieu

Manufacturer: IOA
 Address: 829 Blair Street
 Thomasville, NC 27360
 Phone: (336) 475-7106
 Rep: Garrison & Assoc./ Dale Kepley

Product Name: Behavioral Health Recliner: Three Position Sleeper
 Style: Suspend Recliner
 Product Number: 628-11PR
 Dimensions: 30" Wide x 39" Deep x 44" Overall Height
 Seat: 18" High
 Arm: 26" High
 Reclined: 68" Depth
 Item Weight: 255lbs

Polyester Arm Cap: Concrete - 43
 Caster: 3" Swivel Caster with Central Locking System
 Mechanism: Push on the Arm
 Operation: Three position push on the arm recliner, including almost lay-flat, that activates the footrest

Description: Tamper-resistant screws, weighted for safety, plastic guard covering the bottom of the footrest, compression dowels on arm caps, vertical steel plate mounted under the seat prevents access to the recliners internals from the front and bottom, non-removable panels, steel plate scissor guards on the inside and outside of footrest mechanism, flap sewn on metal stretcher limits access to recliner internals from back, and footrest scissor guard.

Accessories: 4000CFR - Continuous Footrest
 4011PRCLS-H - Central Locking System

Upholstery: See next sheet
 Upholstery Detail: Tight upholstery with reinforced seams.

Yardage Required: Seat & Footrest 3 yards/ each
 Back & Arms 5 yards/ each

Weight Capacity: Rated for 550lbs
 Sustainability: HHI Compliant
 BIFMA: Air Quality Certification
 Warranty: 12-year



Patient Recliner




Continuous Footrest



Arm Cap

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Patient Recliner**Seat & Footrest Upholstery**

Mfr.: Momentum
Pattern: Twill EPU
Color: Fountain
Width: 54" Wide
Repeat: None
Content: 100% EPU Polyurethane
Backing: Polyester
Durability: 130,000 DRs

**Back & Arm Upholstery**

Mfr.: Momentum
Pattern: Silica Leather
Color: Denim
Width: 54" Wide
Content: 100% Silicone
Backing: Polyester
Durability: 210,000 DRs

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Patient Recliner

Departments: Crisis Stabilization & Residential

Manufacturer: IOA
 Address: 829 Blair Street
 Thomasville, NC 27360
 Phone: (336) 475-7106
 Rep: Garrison & Assoc./ Dale Kepley

Product Name: Behavioral Health Recliner: Three Position Sleeper
 Style: Suspend Recliner
 Product Number: 628-11PR
 Dimensions: 30" Wide x 39" Deep x 44" Overall Height
 Seat: 18" High
 Arm: 26" High
 Reclined: 68" Depth
 Item Weight: 255lbs

Polyester Arm Cap: Concrete - 43
 Caster: 3" Swivel Caster with Central Locking System
 Mechanism: Push on the Arm
 Operation: Three position push on the arm recliner, including almost lay-flat, that activates the footrest

Description: Tamper-resistant screws, weighted for safety, plastic guard covering the bottom of the footrest, compression dowels on arm caps, vertical steel plate mounted under the seat prevents access to the recliners internals from the front and bottom, non-removable panels, steel plate scissor guards on the inside and outside of footrest mechanism, flap sewn on metal stretcher limits access to recliner internals from back, and footrest scissor guard.

Accessories: 4000CFR - Continuous Footrest
 4011PRCLS-H - Central Locking System

Upholstery: See next sheet
 Upholstery Detail: Tight upholstery with reinforced seams.

Yardage Required: Seat & Footrest 3 yards/ each
 Back & Arms 5 yards/ each

Weight Capacity: Rated for 550lbs
 Sustainability: HHI Compliant
 BIFMA: Air Quality Certification
 Warranty: 12-year



Patient Recliner




Continuous Footrest



Arm Cap

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Patient Recliner**Seat & Footrest Upholstery**

Mfr.: Momentum
Pattern: Twill EPU
Color: Blue Sage
Width: 54" Wide
Repeat: None
Content: 100% EPU Polyurethane
Backing: Polyester
Durability: 130,000 DRs

**Back & Arm Upholstery**

Mfr.: Momentum
Pattern: Cordovan EPU
Color: Alabaster
Width: 54" Wide
Content: 100% EPU Polyurethane/PVC Free
Backing: Polyester
Durability: 185,000 DRs

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.



BH - Dining Chair

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Vesta Guest Arm Chair
 Product #: VA600
 Dimensions: 24" Wide x 26-1/2" Deep x 33" Overall Height
 Seat: 18-1/4" High
 Arm: 25-3/4" High

Product Weight: 30lbs
 Ballast: 5lbs of dry sand or gravel - Provide on-site ballasting
 (ballast not provided by Norix)

Poly Color: Cove

Description: One-piece roto-molded dining chair with fixed upholstered seat and back cushion.

Upholstery: See next sheet
 Upholstery Detail: Double stitched with concealed staples

Construction: One-piece rotationally-molded polyethylene with lightly textured maintenance-free surface. Ligature-resistant with no internal openings, Tamper-resistant steel encased nylon glides. Molded-in access port with threaded screw cap for ballast weighting capability. High-impact polyethylene with ultraviolet light stabilizers. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Premium Tru-Color polymer is fully compounded for superior color consistency and durability.

Yardage Required: 1 yard/ each

Weight Capacity: Rated to 750lbs.
 Sustainability: GREENGUARD and GREENGUARD Gold Certified
 BIFMA: BIFMA 5.4 15.4.2
 Warranty: 10-year limited replacement



Dining Chair



Poly Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Dining Chair



Seat and Back Upholstery

Mfr.: Momentum

Pattern: Whisp

Color: Harbor Grey

Width: 54" Wide

Content: 70% Polyurethane/PVC Free, 30% Silicone

Backing: Polyester

Durability: 500,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Dining Chair

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Vesta Guest Arm Chair
 Product #: VA600
 Dimensions: 24" Wide x 26-1/2" Deep x 33" Overall Height
 Seat: 18-1/4" High
 Arm: 25-3/4" High

Product Weight: 30lbs
 Ballast: 5lbs of dry sand or gravel - Provide on-site ballasting
 (ballast not provided by Norix)

Poly Color: Sage

Description: One-piece roto-molded dining chair with fixed upholstered seat and back cushion.

Upholstery: See next sheet
 Upholstery Detail: Double stitched with concealed staples

Construction: One-piece rotationally-molded polyethylene with lightly textured maintenance-free surface. Ligature-resistant with no internal openings, Tamper-resistant steel encased nylon glides. Molded-in access port with threaded screw cap for ballast weighting capability. High-impact polyethylene with ultraviolet light stabilizers. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Premium Tru-Color polymer is fully compounded for superior color consistency and durability.

Yardage Required: 1 yard/ each

Weight Capacity: Rated to 750lbs.
 Sustainability: GREENGUARD and GREENGUARD Gold Certified
 BIFMA: BIFMA 5.4 15.4.2
 Warranty: 10-year limited replacement




Dining Chair



Poly Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Seat and Back Upholstery

Mfr.: Momentum

Pattern: Whisp

Color: Blue Sage

Width: 54" Wide

Content: 70% Polyurethane/PVC Free, 30% Silicone

Backing: Polyester

Durability: 500,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Dining Chair

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Vesta Guest Arm Chair
 Product #: VA600
 Dimensions: 24" Wide x 26-1/2" Deep x 33" Overall Height
 Seat: 18-1/4" High
 Arm: 25-3/4" High

Product Weight: 30lbs
 Ballast: 5lbs of dry sand or gravel - Provide on-site ballasting
 (ballast not provided by Norix)

Poly Color: Clay

Description: One-piece roto-molded dining chair with fixed upholstered seat and back cushion.

Upholstery: See next sheet
 Upholstery Detail: Double stitched with concealed staples

Construction: One-piece rotationally-molded polyethylene with lightly textured maintenance-free surface. Ligature-resistant with no internal openings, Tamper-resistant steel encased nylon glides. Molded-in access port with threaded screw cap for ballast weighting capability. High-impact polyethylene with ultraviolet light stabilizers. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Premium Tru-Color polymer is fully compounded for superior color consistency and durability.

Yardage Required: 1 yard/ each

Weight Capacity: Rated to 750lbs.
 Sustainability: GREENGUARD and GREENGUARD Gold Certified
 BIFMA: BIFMA 5.4 15.4.2
 Warranty: 10-year limited replacement



Dining Chair



Poly Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Seat and Back Upholstery

Mfr.: Momentum

Pattern: Whisp

Color: Copper

Width: 54" Wide

Content: 70% Polyurethane/PVC Free, 30% Silicone

Backing: Polyester

Durability: 500,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Dining Chair, Armless

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Vesta Guest Armless Chair
 Product #: VA610
 Dimensions: 21" Wide x 26-1/2" Deep x 33" Overall Height
 Seat: 18-1/4" High

Product Weight: 24lbs
 Ballast: 11lbs of dry sand or gravel - Provide on-site ballasting
 (ballast not provided by Norix)

Poly Color: Cove

Description: One-piece roto-molded dining chair with fixed upholstered seat and back cushion.

Upholstery: See next sheet
 Upholstery Detail: Double stitched with concealed staples

Construction: One-piece rotationally-molded polyethylene with lightly textured maintenance-free surface. Ligature-resistant with no internal openings, Tamper-resistant steel encased nylon glides. Molded-in access port with threaded screw cap for ballast weighting capability. High-impact polyethylene with ultraviolet light stabilizers. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Premium Tru-Color polymer is fully compounded for superior color consistency and durability.

Yardage Required: 1 yard/ each

Weight Capacity: Rated to 750lbs.
 Sustainability: GREENGUARD and GREENGUARD Gold Certified
 BIFMA: BIFMA 5.4 15.4.2
 Warranty: 10-year limited replacement



Dining Chair




Poly Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Dining Chair, Armless



Seat and Back Upholstery

Mfr.: Momentum

Pattern: Whisp

Color: Harbor Grey

Width: 54" Wide

Content: 70% Polyurethane/PVC Free, 30% Silicone

Backing: Polyester

Durability: 500,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Dining Chair, Armless

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Vesta Guest Armless Chair
 Product #: VA610
 Dimensions: 21" Wide x 26-1/2" Deep x 33" Overall Height
 Seat: 18-1/4" High

Product Weight: 24lbs
 Ballast: 11lbs of dry sand or gravel - Provide on-site ballasting
 (ballast not provided by Norix)

Poly Color: Sage

Description: One-piece roto-molded dining chair with fixed upholstered seat and back cushion.

Upholstery: See next sheet
 Upholstery Detail: Double stitched with concealed staples

Construction: One-piece rotationally-molded polyethylene with lightly textured maintenance-free surface. Ligature-resistant with no internal openings, Tamper-resistant steel encased nylon glides. Molded-in access port with threaded screw cap for ballast weighting capability. High-impact polyethylene with ultraviolet light stabilizers. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Premium Tru-Color polymer is fully compounded for superior color consistency and durability.

Yardage Required: 1 yard/ each

Weight Capacity: Rated to 750lbs.
 Sustainability: GREENGUARD and GREENGUARD Gold Certified
 BIFMA: BIFMA 5.4 15.4.2
 Warranty: 10-year limited replacement



Dining Chair



Poly Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Dining Chair, Armless



Seat and Back Upholstery

Mfr.: Momentum

Pattern: Whisp

Color: Blue Sage

Width: 54" Wide

Content: 70% Polyurethane/PVC Free, 30% Silicone

Backing: Polyester

Durability: 500,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Dining Chair, Armless

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
Address: One Innovation Drive
West Chicago, IL 60185
Phone: (630) 231-1331
Rep: Bob Meucci

Product Name: Vesta Guest Armless Chair
Product #: VA610
Dimensions: 21" Wide x 26-1/2" Deep x 33" Overall Height
Seat: 18-1/4" High

Product Weight: 24lbs
Ballast: 11lbs of dry sand or gravel - Provide on-site ballasting
(ballast not provided by Norix)

Poly Color: Clay

Description: One-piece roto-molded dining chair with fixed upholstered seat and back cushion.

Upholstery: See next sheet
Upholstery Detail: Double stitched with concealed staples

Construction: One-piece rotationally-molded polyethylene with lightly textured maintenance-free surface. Ligature-resistant with no internal openings, Tamper-resistant steel encased nylon glides. Molded-in access port with threaded screw cap for ballast weighting capability. High-impact polyethylene with ultraviolet light stabilizers. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Premium Tru-Color polymer is fully compounded for superior color consistency and durability.

Yardage Required: 1 yard/ each

Weight Capacity: Rated to 750lbs.
Sustainability: GREENGUARD and GREENGUARD Gold Certified
BIFMA: BIFMA 5.4 15.4.2
Warranty: 10-year limited replacement



Dining Chair



Poly Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Dining Chair, Armless



Seat and Back Upholstery

Mfr.: Momentum

Pattern: Whisp

Color: Copper

Width: 54" Wide

Content: 70% Polyurethane/PVC Free, 30% Silicone

Backing: Polyester

Durability: 500,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Ottoman

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Pax Bench
 Product #: PX40
 Dimensions: 24" Wide x 30-1/2" Deep x 18" Overall Height
 Seat: 18" High

Product Weight: 23lbs
 Ballast: 27lbs of dry sand or gravel - Provide on-site ballasting
 (ballast not provided by Norix)

Poly Color: Clay

Description: One-piece roto-molded bench.

Construction: One-piece rotationally-molded polyethylene with lightly textured maintenance-free surface. Ligature-resistant with no internal openings, Tamper-resistant steel encased nylon glides. Molded-in access port with threaded screw cap for ballast weighting capability. High-impact polyethylene with ultraviolet light stabilizers. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Premium Tru-Color polymer is fully compounded for superior color consistency and durability.

Weight Capacity: Rated to 750lbs.
 Sustainability: GREENGUARD and GREENGUARD Gold Certified
 BIFMA: BIFMA 5.4 15.4.2
 Warranty: 5-year limited replacement



Ottoman



Poly Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Height Adjustable Desk, 52"x 29"

Departments: OPBH Staff Space

Mfr: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Manufacturer: AMQ
Product Name: Activ Pro 2.0, 3-Stage Desk, T-Legs,
Product #: APS3
Dimensions: 52" Wide x 29" Deep
Adjustable Height: 22-3/4" - 48-3/4"

Description: Laminate worksurface with square corners and matching 3mm edge banding. Electric Height adjustable sit-to-stand base with standard push button handsets with 4 memory presets. Adjustable glides and 10' power cord.

Base Finish: Merle - 7360
Laminate: Clear Oak - 2LAK
Controller: Standard push button handsets with 4 memory presets
Glides: 1" Adjustable Glides

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Typical Accessories: Refer to Furniture Plans for Locations/ Coordination
A2 Desk Power
A3.A Cable Management Kit
A4 Height Adjustable Cable Riser Kit
A5 Privacy/ Modesty Screen
A7 Double Monitor Arm


Sustainability: SCS Indoor Advantage Gold - Furniture
BIFMA: 3-stage legs that support the BIFMA height range
ANSI/ BIFMA X5.5-2014
Warranty: 10-year



Height Adjustable Desk



Base Finish



Top Finish

Refer to following sheets for approved alternates product information

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Height Adjustable Desk, 54"x 29"

**Departments: Warehouse,
Detox ICT, & Pharmacy**

Mfr: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Manufacturer: AMQ
Product Name: Activ Pro 2.0, 3-Stage Desk, T-Legs,
Product #: APS3
Dimensions: 54" Wide x 29" Deep
Adjustable Height: 22-3/4" - 48-3/4"

Description: Laminate worksurface with square corners and matching 3mm edge banding. Electric Height adjustable sit-to-stand base with standard push button handsets with 4 memory presets. Adjustable glides and 10' power cord.

Base Finish: Merle - 7360
Laminate: Clear Oak - 2LAK
Controller: Standard push button handsets with 4 memory presets
Glides: 1" Adjustable Glides

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Typical Accessories: Refer to Furniture Plans for Locations/ Coordination
A2 Desk Power
A3.A Cable Management Kit
A4 Height Adjustable Cable Riser Kit
A5 Privacy/ Modesty Screen
A6 Single Monitor Arm
A7 Double Monitor Arm


Sustainability: SCS Indoor Advantage Gold - Furniture
BIFMA: 3-stage legs that support the BIFMA height range
ANSI/ BIFMA X5.5-2014
Warranty: 10-year



Height Adjustable Desk



Base Finish



Top Finish

Refer to following sheets for approved alternates product information

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Height Adjustable Desk, 58"x 29"

Departments: Crisis, OPBH & Security

Mfr: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Manufacturer: AMQ
Product Name: Activ Pro 2.0, 3-Stage Desk, T-Legs,
Product #: APS3
Dimensions: 58" Wide x 29" Deep
Adjustable Height: 22-3/4" - 48-3/4"

Description: Laminate worksurface with square corners and matching 3mm edge banding. Electric Height adjustable sit-to-stand base with standard push button handsets with 4 memory presets. Adjustable glides and 10' power cord.

Base Finish: Merle - 7360
Laminate: Clear Oak - 2LAK
Controller: Standard push button handsets with 4 memory presets
Glides: 1" Adjustable Glides

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Typical Accessories: Refer to Furniture Plans for Locations/ Coordination
A2 Desk Power
A3.A Cable Management Kit
A4 Height Adjustable Cable Riser Kit
A5 Privacy/ Modesty Screen
A6 Single Monitor Arm
A7 Double Monitor Arm
A11 Privacy Wrap Screen


Sustainability: SCS Indoor Advantage Gold - Furniture
BIFMA: 3-stage legs that support the BIFMA height range
ANSI/ BIFMA X5.5-2014
Warranty: 10-year



Height Adjustable Desk



Base Finish



Top Finish

Refer to following sheets for approved alternates product information

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Height Adjustable Desk, 64"x 29"

Departments: OPBH Staff Space

Mfr: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Manufacturer: AMQ
Product Name: Activ Pro 2.0, 3-Stage Desk, T-Legs,
Product #: APS3
Dimensions: 58" Wide x 29" Deep
Adjustable Height: 22-3/4" - 48-3/4"

Description: Laminate worksurface with square corners and matching 3mm edge banding. Electric Height adjustable sit-to-stand base with standard push button handsets with 4 memory presets. Adjustable glides and 10' power cord.

Base Finish: Merle - 7360
Laminate: Clear Oak - 2LAK
Controller: Standard push button handsets with 4 memory presets
Glides: 1" Adjustable Glides

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Typical Accessories: Refer to Furniture Plans for Locations/ Coordination
A2 Desk Power
A3.B Cable Management Kit
A4 Height Adjustable Cable Riser Kit
A5 Privacy/ Modesty Screen
A7 Double Monitor Arm


Sustainability: SCS Indoor Advantage Gold - Furniture
BIFMA: 3-stage legs that support the BIFMA height range
ANSI/ BIFMA X5.5-2014
Warranty: 10-year



Height Adjustable Desk



Base Finish



Top Finish

Refer to following sheets for approved alternates product information

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Height Adjustable Desk, 48"x 24"

Departments: Kitchen Office

Mfr: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Manufacturer: AMQ
Product Name: Activ Pro 2.0, 3-Stage Desk, T-Legs,
Product #: APS3
Dimensions: 48" Wide x 24" Deep
Adjustable Height: 22-3/4" - 48-3/4"

Description: Laminate worksurface with square corners and matching 3mm edge banding. Electric Height adjustable sit-to-stand base with standard push button handsets with 4 memory presets. Adjustable glides and 10' power cord.

Base Finish: Merle - 7360
Laminate: Clear Oak - 2LAK
Controller: Standard push button handsets with 4 memory presets
Glides: 1" Adjustable Glides

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Typical Accessories: Refer to Furniture Plans for Locations/ Coordination
A2 Desk Power
A3.A Cable Management Kit
A4 Height Adjustable Cable Riser Kit
A7 Double Monitor Arm


Sustainability: SCS Indoor Advantage Gold - Furniture
BIFMA: 3-stage legs that support the BIFMA height range
ANSI/ BIFMA X5.5-2014
Warranty: 10-year



Height Adjustable Desk



Base Finish



Top Finish

Refer to following sheets for approved alternates product information

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Height Adjustable Desk, 54"x 24"

Departments: Detox Staff Space

Mfr: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Manufacturer: AMQ
Product Name: Activ Pro 2.0, 3-Stage Desk, T-Legs,
Product #: APS3
Dimensions: 54" Wide x 24" Deep
Adjustable Height: 22-3/4" - 48-3/4"

Description: Laminate worksurface with square corners and matching 3mm edge banding. Electric Height adjustable sit-to-stand base with standard push button handsets with 4 memory presets. Adjustable glides and 10' power cord.

Base Finish: Merle - 7360
Laminate: Clear Oak - 2LAK
Controller: Standard push button handsets with 4 memory presets
Glides: 1" Adjustable Glides

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Typical Accessories: Refer to Furniture Plans for Locations/ Coordination
A2 Desk Power
A3.A Cable Management Kit
A4 Height Adjustable Cable Riser Kit
A5 Privacy/ Modesty Screen
A6 Single Monitor Arm


Sustainability: SCS Indoor Advantage Gold - Furniture
BIFMA: 3-stage legs that support the BIFMA height range
ANSI/ BIFMA X5.5-2014
Warranty: 10-year



Height Adjustable Desk



Base Finish



Top Finish

Refer to following sheets for approved alternates product information

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Approved Alternates

Rep: Think Office
Mfr: Herman Miller
Item: Renew Sit-to Stand Table

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Rep: System Center
Mfr: Haworth
Item: Upside Height Adjustable Table

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Modular Lounge

**Departments: Public Space
2nd & 3rd Floor Lobbies**

Manufacturer: Kwalu
Address: 6160 Peachtree Dunwoody Rd
Atlanta, GA 30328
Phone: (887) 695-9258
Rep: Gina Principe

Product Name: Casale Modular, 2-Seater Inside Wedge with Back & Right Arm
Product #: CSLED1AA
Arm Product Name: Casale Modular, Right Connection Arm
Arm Product #: CSLEI
Dimensions: 71-1/2" Wide x 35" Deep x 34" Overall Height
Seat: 19" High
Product Weight: Lounge Chair 99lbs
Arm 16lbs

Protea Finish: Medium Oak, P-MO-0525

Description: Fully upholstered curved lounge piece with concealed cleanuout, with connection right arm and Kwalu's proprietary finish on exposed feet.

Ganging Bracket: Ganging brackets to be used to gang modular lounge items together,
Refer to the floor plans for configurations and coordinate ganging bracket quantities.

Construction: Kwalu's solid surface (1/8" thick) proprietary finish doesn't have any of the drawbacks of wood. The frames are moisture impervious, graffiti-resistant, easy to clean and maintenance-free.


Upholstery: See next sheet
Upholstery Detail: Tightly upholstered modular lounge with double stitched lapped seams

Yardage Required: Seat & Arms 5 yards/ each
Back 5 yards/ each

Weight Capacity: Rated to 300lbs/ seat
Sustainability: LEVEL 1, Indoor Advantage Gold
BIFMA: BIFMA Certified
Warranty: 24/7, 10 year performance warranty on Kwalu-made frames



Reference Image



Plan View



Connection Arm



Frame Finish

Notes:


- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Modular Lounge



Seat & Arm Upholstery
Mfr.: Architex
Pattern: Silicone Swayed
Color: Peanut
Width: 54" Wide
Content: 100% Silicone Hybrid
Backing: Polyester
Durability: 200,000 DR
Performance: Inherently Write-Off
(Ink & Stain Resistant)

Add Finish: WhataShield Plus



Back Upholstery
Mfr.: Architex
Pattern: Milano
Color: Manzoni
Width: 54" Wide
Content: 100% Polyurethane
Backing: Polyester
Durability: 100,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Modular Lounge

**Departments: Public Space
2nd & 3rd Floor Lobbies**

Manufacturer: Kwalu
Address: 6160 Peachtree Dunwoody Rd
Atlanta, GA 30328
Phone: (887) 695-9258
Rep: Gina Principe

Product Name: Casale Modular, 1-Seater Inside Wedge, with Back & Left Arm
Product #: CSLEC1AA
Arm Product Name: Casale Modular, Left Connection Arm
Arm Product #: CSLEI
Dimensions: 3" Wide x 31-1/2" Deep x 34" Overall Height
Seat: 19" High
Product Weight: Lounge Chair 75lbs
Arm 16lbs

Protea Finish: Medium Oak, P-MO-0525

Description: Fully upholstered curved lounge piece with concealed cleanuout, with connection right arm and Kwalu's proprietary finish on exposed feet.

Ganging Bracket: Ganging brackets to be used to gang modular lounge items together,
Refer to the floor plans for configurations and coordinate ganging bracket quantities.

Construction: Kwalu's solid surface (1/8" thick) proprietary finish doesn't have any of the drawbacks of wood. The frames are moisture impervious, graffiti-resistant, easy to clean and maintenance-free.


Upholstery: See next sheet
Upholstery Detail: Tightly upholstered modular lounge with double stitched lapped seams

Yardage Required: Seat & Arms 5 yards/ each
Back 3.5 yards/ each

Weight Capacity: Rated to 300lbs/ seat
Sustainability: LEVEL 1, Indoor Advantage Gold
BIFMA: BIFMA Certified
Warranty: 24/7, 10 year performance warranty on Kwalu-made frames



Reference Image



Plan View



Connection Arm



Frame Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Modular Lounge



Seat & Arm Upholstery
Mfr.: Architex
Pattern: Silicone Swayed
Color: Peanut
Width: 54" Wide
Content: 100% Silicone Hybrid
Backing: Polyester
Durability: 200,000 DR
Performance: Inherently Write-Off
(Ink & Stain Resistant)

Add Finish: WhataShield Plus



Back Upholstery
Mfr.: Architex
Pattern: Milano
Color: Manzoni
Width: 54" Wide
Content: 100% Polyurethane
Backing: Polyester
Durability: 100,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Lounge Chair

Departments: OPBH Waiting & Sub-Waiting

Manufacturer: Kwalu
Address: 6160 Peachtree Dunwoody Rd
Atlanta, GA 30328
Phone: (887) 695-9258
Rep: Gina Principe

Product Name: Valdina Lounge Chair, no upholstered arm panels
Product #: VLDLN11
Dimensions: 26" Wide x 26" Deep x 35" Overall Height
Seat: 19" High
Arms: 26" High
Product Weight: 50lbs
Protea Finish: Medium Oak, P-MO-0525
Description: Metal frame lounge chair with clean-out at back, tight upholstered seat and back cushion.
Construction: Steel reinforced lounge chair with visible cleanout and durable proprietary frames that are moisture impervious, graffiti-resistant and easy to clean
Upholstery: See next sheet
Upholstery Detail: Tight upholstered with lapped seam double stitched
Yardage Required: Back: 1 yards/ each
Seat: 2 yards/ each
Weight Capacity: Rated to 350lbs
Sustainability: Indoor Advantage Gold, CARB Compliant, 99% recycled inner-steel framing and long lasting polymers
BIFMA: BIFMA Certified, Level 1
Warranty: 24/7, 10-year performance warranty on Kwalu-made frames



Lounge Chair



Frame Finish

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Submit "Cutting for Approval" for fabric approval prior production.
 - All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Lounge Chair



Seat Upholstery
Mfr.: Momentum
Pattern: Silica Suede
Color: Hickory
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR



Back Upholstery
Mfr.: Momentum
Pattern: Whisp
Color: Sediment
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Lounge Chair

Departments: OPBH Waiting & Sub-Waiting

Manufacturer:	Kwalu
Address:	6160 Peachtree Dunwoody Rd Atlanta, GA 30328
Phone:	(887) 695-9258
Rep:	Gina Principe
Product Name:	Valdina Lounge Chair, no upholstered arm panels
Product #:	VLDLN11
Dimensions:	26" Wide x 26" Deep x 35" Overall Height Seat:19" High Arms: 26" High
Product Weight:	50lbs
Protea Finish:	Medium Oak, P-MO-0525
Description:	Metal frame lounge chair with clean-out at back, tight upholstered seat and back cushion.
Construction:	Steel reinforced lounge chair with visible cleanout and durable proprietary frames that are moisture impervious, graffiti-resistant and easy to clean
Upholstery:	See next sheet
Upholstery Detail:	Tight upholstered with lapped seam double stitched
Yardage Required:	Back: 1 yards/ each Seat: 2 yards/ each
Weight Capacity:	Rated to 350lbs
Sustainability:	Indoor Advantage Gold, CARB Compliant, 99% recycled inner-steel framing and long lasting polymers
BIFMA:	BIFMA Certified, Level 1
Warranty:	24/7, 10-year performance warranty on Kwalu-made frames



Lounge Chair




Frame Finish

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Submit "Cutting for Approval" for fabric approval prior production.
 - All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Lounge Chair



Seat Upholstery
Mfr.: Momentum
Pattern: Silica Suede
Color: Hickory
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR



Back Upholstery
Mfr.: Momentum
Pattern: Whisp
Color: Blue Sage
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.



Loveseat

Departments: OPBH Waiting & Sub-Waiting

Manufacturer: Kwalu
Address: 6160 Peachtree Dunwoody Rd
Atlanta, GA 30328
Phone: (887) 695-9258
Rep: Gina Principe

Product Name: Valdina Loveseat, no upholstered arm panels
Product #: VLDLN21
Dimensions: 50-1/2" Wide x 26" Deep x 35" Overall Height
Seat: 19" High
Arms: 26" High
Product Weight: 84lbs
Protea Finish: Medium Oak, P-MO-0525
Description: Metal frame loveseat with clean-out at back, tight upholstered seat and back cushion.
Construction: Steel reinforced lounge chair with visible cleanout and durable proprietary frames that are moisture impervious, graffiti-resistant and easy to clean
Upholstery: See next sheet
Upholstery Detail: Tight upholstered with lapped seams double stitched
Yardage Required: Back: 2 yards/ each
Seat: 3 yards/ each
Weight Capacity: Rated to 500lbs
Sustainability: Indoor Advantage Gold, CARB Compliant, 99% recycled inner-steel framing and long lasting polymers
BIFMA: BIFMA Certified, Level 1
Warranty: 24/7, 10-year performance warranty on Kwalu-made frames



Loveseat




Frame Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Seat Upholstery
Mfr.: Momentum
Pattern: Silica Suede
Color: Hickory
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR



Back Upholstery
Mfr.: Momentum
Pattern: Blue Sage
Color: Sediment
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Loveseat

**Departments: 2nd & 3rd
Floor Lobbies**

Manufacturer: Kwalu
Address: 6160 Peachtree Dunwoody Rd
Atlanta, GA 30328
Phone: (887) 695-9258
Rep: Gina Principe

Product Name: Valdina Loveseat, no upholstered arm panels
Product #: VLDLN21
Dimensions: 50-1/2" Wide x 26" Deep x 35" Overall Height
Seat: 19" High
Arms: 26" High
Product Weight: 84lbs
Protea Finish: Medium Oak, P-MO-0525
Description: Metal frame loveseat with visable clean-out at back, tight upholstered seat and back cushion.
Construction: Steel reinforced lounge chair with visible cleanout and durable proprietary frames that are moisture impervious, graffiti-resistant and easy to clean
Upholstery: See next sheet
Upholstery Detail: Tight upholstered with lapped seam double stitched
Yardage Required: Back: 2 yards/ each
Seat: 3 yards/ each
Weight Capacity: Rated to 500lbs
Sustainability: Indoor Advantage Gold, CARB Compliant, 99% recycled inner-steel framing and long lasting polymers
BIFMA: BIFMA Certified, Level 1
Warranty: 24/7, 10-year performance warranty on Kwalu-made frames



Loveseat



Frame Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Loveseat



Seat Upholstery
Mfr.: Architex
Pattern: Silicone Swayed
Color: Dim
Width: 54" Wide
Content: 100% Silicone Hybrid
Backing: Polyester
Durability: 200,000 DR
Performance: Inherently Write-Off
(Ink & Stain Resistant)

Add Finish: WhataShield Plus



Back Upholstery
Mfr.: Architex
Pattern: Cupertino
Color: Voss
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Manufacturer: Kwalu

Address: 6160 Peachtree Dunwoody Rd
Atlanta, GA 30328

Phone: (887) 695-9258

Rep: Gina Principe

Departments: OPBH Waiting & Sub-Waiting

Product Name:

Product #:

Dimensions:

Product Weight:

Protea Finish:

Description:

Construction:

Upholstery:

Upholstery Detail:

Yardage Required:

Weight Capacity:

Sustainability:

BIFMA:

Warranty:

Valdina Sofa, no upholstered arm panels

VLDLN31

73-1/2" Wide x 26" Deep x 35" Overall Height
Seat:19" High
Arms: 26" High

103lbs

Medium Oak, P-MO-0525

Metal frame loveseat with clean-out at back, tight upholstered seat and back cushion.

Steel reinforced lounge chair with visible cleanout and durable proprietary frames that are moisture impervious, graffiti-resistant and easy to clean

See next sheet

Tight upholstered with lapped seam double stitched

Back: 3 yards/ each
Seat: 4 yards/ each

Rated to 350lbs

Indoor Advantage Gold, CARB Compliant, 99% recycled inner-steel framing and long lasting polymers

BIFMA Certified, Level 1

24/7, 10-year performance warranty on Kwalu-made frames



Sofa



Frame Finish

Notes:

-All Finish Samples to be submitted for approval prior to fabrication.

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.

-Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.


-Must be properly marked with Item Number and location.

-Must be contract quality and structurally stable for commercial use.

-Must meet or exceed Federal, State, Local Fire Codes and Standards.



Seat Upholstery
Mfr.: Momentum
Pattern: Silica Suede
Color: Hickory
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR



Back Upholstery
Mfr.: Momentum
Pattern: Whisp
Color: Blue Sage
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Mobile Lounge Chair with Handle

Departments: Public Learning Circles

Manufacturer: Davis Furniture
Address: 2400 College Drive, POB 2065
High Point, NC 27261
Phone: (336) 889-2009
Rep: Kayser Wesner/ Kevin Kayser

Product Name: Tote, fully upholstered caster base
Product #: TE-1010
Dimensions: 28-1/2" Wide x 29-1/2" Deep x 28-1/2" Overall Height
Seat: 16-3/4" High
Product Weight: 60lbs
Pull Handle: Black Leather
Description: Lounge Chair with leather handle. Fully upholstered multi-density foam over plywood frame with a caster base and pull handle back detail
Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premuim grade. All joints are to be glued, screwed and corner blocked for max strength.
Upholstery: See next sheet
Upholstery Detail: Double needle stitch down the middle of the interior back. Self-welt at seams
Yardage Required: 3.5 yards/ each
Weight Capacity: Rated for 300lbs
Sustainability: Indoor Advantage Gold, HHI, Level 1
BIFMA: BIFMA Certified, Level 1
Warranty: 5-year



Mobile Lounge Chair



Back Handle Detail

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Submit "Cutting for Approval" for fabric approval prior production.
 - All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croeking.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Mobile Lounge Chair with Handle



Seat Upholstery
Mfr.: Momentum
Pattern: Silica Leather
Color: Saddle
Width: 54" Wide
Content: 100% Silicone
Backing: Polyester
Durability: 210,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Mobile Lounge Chair with Tablet

**Departments: Public Learning
Circles & 3rd Floor Staff Lounge**

Manufacturer: Encore Seating
Address: 5692 Fresca Drive
La Palma, CA 90623
Phone: (800) 585-5957
Rep: Garrison & Assoc./ Dale Kepley

Product Name: Kuvi Lounge
Product #: 1210-SL-TR (side table left, tablet right, glides)
Dimensions: 34-3/4" Wide x 29-1/4" Deep x 31-1/2" Overall Height
Seat: 17" High
Product Weight: 33lbs

Frame Finish: Metal Satin Black - 0630
Table Finish: Laminate Natural Rift - 7954-38

Description: Metal frame chair with tight upholstered seat and back, side table with cup holder, and tablet table

Accessories: CH01 - Cup Holder
CL - Clean-Out Feature

Construction: Tubular steel frame construction, all joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.
Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength.

Upholstery: See next sheet
Upholstery Detail: Tightly upholstered seat and back cushions.

Yardage Required: 2.25 yards/ each


Weight Capacity: Rated to 350lbs
Sustainability: SCS Indoor Advantage Gold Certified
BIFMA: N/A
Warranty: Lifetime warranty on frame



Concept Image



Line Drawing



Frame




Table & Tablet Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Mobile Lounge Chair with Tablet



Seat Upholstery
Mfr.: Maharam
Pattern: Nimble 466488
Color: 004 Fluke
Width: 54" Wide
Content: 100% Polyurethane/ Silicone
Backing: Polyester
Durability: 100,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Respite Lounge Chair

Departments: Respite Rooms

Manufacturer: OFS Brands
 Address: 1204 East 6th Street
 Huntingburg, IN 47542
 Phone: (800) 521-5381
 Rep: VPI/ Mike McFarlane

Manufacturer: OFS
 Product Name: Heya - Lounge Chair with arms and low back surround
 Product #: 82241U
 Dimensions: 40-3/4" Wide x 34" Deep x 33-1/2" Overall Height
 Seat: 18-3/4" High
 Arm: 26-1/4" High
 Item Weight: 127lbs
 Metal Leg Finish: Cast Aluminum Leg: Oiled Bronze -H1P
 Tablet Finish: HPL: Linen - COP
 Power: Right Facing Arm- Black C6T/BLK
 Description: Fully upholstered lounge chair with wrap-around shroud in contrasting fabric. Tablet arm table on right arm with power module. Steel tube frame base/ legs.
 Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.
 Upholstery: See next sheet
 Upholstery Detail: Tight upholstered cushions, arms, trim rail and surround with double stitched seams
 Yardage Required: Cushion, Arm and Trim Rail: 4.25 yards/ each
 Surround: 3.5 yards/ each
 Weight Capacity: Rated to 400lbs
 Sustainability: Indoor Advantage Gold
 BIFMA: BIFMA Certified, Level 1
 Warranty: 12-years



Respite Lounge Chair



Metal Leg Finish



Tablet Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
 architecture • interior design

Respite Lounge Chair



Cushion, Arm and Trim Rail Upholstery

Mfr.: Momentum

Pattern: Silica Suede

Color: Hickory

Width: 54" Wide

Content: 70% Polyurethane/ PVC Free, 30% Silicone

Backing: Polyester

Durability: 500,000 DRs



Surround Upholstery

Mfr.: Maharam

Pattern: Gemma Multi by Sander Lak 466569

Color: 008 Pisces

Width: 56" Wide

Content: 85% Wool, 15% Nylon

Backing: None

Durability: 100,000 cycles Martindale

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Alcove Lounge Chair

Departments: 2108 Staff Lounge

Manufacturer: OFS Brands
 Address: 1204 East 6th Street
 Huntingburg, IN 47542
 Phone: (800) 521-5381
 Rep: VPI/ Mike McFarlane

Manufacturer: OFS
 Product Name: Heya
 Product #: 82541U
 Dimensions: 40-3/4" Wide x 33-1/2" Deep x 53" Overall Height
 Seat: 18-1/2" High
 Arm: 25-1/4" High
 Item Weight: 154lbs
 Metal Leg Finish: Cast Aluminum Leg: Oiled Bronze -H1P
 Tablet Finish: HPL: Linen - COP
 Power: Right Facing Arm- Black C6T/BLK
 Description: Fully upholstered lounge chair with wrap-around shroud in contrasting fabric. Tablet arm table on right arm with power module. Steel tube frame base/ legs.
 Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.
 Upholstery: See next sheet
 Upholstery Detail: Tight upholstered cushions, arms, trim rail and surround with double stitched seams
 Yardage Required: Cushion, Arm and Trim Rail: 4.5 yards/ each
 Surround: 6.5 yards/ each
 Weight Capacity: Rated to 400lbs
 Sustainability: Indoor Advantage Gold
 BIFMA: BIFMA Certified, Level 1
 Warranty: 12-years



Alcove Lounge Chair



Metal Leg Finish



Tablet Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Alcove Lounge Chair



Cushion, Arm and Trim Rail Upholstery
 Mfr.: Momentum
 Pattern: Silica Suede
 Color: Driftwood
 Width: 54" Wide
 Content: 70% Polyurethane/ PVC Free, 30% Silicone
 Backing: Polyester
 Durability: 500,000 DRs



Surround Upholstery
 Mfr.: Maharam
 Pattern: Gemma Multi by Sander Lak 466569
 Color: 110 Erosion Reverse
 Width: 56" Wide
 Content: 85% Wool, 15% Nylon
 Backing: None
 Durability: 100,000 cycles Martindale

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Lactation Chair

Departments: Lactation Rooms

Manufacturer: OFS Brands
 Address: 1204 East 6th Street
 Huntingburg, IN 47542
 Phone: (800) 521-5381
 Rep: VPI/ Mike McFarlane

Product Name: Saven High Back Rocker with Motion Arm & Pillow
 Product #: 1480W-MA
 Dimensions: 30-3/4" Wide 29-1/2" Deep x 40-1/2" Overall Height
 Seat: 16-3/4" High
 Arm: 24-3/4" High
 Product Weight: 63lbs

Metal Rocker Base: Oiled Bronze - H1P
 Arm Cap Finish: Living Stone Medea
 Motion Arm Button: Black
 Head Pillow: Adjustable Head Pillow - G1F

Description: High back rocking chair with upholstered seat, back and head pillow, polished aluminum cast legs, stationary arms with solid surface arms caps, clean-thru design at inside seat, wall-saver legs and black rubber floor track.

Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Upholstery: See next sheet
 Upholstery Detail: Tightly upholstered seat, back and arms with double stitched seams

Yardage Required: Seat, Back & Arms 3.75 yards/ each
 Head Pillow 0.75 yards/ each

Weight Capacity: Rated to 400lbs
 Sustainability: Level 1
 SCS Indoor Advantage Gold
 BIFMA: ANSI/ BIFMA e3-2019 Furniture Sustainability Standard
 Warranty: 12-year



Lactation Chair



Metal Rocker Base




Arm Cap Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Lactation Chair



Seat, Back & Arms Upholstery

Mfr.: Momentum

Pattern: Whisp


Color: Blue Sage

Width: 54" Wide

Content: 70% Polyurethane/PVC Free, 30% Silicone

Backing: Polyester

Durability: 500,000 DRs



Head Pillow Upholstery

Mfr.: Momentum

Pattern: Whisp

Color: Sediment

Width: 54" Wide

Content: 70% Polyurethane/PVC Free, 30% Silicone

Backing: Polyester

Durability: 500,000 DRs

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Lactation Chair - Ottoman

Departments: Lactation Rooms

Manufacturer: OFS Brands
 Address: 1204 East 6th Street
 Huntingburg, IN 47542
 Phone: (800) 521-5381
 Rep: VPI/ Mike McFarlane

Product Name: Saven Ottoman
 Product #: 1481
 Dimensions: 16" Wide 14" Deep x 7" Overall Height
 Product Weight: 60lbs

Metal Base: Oiled Bronze - H1P1F

Description: Stationary ottoman with a slanted top attached cushion and metal legs with black rubber flooring track.

Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premuim grade. All joints are to be glued, screwed and corner blocked for max strength. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Upholstery: See next sheet
 Upholstery Detail: Tightly upholstered cushion with double stitched seams

Yardage Required: 0.75 yards/ each

Weight Capacity: Rated to 200lbs
 Sustainability: Level 1
 SCS Indoor Advantage Gold

BIFMA: ANSI/ BIFMA e3-2019 Furniture Sustainability Standard
 Warranty: 12-year



Ottoman




Metal Rocker Base

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Lactation Chair - Ottoman



Cushion Upholstery

Mfr.: Momentum

Pattern: Whisp

Color: Sediment

Width: 54" Wide

Content: 70% Polyurethane/PVC Free, 30% Silicone

Backing: Polyester

Durability: 500,000 DRs

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Lounge Chair

Departments: 1st Floor Lobby

Manufacturer: OFS Brands
 Address: 1204 East 6th Street
 Huntingburg, IN 47542
 Phone: (800) 521-5381
 Rep: VPI/ Mike McFarlane

Manufacturer: Carolina
 Product Name: Elara Lounge Chair, plinth base
 Product #: 982-1P-MT
 Dimensions: 32" Wide x 27" Deep x 31" Overall Height
 Seat: 19" High
 Arm: 31" High
 Product Weight: 77lbs
 Plinth Base: Oiled Bronze - H1P
 Description: Fully upholstered with rounded organic curves, sinuous springs in the seat, and tamper resistant hardware
 Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premuim grade. All joints are to be glued, screwed and corner blocked for max strength. Equally space sinuous springs are covered with polypropylene cover.
 Upholstery: See next sheet
 Upholstery Detail: Tight upholstered with lapped seam double stitched.
 Yardage Required: Seat, Inside Back & Apron - 1.75 yards/ each
 Surround - 2.25 yards/ each
 Weight Capacity: Rated to 400lbs
 Sustainability: Indoor Advantage Gold
 BIFMA: BIFMA Certified, Level 1
 Warranty: 12-year



Lounge Chair



Plinth Base

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
 architecture • interior design

BH - Lounge Chair



Seat, Inside Back, Apron & Surround Upholstery

Mfr.: Momentum

Pattern: Silica Suede

Color: Driftwood

Width: 54" Wide

Content: 70% Polyurethane/ PVC Free, 30% Silicone

Backing: Polyester

Durability: 500,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Lounge Chair

**Departments: Crisis & Detox
Waiting Areas**

Manufacturer: OFS Brands
Address: 1204 East 6th Street
Huntingburg, IN 47542
Phone: (800) 521-5381
Rep: VPI/ Mike McFarlane

Manufacturer: Carolina
Product Name: Elara Lounge Chair, plinth base
Product #: 982-1P-MT
Dimensions: 32" Wide x 27" Deep x 31" Overall Height
Seat: 19" High
Arm: 31" High
Product Weight: 77lbs
Plinth Base: Oiled Bronze - H1P
Description: Fully upholstered with rounded organic curves, sinuous springs in the seat, and tamper resistant hardware
Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength. Equally space sinuous springs are covered with polypropylene cover.
Upholstery: See next sheet
Upholstery Detail: Tight upholstered with lapped seam double stitched.
Yardage Required: Seat, Inside Back & Apron - 1.75 yards/ each
Surround - 2.25 yards/ each
Weight Capacity: Rated to 400lbs
Sustainability: Indoor Advantage Gold
BIFMA: BIFMA Certified, Level 1
Warranty: 12-year




Lounge Chair



Plinth Base

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Lounge Chair

Seat, Inside Back & Apron Upholstery
Mfr.: Momentum
Pattern: Whisp
Color: Blue Sage
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 100,000 DR



Surround Upholstery
Mfr.: Architex
Pattern: Silicone Swayed
Color: Dim
Width: 54" Wide
Content: 100% Silicone Hybrid
Backing: Polyester
Durability: 200,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.
-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Lounge Chair

**Departments: OPBH - Therapy & Psych
Provider Offices**

Manufacturer: OFS Brands
Address: 1204 East 6th Street
Huntingburg, IN 47542
Phone: (800) 521-5381
Rep: VPI/ Mike McFarlane

Manufacturer: Carolina
Product Name: Elara Lounge Chair, plinth base
Product #: 982-1P-MT
Dimensions: 32" Wide x 27" Deep x 31" Overall Height
Seat: 19" High
Arm: 31" High
Product Weight: 77lbs
Plinth Base: Oiled Bronze - H1P
Description: Fully upholstered with rounded organic curves, sinuous springs in the seat, and tamper resistant hardware
Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premuim grade. All joints are to be glued, screwed and corner blocked for max strength. Equally space sinuous springs are covered with polypropylene cover.
Upholstery: See next sheet
Upholstery Detail: Tight upholstered with lapped seam double stitched.
Yardage Required: Seat, Inside Back & Apron - 1.75 yards/ each
Surround - 2.25 yards/ each
Weight Capacity: Rated to 400lbs
Sustainability: Indoor Advantage Gold
BIFMA: BIFMA Certified, Level 1
Warranty: 12-year




Lounge Chair



Plinth Base

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Lounge Chair**Seat, Inside Back & Apron Upholstery**

Mfr.: Architex

Pattern: Posy

Color: Laurel

Width: 54" Wide

Content: 100% Polyurethane (Polycarbonate)

Backing: Polyester

Durability: 100,000 DR

**Surround Upholstery**

Mfr.: Architex

Pattern: Silicone Swayed

Color: Dim

Width: 54" Wide

Content: 100% Silicone Hybrid

Backing: Polyester

Durability: 200,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Loveseat

**Departments: Detox
Waiting Area**

Manufacturer: OFS Brands
Address: 1204 East 6th Street
Huntingburg, IN 47542
Phone: (800) 521-5381
Rep: VPI/ Mike McFarlane

Manufacturer: Carolina
Product Name: Elara Loveseat, plinth base
Product #: 982-2P-MT
Dimensions: 61-1/2" Wide x 27" Deep x 31" Overall Height
Seat: 19" High
Arms: 31" High
Product Weight: 135lbs
Plinth Base: Oiled Bronze - H1P
Description: Fully upholstered with rounded organic curves, sinuous springs in the seat, and tamper resistant hardware
Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premuim grade. All joints are to be glued, screwed and corner blocked for max strength.
Upholstery: See next sheet
Upholstery Detail: Tight upholstered with lapped seam double stitched.
Yardage Required: Seat, Inside Back & Apron - 2.75 yards/ each
Surround - 3 yards/ each
Weight Capacity: Rated for 400lbs per seat
Sustainability: Indoor Advantage Gold
BIFMA: BIFMA Certified, Level 1
Warranty: 12-years




Loveseat



Plinth Base

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crooking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Seat, Inside Back & Apron Upholstery
Mfr.: Momentum
Pattern: Whisp
Color: Blue Sage
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 100,000 DR



Surround Upholstery
Mfr.: Architex
Pattern: Silicone Swayed
Color: Dim
Width: 54" Wide
Content: 100% Silicone Hybrid
Backing: Polyester
Durability: 200,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Loveseat

**Departments: OPBH - Therapy & Psych
Provider Offices**

Manufacturer: OFS Brands
Address: 1204 East 6th Street
Huntingburg, IN 47542
Phone: (800) 521-5381
Rep: VPI/ Mike McFarlane

Manufacturer: Carolina
Product Name: Elara Loveseat, plinth base
Product #: 982-2P-MT
Dimensions: 61-1/2" Wide x 27" Deep x 31" Overall Height
Seat: 19" High
Arms: 31" High
Product Weight: 135lbs
Plinth Base: Oiled Bronze - H1P
Description: Fully upholstered with rounded organic curves, sinuous springs in the seat, and tamper resistant hardware
Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premuim grade. All joints are to be glued, screwed and corner blocked for max strength.
Upholstery: See next sheet
Upholstery Detail: Tight upholstered with lapped seam double stitched.
Yardage Required: Seat, Inside Back, Apron & Surround - 5.75 yards/ each
Weight Capacity: Rated for 400lbs per seat
Sustainability: Indoor Advantage Gold
BIFMA: BIFMA Certified, Level 1
Warranty: 12-years




Loveseat



Plinth Base

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Submit "Cutting for Approval" for fabric approval prior production.
 - All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crooking.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.



Seat, Inside Back, Apron & Surround Upholstery

Mfr.: Momentum

Pattern: Silica Etch

Color: Flint

Width: 54" Wide

Content: 100% Silicone

Backing: Polyester

Durability: 270,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Standard Back Banquette - 72" Wide

Manufacturer: ERG International
 Address: 361 N Bernoulli Circle
 Oxnard, CA 93030
 Phone: (800) 446-1186
 Rep: Contour Lines NW/ Rob Wood

**Departments: Staff Lounge
 2nd Floor**

Product Name: Raven Straight Banquette - Standard Back Height
Product #: 8376-2FO-GD2-CO1
Power: Cove Rectangle (Power & USB)
 Black: 305238.03.04.09
Dimensions: 72" Wide x 27" Deep x 33" Overall Height
 Seat: 18" High
Product Weight: 225lbs
Metal Foot Finish: Powder Coat - Matte Black

Description: Straight banquette with standard back height, clean-out at back, and (1) power/ data receptacle at seat deck, centered. Two-Tone fabric upholstery refer to upholstery detail.

Construction: Frame is constructed of multi-ply hardwood, with tongue and groove construction. No sag-springs are installed in seat & back along with interlocking helicoil springs to prevent sagging and provide additional lower back and seat support. Uses only water based glues and adhesives in the upholstery process. All foam is fully bonded to frame. Seat cushions are 4" graded high resiliency block foam with back 3" high resiliency foam, covered entirely with special bonded polyester fiber to protect final upholstery.

Upholstery: See next sheet
Upholstery Detail: Tightly upholstered banquette with separate seat and back. Do not railroad back upholstery, (1) full width to be centered on back with pattern matching seams. Align specific pattern with bottom of banquette back - see next sheet for more details

Yardage Required: Seat: 4 yards/ each
 Back: 8 yards/ each


Weight Capacity: Rated for 1000lbs
Sustainability: SCS Indoor Advantage Gold Certificate
BIFMA: ANSI/BIFMA Furniture Emissions (M7.1/X7.1-2011 R2021)
Warranty: Limited Lifetime



Banquette



Power



Metal Foot Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Banquette



Seat Upholstery
Mfr.: Momentum
Pattern: Silica Suede
Color: Chestnut
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR



Back Upholstery
Mfr.: Momentum
Pattern: Silica Excursion
Color: Sedona
Width: 54" Wide
Content: 100% Silicone
Backing: Polyester
Durability: 500,000 DR

Special Upholstery Detail: Bottom of banquette back at seat to align with dotted line above

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.



Low Back Banquette - 72" Wide

Departments: Staff Space

Manufacturer: ERG International
 Address: 361 N Bernoulli Circle
 Oxnard, CA 93030
 Phone: (800) 446-1186
 Rep: Contour Lines NW/ Rob Wood

Product Name: Raven Straight Banquette - Low Back Height
 Product #: 8376-LOW-2FO-GD2-CO1
 Power: Cove Rectangle (Power & USB)
 Black: 305238.03.04.09
 Dimensions: 72" Wide x 27" Deep x 27" Overall Height
 Seat: 18" High
 Product Weight: 200lbs
 Metal Foot Finish: Powder Coat - Matte Black

Description: Straight banquette with low back height, clean-out at back, and (1) power/ data receptacle at seat deck, centered. Two-Tone fabric upholstery refer to upholstery detail

Construction: Frame is constructed of multi-ply hardwood, with tongue and groove construction. No sag-springs are installed in seat & back along with interlocking helicoil springs to prevent sagging and provide additional lower back and seat support. Uses only water based glues and adhesives in the upholstery process. All foam is fully bonded to frame. Seat cushions are 4" graded high resiliency block foam with back 3" high resiliency foam, covered entirely with special bonded polyester fiber to protect final upholstery.

Upholstery: See next sheet
 Upholstery Detail: Tightly upholstered banquette with separate seat and back. Do not railroad back upholstery, (1) full width to be centered on back with pattern matching seams. Align specific pattern with bottom of banquette back - see next sheet for more details

Yardage Required: Seat: 4 yards/ each
 Back: 7.5 yards/ each


Weight Capacity: Rated for 1000lbs
 Sustainability: SCS Indoor Advantage Gold Certificate
 BIFMA: ANSI/BIFMA Furniture Emissions (M7.1/X7.1-2011 R2021)
 Warranty: Limited Lifetime



Banquette



Power



Metal Foot Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
 architecture • interior design

Banquette



Seat Upholstery
Mfr.: Momentum
Pattern: Silica Suede
Color: Chestnut
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR



Back Upholstery
Mfr.: Momentum
Pattern: Silica Excursion
Color: Sedona
Width: 54" Wide
Content: 100% Silicone
Backing: Polyester
Durability: 500,000 DR

Special Upholstery Detail: Bottom of banquette back at seat to align with dotted line above

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.



Ottoman

Departments: Detox

Manufacturer: Davis Furniture
 Address: 2400 College Drive, POB 2065
 High Point, NC 27261
 Phone: (336) 889-2009
 Rep: Kayser Wesner/ Kevin Kayser

Product Name: Rho Ottoman
 Product #: RO-119
 Dimensions: 19-3/4" Diameter x 19-1/5" Overall Height
 Product Weight: 21lbs

Glides: RO-Felt
 Chain Stitch Color: Carbon

Description: Organic shaped ottoman with contrasting stitch detail on the seat.

Construction: Mult-density foam over a plywood frame. Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength.

Upholstery: See next sheet
 Upholstery Detail: Tight upholstery with lapped seams and contrasting open chain stitch detail on top of seat

Yardage Required: 1.75 yards/ each

Weight Capacity: Rated to 300lbs
 Sustainability: Indoor Advantage Gold
 BIFMA: BIFMA, Level 1
 Warranty: 5-year



Ottoman




Open Chain Stitch Detail



Stitch Color: Carbon

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crooking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Seat Upholstery
Mfr.: Architex
Pattern: Cupertino
Color: Valico
Width: 54" Wide
Content: 100% Silicone
Backing: Polyester
Durability: 200,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Ottoman

Departments: Detox

Manufacturer: Davis Furniture
 Address: 2400 College Drive, POB 2065
 High Point, NC 27261
 Phone: (336) 889-2009
 Rep: Kayser Wesner/ Kevin Kayser

Product Name: Rho Ottoman
 Product #: RO-119
 Dimensions: 19-3/4" Diameter x 19-1/5" Overall Height
 Product Weight: 21lbs

Glides: RO-Felt
 Chain Stitch Color: Carbon

Description: Organic shaped ottoman with contrasting stitch detail on the seat.

Construction: Mult-density foam over a plywood frame. Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength.

Upholstery: See next sheet
 Upholstery Detail: Tight upholstery with lapped seams and contrasting open chain stitch detail on top of seat

Yardage Required: 1.75 yards/ each

Weight Capacity: Rated to 300lbs
 Sustainability: Indoor Advantage Gold
 BIFMA: BIFMA, Level 1
 Warranty: 5-year



Ottoman



Open Chain Stitch Detail



Stitch Color: Carbon

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crooking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Seat Upholstery
Mfr.: Architex
Pattern: Cupertino
Color: Voss
Width: 54" Wide
Content: 100% Silicone
Backing: Polyester
Durability: 200,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Modular Sofa, Medium

Departments: 1st Floor Lobby

Manufacturer: OFS Brands
 Address: 1204 East 6th Street
 Huntingburg, IN 47542
 Phone: (800) 521-5381
 Rep: VPI/ Mike McFarlane

Manufacturer: Carolina
 Product Name: Elara Modular Sofa, plinth base
 Product #s: (1) 982-EL-P-MT - End Unit Left Facing (51lbs)
 (1) 982-SM-P-MT - Straight Modular Unit (42lbs)
 (1) 982-90I-P-MT - 90degree Inside Wedge (54lbs)
 (1) 982-ER-P-MT - End Unit Right Facing (51lbs)
 (3) 982GK - Ganging Brackets

Dimensions: Overall Footprint: 7'-7" Wide x 5'-6" Deep
 Overall Height: 31-1/4" High
 Seat: 19" High
 Arms: 31" High

Product Weight: 198lbs - Total

Plinth Base: Oiled Bronze - H1P

Description: Fully upholstered with rounded organic curves, sinuous springs in the seat, and tamper resistant hardware

Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength.


Upholstery: See next sheet
 Upholstery Detail: Tight upholstered with lapped seam double stitched.

Yardage Required: Seat, Inside Back & Apron - 8.75 yards/ each
 Surround - 7 yards/ each

Weight Capacity: Rated for 400lbs per seat
 Sustainability: Indoor Advantage Gold
 BIFMA: BIFMA Certified, Level 1
 Warranty: 12-years



Modular Sofa - Concept



Modular Sofa - Layout



Plinth Base

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.


SOUTHCENTRAL FOUNDATION

YESHJESH T'UH


FF&E PACKAGE



spark design
 architecture • interior design

Modular Sofa

Seat, Inside Back & Apron Upholstery
Mfr.: Momentum
Pattern: Twill EPU
Color: Fountain
Width: 54" Wide
Content: 100% EPU Polyurethane
Backing: Polyester
Durability: 130,000 DR



Surround Upholstery
Mfr.: Momentum
Pattern: Silica Suede
Color: Indigo
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Modular Sofa, Large

Departments: 1st Floor Lobby

Manufacturer: OFS Brands
 Address: 1204 East 6th Street
 Huntingburg, IN 47542
 Phone: (800) 521-5381
 Rep: VPI/ Mike McFarlane

Manufacturer: Carolina
 Product Name: Elara Modular Sofa, plinth base
 Product #s: (1) 982-EL-P-MT - End Unit Left Facing (51lbs)
 (2) 982-SM-P-MT - Straight Modular Unit (42lbs)
 (1) 982-90I-P-MT - 90degree Inside Wedge (54lbs)
 (1) 982-ER-P-MT - End Unit Right Facing (51lbs)
 (4) 982GK - Ganging Brackets

Dimensions: Overall Footprint: 7'-7" Wide x 5'-6" Deep
 Overall Height: 31-1/4" High
 Seat: 19" High
 Arms: 31" High

Product Weight: 240lbs - Total

Plinth Base: Oiled Bronze - H1P

Description: Fully upholstered with rounded organic curves, sinuous springs in the seat, and tamper resistant hardware

Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength.


Upholstery: See next sheet
 Upholstery Detail: Tight upholstered with lapped seam double stitched.

Yardage Required: Seat, Inside Back & Apron - 11.25 yards/ each
 Surround - 8 yards/ each

Weight Capacity: Rated for 400lbs per seat
 Sustainability: Indoor Advantage Gold
 BIFMA: BIFMA Certified, Level 1
 Warranty: 12-years



Modular Sofa - Concept



Modular Sofa - Layout




Plinth Base


Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Modular Sofa



Seat, Inside Back & Apron Upholstery
Mfr.: Momentum
Pattern: Twill EPU
Color: Fountain
Width: 54" Wide
Content: 100% EPU Polyurethane
Backing: Polyester
Durability: 130,000 DR



Surround Upholstery
Mfr.: Momentum
Pattern: Silica Suede
Color: Indigo
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.



BH - Modular Sofa, Small

Departments: 1st Floor Lobby

Manufacturer: OFS Brands
 Address: 1204 East 6th Street
 Huntingburg, IN 47542
 Phone: (800) 521-5381
 Rep: VPI/ Mike McFarlane

Manufacturer: Carolina
 Product Name: Elara Modular Sofa, plinth base
 Product #s: (1) 982-EL-P-MT - End Unit Left Facing (51lbs)
 (1) 982-90I-P-MT - 90degree Inside Wedge 54lbs)
 (1) 982-ER-P-MT - End Unit Right Facing (51lbs)
 (2) 982GK - Ganging Brackets

Dimensions: Overall Footprint: 7'-7" Wide x 5'-6" Deep
 Overall Height: 31-1/4" High
 Seat: 19" High
 Arms: 31" High

Product Weight: 156lbs - Total

Plinth Base: Oiled Bronze - H1P

Description: Fully upholstered with rounded organic curves, sinuous springs in the seat, and tamper resistant hardware

Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength.


Upholstery: See next sheet
 Upholstery Detail: Tight upholstered with lapped seam double stitched.

Yardage Required: Seat, Inside Back & Apron - 6.25 yards/ each
 Surround - 6 yards/ each

Weight Capacity: Rated for 400lbs per seat
 Sustainability: Indoor Advantage Gold
 BIFMA: BIFMA Certified, Level 1
 Warranty: 12-years



Modular Sofa - Concept




Modular Sofa - Layout




Plinth Base

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Seat, Inside Back & Apron Upholstery
Mfr.: Momentum
Pattern: Twill EPU
Color: Fountain
Width: 54" Wide
Content: 100% EPU Polyurethane
Backing: Polyester
Durability: 130,000 DR



Surround Upholstery
Mfr.: Momentum
Pattern: Silica Suede
Color: Indigo
Width: 54" Wide
Content: 70% Polyurethane/ PVC Free, 30% Silicone
Backing: Polyester
Durability: 500,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Recliner

Departments: Detox Milieu

Manufacturer: Pineapple Furniture
Address: 7105 19 Mile Rd
Sterling Heights, MI 48314
Phone: (800) 496-9324
Rep: Edward Larsen

Product Name: Levo Reduced-Ligature Recliner
Product #: 1LV1
Dimensions: 33-1/2" Wide x 51-1/4" Deep x 49-1/4" Overall Height
Seat: 20" High
Arms: 27" High
Reclined: 72" Overall Depth
Product Weight: 198lbs
Ballast: Unavailable on Recliner
Arm Finish: Dusty Blue
Description: Recliner is activated by bodyweight alone, there are no external controls, and the reclining mechanism has been made inaccessible to minimize ligature risks.
Construction: Rotationally molded, durable polyethylene base, one-piece construction provide strength and stability. Flamed, textured finish further strengthens the fire retardant, water-resistant, UV stabilized shell.
Upholstery: See next sheet
Upholstery Detail: Tight upholstery with reinforced seams
Yardage Required: 4.25 yards/ each
Weight Capacity: Mechanism can support 350lb capacity
Sustainability: Base is 100% recyclable
BIFMA: N/A
Warranty: Base: 7-year
Mechanism: 2-year



Recliner




Recliner Motion



Arm Frame

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Submit "Cutting for Approval" for fabric approval prior production.
 - All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.



Seat & Back Upholstery

Mfr.: Momentum

Pattern: Whisp

Color: Granite

Width: 54" Wide

Content: 70% Polyurethane/ PVC Free, 30% Silicone

Backing: Polyester

Durability: 500,000 DR

Notes:

-Submit "Cutting for Approval" for fabric approval prior production.

-All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Lounge Chair

Departments: Detox Milieu

Manufacturer: Pineapple Furniture
 Address: 7105 19 Mile Rd
 Sterling Heights, MI 48314
 Phone: (800) 496-9324
 Rep: Edward Larsen

Product Name: Adora Plus Armchair
 Product #: 1AR1-920A
 Dimensions: 53" Wide x 38-1/4" Deep x 30-3/4" Overall Height
 Seat: 16-1/4" High
 Product Weight: 176lbs
 Ballast: N/A

Description: Lounge Chair with two-tone upholstery, contrast piping with plinth base

Construction: Frame made from plywood board with solid wood plinth, stained and lacquered. Plus reinforcement offers high levels of durability and strength. All cushions fixed to the base to ensure that they are not taken off with anti-stash seams to prevent hiding of contraband. Cushions made from fire-retardant, CMHR foam. Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength.

Upholstery: See next sheet
 Upholstery Detail: Two-tone tightly upholstered chair with contrast self-welt hollow piping at seams. All seams to be reinforced (anti-stash).

Yardage Required: Seat & Contrasting Self-Welt 2 yards/ each
 Back 4.75 yards/ each

Weight Capacity: Rated to 1100lbs
 Sustainability: N/A
 BIFMA: N/A
 Warranty: 7-year guarantee (does not include fabrics)



Lounge Chair



Construction Detail

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crooking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Lounge Chair



Seat & Contrasting Self-Welt Upholstery
Mfr.: Momentum
Pattern: Silica Leather
Color: Eucalyptus
Width: 54" Wide
Content: 100% Silicone
Backing: Polyester
Durability: 210,000 DR



Back Upholstery
Mfr.: Momentum
Pattern: Silica Leather
Color: Driftwood
Width: 54" Wide
Content: 100% Silicone
Backing: Polyester
Durability: 210,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Bean Bag, Small

Departments: Detox Milieu & Learning Circle

Manufacturer: Pineapple Furniture
 Address: 7105 19 Mile Rd
 Sterling Heights, MI 48314
 Phone: (800) 496-9324
 Rep: Edward Larsen

Product Name: Boden Bean Bag, Small
 Product #: 1BO1-100
 Dimensions: 35-1/2" Diameter x 31-1/2" Overall Height
 Product Weight: 15.5lbs
 Ballast: N/A

Description: Small bean bag chair with reinforced seams, non-accessible zippers, and filled with recycled foam

Filling: 100% Recycled Content - chipped foam

Construction: Fully stitched, polystyrene filled bean bag using flame-resistant internal beans. The inside of seamed areas incorporates an additional fire-retardant, water-repellent polypropylene lining for additional protection.

Upholstery: See next sheet
 Upholstery Detail: Double-stitched seams and non-accessible zippers.

Yardage Required: 4.5 yards/ each

Weight Capacity: Rated to 500lbs
 Sustainability: N/A
 BIFMA: N/A
 Warranty: 2-year guarantee (does not include fabric)



Bean Bag, Small




Seam Detail

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Bean Bag, Small



Seat Upholstery
Mfr.: Momentum
Pattern: Silica Stride
Color: Placid
Width: 54" Wide
Content: 100% Silicone
Durability: 500,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Donut Bean Bag

Departments: Detox Milieu & Learning Circle

Manufacturer: Pineapple Furniture
 Address: 7105 19 Mile Rd
 Sterling Heights, MI 48314
 Phone: (800) 496-9324
 Rep: Edward Larsen

Product Name: Boden, Donut Beanbag
 Product #: 1BOD1-100
 Dimensions: 53" Diameter x 25-1/2" Overall Height
 Seat: Approx. 15" High
 Product Weight: 59.5lbs
 Ballast: N/A

Description: Large Beanbag chair with removable cushion for ease of cleaning, reinforced seams, non-accessible zippers and filled with recycled foam

Filling: 100% Recycled Content - chipped foam

Construction: The internal cushion is removable, adjusting the depth. It also makes cleaning easier, preventing dirt gathering between the cushion and bean bag. New filling material, using chipped foam. Long-term comfort, made from 100% recycled content therefore reducing waste. This new filling is heavier and will not compress considerably over time. Designed to have non-accessible zips to prevent tampering.

Upholstery: See next sheet
 Upholstery Detail: Double stitched seams and non-accessible zippers to prevent tampering.

Yardage Required: 7.75 yards/ each

Weight Capacity: Rated to 500lbs
 Sustainability: Foam Filling is 100% from recycled content
 BIFMA: ANSI/ BIFMA X5.4:2020 Public and Lounge Seating
 Warranty: 2-year guarantee (does not include fabric)



Bean Bag, Large




Seam Detail

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Donut Bean Bag



Seat Upholstery
Mfr.: Momentum
Pattern: Silica Stride
Color: Tidal
Width: 54" Wide
Content: 100% Silicone
Durability: 500,000 DR

Notes:

- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

BH - Arm Chair

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Hondo Nuevo, Arm Chair - Molded Plinth Base
 Product #: HN800.HN850
 Dimensions: 30" Wide x 31" Deep x 32" Overall Height
 Seat: 18-1/2" High
 Arm: 26" High

Product Weight: 103lbs
 Ballast: No Ballast Required

Vinyl Color: Twilight
 Base Color: Raven

Construction: Premium TruColor polymer is fully compounded for superior color consistency and durability. One-piece rotationally molded, 0.25" thick flexible polyvinyl chloride exterior skin with softer durometer for a comfortable sit. Filled with flexible 2-part water-based polyurethane foam, fixtured with an interior 5/8" thick oriented strand board structural panel base plate, then attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low-density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Ligature resistant design with no internal openings

Weight Capacity: Rated for 750lbs
 Sustainability: GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

BIFMA: -Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (250 lbs from 18")
 -Tested to 184 lbs Puncture Resistance according to ASTM D4833-07
 -Meets or exceeds the requirements of ANSI/BIFMA X5.4-205


Warranty: 10-year limited replacement warranty



Arm Chair



Vinyl Color



Base Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Arm Chair

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Hondo Nuevo, Arm Chair - Molded Plinth Base
 Product #: HN800.HN850
 Dimensions: 30" Wide x 31" Deep x 32" Overall Height
 Seat: 18-1/2" High
 Arm: 26" High

Product Weight: 103lbs
 Ballast: No Ballast Required

Vinyl Color: Sage
 Base Color: Raven

Construction: Premium TruColor polymer is fully compounded for superior color consistency and durability. One-piece rotationally molded, 0.25" thick flexible polyvinyl chloride exterior skin with softer durometer for a comfortable sit. Filled with flexible 2-part water-based polyurethane foam, fixtured with an interior 5/8" thick oriented strand board structural panel base plate, then attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low-density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Ligature resistant design with no internal openings

Weight Capacity: Rated for 750lbs
 Sustainability: GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

BIFMA: -Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (250 lbs from 18")
 -Tested to 184 lbs Puncture Resistance according to ASTM D4833-07
 -Meets or exceeds the requirements of ANSI/BIFMA X5.4-205


Warranty: 10-year limited replacement warranty



Arm Chair



Vinyl Color



Base Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Armless Chair 30"

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Hondo Nuevo, Armless Chair 30" - Molded Plinth Base
 Product #: HN810.HN850
 Dimensions: 30" Wide x 30" Deep x 32" Overall Height
 Seat: 18-1/2" High

Product Weight: 96lbs
 Ballast: No Ballast Required

Vinyl Color: Twilight
 Base Color: Raven

Construction: Premium TruColor polymer is fully compounded for superior color consistency and durability. One-piece rotationally molded, 0.25" thick flexible polyvinyl chloride exterior skin with softer durometer for a comfortable sit. Filled with flexible 2-part water-based polyurethane foam, fixtured with an interior 5/8" thick oriented strand board structural panel base plate, then attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low-density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Ligature resistant design with no internal openings

Weight Capacity: Rated for 750lbs
 Sustainability: GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

BIFMA: -Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (250 lbs from 18")
 -Tested to 184 lbs Puncture Resistance according to ASTM D4833-07


Warranty: -Meets or exceeds the requirements of ANSI/BIFMA X5.4-205
 10-year limited replacement warranty



Armless Chair



Vinyl Color



Base Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Armless Chair 24"

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Hondo Nuevo, Armless Chair 24" - Molded Plinth Base
 Product #: HN820.HN850
 Dimensions: 24" Wide x 30" Deep x 32" Overall Height
 Seat: 18-1/2" High

Product Weight: 77lbs
 Ballast: No Ballast Required

Vinyl Color: Twilight
 Base Color: Raven

Construction: Premium TruColor polymer is fully compounded for superior color consistency and durability. One-piece rotationally molded, 0.25" thick flexible polyvinyl chloride exterior skin with softer durometer for a comfortable sit. Filled with flexible 2-part water-based polyurethane foam, fixtured with an interior 5/8" thick oriented strand board structural panel base plate, then attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low-density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Ligature resistant design with no internal openings

Weight Capacity: Rated for 750lbs
 Sustainability: GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

BIFMA: -Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (250 lbs from 18")
 -Tested to 184 lbs Puncture Resistance according to ASTM D4833-07


Warranty: -Meets or exceeds the requirements of ANSI/BIFMA X5.4-205
 10-year limited replacement warranty



Armless Chair



Vinyl Color



Base Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Armless Chair 24"

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Hondo Nuevo, Armless Chair 24" - Molded Plinth Base
 Product #: HN820.HN850
 Dimensions: 24" Wide x 30" Deep x 32" Overall Height
 Seat: 18-1/2" High

Product Weight: 77lbs
 Ballast: No Ballast Required

Vinyl Color: Sage
 Base Color: Raven

Construction: Premium TruColor polymer is fully compounded for superior color consistency and durability. One-piece rotationally molded, 0.25" thick flexible polyvinyl chloride exterior skin with softer durometer for a comfortable sit. Filled with flexible 2-part water-based polyurethane foam, fixtured with an interior 5/8" thick oriented strand board structural panel base plate, then attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low-density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Ligature resistant design with no internal openings

Weight Capacity: Rated for 750lbs
 Sustainability: GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

BIFMA: -Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (250 lbs from 18")
 -Tested to 184 lbs Puncture Resistance according to ASTM D4833-07
 -Meets or exceeds the requirements of ANSI/BIFMA X5.4-205


Warranty: 10-year limited replacement warranty



Armless Chair



Vinyl Color



Base Color

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Submit "Cutting for Approval" for vinyl approval prior production.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Armless Chair 24"

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
Address: One Innovation Drive
West Chicago, IL 60185
Phone: (630) 231-1331
Rep: Bob Meucci

Product Name: Hondo Nuevo, Armless Chair 24" - Molded Plinth Base
Product #: HN820.HN850
Dimensions: 24" Wide x 30" Deep x 32" Overall Height
Seat: 18-1/2" High

Product Weight: 77lbs
Ballast: No Ballast Required

Vinyl Color: Clay
Base Color: Raven

Construction: Premium TruColor polymer is fully compounded for superior color consistency and durability. One-piece rotationally molded, 0.25" thick flexible polyvinyl chloride exterior skin with softer durometer for a comfortable sit. Filled with flexible 2-part water-based polyurethane foam, fixtured with an interior 5/8" thick oriented strand board structural panel base plate, then attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low-density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Ligature resistant design with no internal openings

Weight Capacity: Rated for 750lbs
Sustainability: GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

BIFMA: -Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (250 lbs from 18")
-Tested to 184 lbs Puncture Resistance according to ASTM D4833-07


Warranty: -Meets or exceeds the requirements of ANSI/BIFMA X5.4-205
10-year limited replacement warranty



Armless Chair



Vinyl Color



Base Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Armless Wedge Chair

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Hondo Nuevo, Seat Wedge - Molded Plinth Base
 Product #: HN825.HN850
 Dimensions: 31-1/2" Wide x 30" Deep x 32" Overall Height
 Seat: 18-1/2" High

Product Weight: 76lbs
 Ballast: No Ballast Required

Vinyl Color: Twilight
 Base Color: Raven

Construction: Premium TruColor polymer is fully compounded for superior color consistency and durability. One-piece rotationally molded, 0.25" thick flexible polyvinyl chloride exterior skin with softer durometer for a comfortable sit. Filled with flexible 2-part water-based polyurethane foam, fixtured with an interior 5/8" thick oriented strand board structural panel base plate, then attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low-density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Ligature resistant design with no internal openings

Weight Capacity: Rated for 750lbs
 Sustainability: GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

BIFMA: -Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (250 lbs from 18")
 -Tested to 184 lbs Puncture Resistance according to ASTM D4833-07
 -Meets or exceeds the requirements of ANSI/BIFMA X5.4-205


Warranty: 10-year limited replacement warranty



Wedge Chair



Vinyl Color



Base Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Armless Wedge Chair

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
Address: One Innovation Drive
West Chicago, IL 60185
Phone: (630) 231-1331
Rep: Bob Meucci

Product Name: Hondo Nuevo, Seat Wedge - Molded Plinth Base
Product #: HN825.HN850
Dimensions: 31-1/2" Wide x 30" Deep x 32" Overall Height
Seat: 18-1/2" High

Product Weight: 76lbs
Ballast: No Ballast Required

Vinyl Color: Twilight
Base Color: Raven

Construction: Premium TruColor polymer is fully compounded for superior color consistency and durability. One-piece rotationally molded, 0.25" thick flexible polyvinyl chloride exterior skin with softer durometer for a comfortable sit. Filled with flexible 2-part water-based polyurethane foam, fixtured with an interior 5/8" thick oriented strand board structural panel base plate, then attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low-density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Ligature resistant design with no internal openings

Weight Capacity: Rated for 750lbs
Sustainability: GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

BIFMA: -Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (250 lbs from 18")
-Tested to 184 lbs Puncture Resistance according to ASTM D4833-07
-Meets or exceeds the requirements of ANSI/BIFMA X5.4-205

Warranty: 10-year limited replacement warranty



Wedge Chair



Vinyl Color



Base Color

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Submit "Cutting for Approval" for vinyl approval prior production.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - One Arm Chair (Left)

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Hondo Nuevo, Left Arm Sectional - Molded Plinth Base
 Product #: HN805L.HN850
 Dimensions: 30" Wide x 30" Deep x 32" Overall Height
 Seat: 18-1/2" High
 Arm: 26" High

Product Weight: 99lbs
 Ballast: No Ballast Required

Vinyl Color: Twilight
 Base Color: Raven

Construction: Premium TruColor polymer is fully compounded for superior color consistency and durability. One-piece rotationally molded, 0.25" thick flexible polyvinyl chloride exterior skin with softer durometer for a comfortable sit. Filled with flexible 2-part water-based polyurethane foam, fixtured with an interior 5/8" thick oriented strand board structural panel base plate, then attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low-density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Ligature resistant design with no internal openings

Weight Capacity: Rated for 750lbs
 Sustainability: GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

BIFMA: -Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (250 lbs from 18")
 -Tested to 184 lbs Puncture Resistance according to ASTM D4833-07


Warranty: -Meets or exceeds the requirements of ANSI/BIFMA X5.4-205
 10-year limited replacement warranty



Left Arm Chair



Vinyl Color



Base Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - One Arm Chair (Right)

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Hondo Nuevo, Right Arm Sectional - Molded Plinth Base
 Product #: HN805R.HN850
 Dimensions: 30" Wide x 30" Deep x 32" Overall Height
 Seat: 18-1/2" High
 Arm: 26" High

Product Weight: 99lbs
 Ballast: No Ballast Required

Vinyl Color: Twilight
 Base Color: Raven

Construction: Premium TruColor polymer is fully compounded for superior color consistency and durability. One-piece rotationally molded, 0.25" thick flexible polyvinyl chloride exterior skin with softer durometer for a comfortable sit. Filled with flexible 2-part water-based polyurethane foam, fixtured with an interior 5/8" thick oriented strand board structural panel base plate, then attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low-density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Ligature resistant design with no internal openings

Weight Capacity: Rated for 750lbs
 Sustainability: GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

BIFMA: -Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (250 lbs from 18")
 -Tested to 184 lbs Puncture Resistance according to ASTM D4833-07
 -Meets or exceeds the requirements of ANSI/BIFMA X5.4-205


Warranty: 10-year limited replacement warranty



Right Arm Chair



Vinyl Color



Base Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - One Arm Chair (Right)

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Hondo Nuevo, Right Arm Sectional - Molded Plinth Base
 Product #: HN805R.HN850
 Dimensions: 30" Wide x 30" Deep x 32" Overall Height
 Seat: 18-1/2" High
 Arm: 26" High

Product Weight: 99lbs
 Ballast: No Ballast Required

Vinyl Color: Sage
 Base Color: Raven

Construction: Premium TruColor polymer is fully compounded for superior color consistency and durability. One-piece rotationally molded, 0.25" thick flexible polyvinyl chloride exterior skin with softer durometer for a comfortable sit. Filled with flexible 2-part water-based polyurethane foam, fixtured with an interior 5/8" thick oriented strand board structural panel base plate, then attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low-density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Ligature resistant design with no internal openings

Weight Capacity: Rated for 750lbs
 Sustainability: GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

BIFMA: -Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (250 lbs from 18")
 -Tested to 184 lbs Puncture Resistance according to ASTM D4833-07
 -Meets or exceeds the requirements of ANSI/BIFMA X5.4-205


Warranty: 10-year limited replacement warranty



Right Arm Chair



Vinyl Color



Base Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - High Back Rocker Arm Chair

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Hondo Nuevo, High Back Arm Chair - Rocker Base
 Product #: HN880.HN851
 Dimensions: 30" Wide x 31" Deep x 44" Overall Height
 Seat: 18-1/2" High
 Arm: 26" High

Product Weight: 127lbs
 Ballast: Unavailable on Rockers

Vinyl Color: Twilight
 Base Color: Raven

Construction: Premium TruColor polymer is fully compounded for superior color consistency and durability. One-piece rotationally molded, 0.25" thick flexible polyvinyl chloride exterior skin with softer durometer for a comfortable sit. Filled with flexible 2-part water-based polyurethane foam, fixtured with an interior 5/8" thick oriented strand board structural panel base plate, then attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low-density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Ligature resistant design with no internal openings

Weight Capacity: Rated for 750lbs
 Sustainability: GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

BIFMA: -Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (250 lbs from 18")
 -Tested to 184 lbs Puncture Resistance according to ASTM D4833-07
 -Meets or exceeds the requirements of ANSI/BIFMA X5.4-205


Warranty: 10-year limited replacement warranty



High Back Rocker Chair



Vinyl Color



Base Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - High Back Rocker Arm Chair

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Hondo Nuevo, High Back Arm Chair - Rocker Base
 Product #: HN880.HN851
 Dimensions: 30" Wide x 31" Deep x 44" Overall Height
 Seat: 18-1/2" High
 Arm: 26" High

Product Weight: 127lbs
 Ballast: Unavailable on Rockers

Vinyl Color: Sage
 Base Color: Raven

Construction: Premium TruColor polymer is fully compounded for superior color consistency and durability. One-piece rotationally molded, 0.25" thick flexible polyvinyl chloride exterior skin with softer durometer for a comfortable sit. Filled with flexible 2-part water-based polyurethane foam, fixtured with an interior 5/8" thick oriented strand board structural panel base plate, then attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low-density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Ligature resistant design with no internal openings

Weight Capacity: Rated for 750lbs
 Sustainability: GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

BIFMA: -Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (250 lbs from 18")
 -Tested to 184 lbs Puncture Resistance according to ASTM D4833-07
 -Meets or exceeds the requirements of ANSI/BIFMA X5.4-205


Warranty: 10-year limited replacement warranty



High Back Rocker Chair



Vinyl Color



Base Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Arm Chair

Departments: Crisis Stabilization & Residential

Manufacturer: ModuForm
 Address: 172 Industrial Road
 Fitchburg, MA 01420
 Phone: (978) 345-7942
 Rep: Donna Belton

Product Name: ModuForm Armchair
 Product #: 538-20
 Dimensions: 30" Wide x 30" Deep x 32" Overall Height
 Seat: 18" High
 Arm: 24-1/2" High

Product Weight: 95lbs
 Ballast: Unavailable on 538 Series

Vinyl Color: Slate Blue - 426

Construction: One-piece molded polyvinyl chloride cover. Fully molded one-piece without seams, gaps or added components to prevent hiding of contraband, absorption of fluids or other risks. Non-porous, pick and puncture resistant and sealed for long-life and humanizing use. Color is homogeneous through out to allow for aggressive cleaning and continuous use. Molded riser feet allow for air passage. Filled with high-density, soft and resilient molded polyurethane foam.

Weight Capacity: Rated for 550lbs
 Sustainability: LEED v4 EQ Credit: Low-Emitting Materials furniture evaluation criteria

BIFMA: Testing: ANSI/BIFMA X7.1-2011 (R2016)
 ANSI/BIFMA e3-2019 Furniture Sustainability Standard Sections 7.6.1, 7.6.2, and 7.6.3

Warranty: 5-year limited warranty



Arm Chair



Vinyl Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Arm Chair

Departments: Crisis Stabilization & Residential

Manufacturer: ModuForm
 Address: 172 Industrial Road
 Fitchburg, MA 01420
 Phone: (978) 345-7942
 Rep: Donna Belton

Product Name: ModuForm Armchair
 Product #: 538-20
 Dimensions: 30" Wide x 30" Deep x 32" Overall Height
 Seat: 18" High
 Arm: 24-1/2" High

Product Weight: 95lbs
 Ballast: Unavailable on 538 Series

Vinyl Color: Leaf - 220

Construction: One-piece molded polyvinyl chloride cover. Fully molded one-piece without seams, gaps or added components to prevent hiding of contraband, absorption of fluids or other risks. Non-porous, pick and puncture resistant and sealed for long-life and humanizing use. Color is homogeneous through out to allow for aggressive cleaning and continuous use. Molded riser feet allow for air passage. Filled with high-density, soft and resilient molded polyurethane foam.

Weight Capacity: Rated for 550lbs
 Sustainability: LEED v4 EQ Credit: Low-Emitting Materials furniture evaluation criteria

BIFMA: Testing: ANSI/BIFMA X7.1-2011 (R2016)
 ANSI/BIFMA e3-2019 Furniture Sustainability Standard Sections 7.6.1, 7.6.2, and 7.6.3

Warranty: 5-year limited warranty



Arm Chair



Vinyl Color

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Submit "Cutting for Approval" for vinyl approval prior production.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Armless Chair

Departments: Crisis Stabilization & Residential

Manufacturer: ModuForm
Address: 172 Industrial Road
Fitchburg, MA 01420
Phone: (978) 345-7942
Rep: Donna Belton

Product Name: ModuForm Armless Chair
Product #: 538-50
Dimensions: 30" Wide x 30" Deep x 32" Overall Height
Seat: 18" High

Product Weight: 95lbs
Ballast: Unavailable on 538 Series

Vinyl Color: Slate Blue - 426

Construction: One-piece molded polyvinyl chloride cover. Fully molded one-piece without seams, gaps or added components to prevent hiding of contraband, absorption of fluids or other risks. Non-porous, pick and puncture resistant and sealed for long-life and humanizing use. Color is homogeneous through out to allow for aggressive cleaning and continuous use. Molded riser feet allow for air passage. Filled with high-density, soft and resilient molded polyurethane foam.

Weight Capacity: Rated for 550lbs
Sustainability: LEED v4 EQ Credit: Low-Emitting Materials furniture evaluation criteria

BIFMA: Testing: ANSI/BIFMA X7.1-2011 (R2016)
ANSI/BIFMA e3-2019 Furniture Sustainability Standard Sections 7.6.1, 7.6.2, and 7.6.3

Warranty: 5-year limited warranty



Armless Chair



Vinyl Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
architecture • interior design

BH - Armless Chair

Departments: Crisis Stabilization & Residential

Manufacturer: ModuForm
 Address: 172 Industrial Road
 Fitchburg, MA 01420
 Phone: (978) 345-7942
 Rep: Donna Belton

Product Name: ModuForm Armless Chair
 Product #: 538-50
 Dimensions: 30" Wide x 30" Deep x 32" Overall Height
 Seat: 18" High

Product Weight: 95lbs
 Ballast: Unavailable on 538 Series

Vinyl Color: Leaf - 220

Construction: One-piece molded polyvinyl chloride cover. Fully molded one-piece without seams, gaps or added components to prevent hiding of contraband, absorption of fluids or other risks. Non-porous, pick and puncture resistant and sealed for long-life and humanizing use. Color is homogeneous through out to allow for aggressive cleaning and continuous use. Molded riser feet allow for air passage. Filled with high-density, soft and resilient molded polyurethane foam.

Weight Capacity: Rated for 550lbs
 Sustainability: LEED v4 EQ Credit: Low-Emitting Materials furniture evaluation criteria

BIFMA: Testing: ANSI/BIFMA X7.1-2011 (R2016)
 ANSI/BIFMA e3-2019 Furniture Sustainability Standard Sections 7.6.1, 7.6.2, and 7.6.3

Warranty: 5-year limited warranty



Armless Chair



Vinyl Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
 architecture • interior design

BH - Narrow Armless Chair

Departments: Crisis Stabilization & Residential

Manufacturer: ModuForm
 Address: 172 Industrial Road
 Fitchburg, MA 01420
 Phone: (978) 345-7942
 Rep: Donna Belton

Product Name: ModuForm Armless Chair
 Product #: 538-52
 Dimensions: 24" Wide x 30" Deep x 32" Overall Height
 Seat: 18" High

Product Weight: 74lbs
 Ballast: Unavailable on 538 Series

Vinyl Color: Slate Blue - 426

Construction: One-piece molded polyvinyl chloride cover. Fully molded one-piece without seams, gaps or added components to prevent hiding of contraband, absorption of fluids or other risks. Non-porous, pick and puncture resistant and sealed for long-life and humanizing use. Color is homogeneous throughout to allow for aggressive cleaning and continuous use. Molded riser feet allow for air passage. Filled with high-density, soft and resilient molded polyurethane foam.

Weight Capacity: Rated for 550lbs
 Sustainability: LEED v4 EQ Credit: Low-Emitting Materials furniture evaluation criteria

BIFMA: Testing: ANSI/BIFMA X7.1-2011 (R2016)
 ANSI/BIFMA e3-2019 Furniture Sustainability Standard Sections 7.6.1, 7.6.2, and 7.6.3

Warranty: 5-year limited warranty



Narrow Armless Chair



Vinyl Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
 architecture • interior design

BH - Narrow Armless Chair

Departments: Crisis Stabilization & Residential

Manufacturer: ModuForm
Address: 172 Industrial Road
Fitchburg, MA 01420
Phone: (978) 345-7942
Rep: Donna Belton

Product Name: ModuForm Armless Chair
Product #: 538-52
Dimensions: 24" Wide x 30" Deep x 32" Overall Height
Seat: 18" High

Product Weight: 74lbs
Ballast: Unavailable on 538 Series

Vinyl Color: Leaf - 220

Construction: One-piece molded polyvinyl chloride cover. Fully molded one-piece without seams, gaps or added components to prevent hiding of contraband, absorption of fluids or other risks. Non-porous, pick and puncture resistant and sealed for long-life and humanizing use. Color is homogeneous through out to allow for aggressive cleaning and continuous use. Molded riser feet allow for air passage. Filled with high-density, soft and resilient molded polyurethane foam.

Weight Capacity: Rated for 550lbs
Sustainability: LEED v4 EQ Credit: Low-Emitting Materials furniture evaluation criteria

BIFMA: Testing: ANSI/BIFMA X7.1-2011 (R2016)
ANSI/BIFMA e3-2019 Furniture Sustainability Standard Sections 7.6.1, 7.6.2, and 7.6.3

Warranty: 5-year limited warranty



Narrow Armless Chair



Vinyl Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
architecture • interior design

BH - Narrow Armless Chair

Departments: Crisis Stabilization & Residential

Manufacturer: ModuForm
 Address: 172 Industrial Road
 Fitchburg, MA 01420
 Phone: (978) 345-7942
 Rep: Donna Belton

Product Name: ModuForm Armless Chair
 Product #: 538-52
 Dimensions: 24" Wide x 30" Deep x 32" Overall Height
 Seat: 18" High

Product Weight: 74lbs
 Ballast: Unavailable on 538 Series

Vinyl Color: Earthly - 719

Construction: One-piece molded polyvinyl chloride cover. Fully molded one-piece without seams, gaps or added components to prevent hiding of contraband, absorption of fluids or other risks. Non-porous, pick and puncture resistant and sealed for long-life and humanizing use. Color is homogeneous through out to allow for aggressive cleaning and continuous use. Molded riser feet allow for air passage. Filled with high-density, soft and resilient molded polyurethane foam.

Weight Capacity: Rated for 550lbs
 Sustainability: LEED v4 EQ Credit: Low-Emitting Materials furniture evaluation criteria

BIFMA: Testing: ANSI/BIFMA X7.1-2011 (R2016)
 ANSI/BIFMA e3-2019 Furniture Sustainability Standard Sections 7.6.1, 7.6.2, and 7.6.3

Warranty: 5-year limited warranty



Narrow Armless Chair



Vinyl Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
 architecture • interior design

BH - Wedge Chair

Departments: Crisis Stabilization & Residential

Manufacturer: ModuForm
 Address: 172 Industrial Road
 Fitchburg, MA 01420
 Phone: (978) 345-7942
 Rep: Donna Belton

Product Name: ModuForm Inside Curve Chair
 Product #: 538-451A
 Dimensions: 38" Wide x 30" Deep x 32" Overall Height
 Seat: 18" High

Product Weight: 93lbs
 Ballast: Unavailable on 538 Series

Vinyl Color: Slate Blue - 426

Construction: One-piece molded polyvinyl chloride cover. Fully molded one-piece without seams, gaps or added components to prevent hiding of contraband, absorption of fluids or other risks. Non-porous, pick and puncture resistant and sealed for long-life and humanizing use. Color is homogeneous throughout to allow for aggressive cleaning and continuous use. Molded riser feet allow for air passage. Filled with high-density, soft and resilient molded polyurethane foam.

Weight Capacity: Rated for 550lbs
 Sustainability: LEED v4 EQ Credit: Low-Emitting Materials furniture evaluation criteria

BIFMA: Testing: ANSI/BIFMA X7.1-2011 (R2016)
 ANSI/BIFMA e3-2019 Furniture Sustainability Standard Sections 7.6.1, 7.6.2, and 7.6.3

Warranty: 5-year limited warranty



Wedge Chair



Vinyl Color

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for vinyl approval prior production.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Wedge Chair

Departments: Crisis Stabilization & Residential

Manufacturer: ModuForm
 Address: 172 Industrial Road
 Fitchburg, MA 01420
 Phone: (978) 345-7942
 Rep: Donna Belton

Product Name: ModuForm Inside Curve Chair
 Product #: 538-451A
 Dimensions: 38" Wide x 30" Deep x 32" Overall Height
 Seat: 18" High

Product Weight: 93lbs
 Ballast: Unavailable on 538 Series

Vinyl Color: Leaf - 220

Construction: One-piece molded polyvinyl chloride cover. Fully molded one-piece without seams, gaps or added components to prevent hiding of contraband, absorption of fluids or other risks. Non-porous, pick and puncture resistant and sealed for long-life and humanizing use. Color is homogeneous through out to allow for aggressive cleaning and continuous use. Molded riser feet allow for air passage. Filled with high-density, soft and resilient molded polyurethane foam.

Weight Capacity: Rated for 550lbs
 Sustainability: LEED v4 EQ Credit: Low-Emitting Materials furniture evaluation criteria

BIFMA: Testing: ANSI/BIFMA X7.1-2011 (R2016)
 ANSI/BIFMA e3-2019 Furniture Sustainability Standard Sections 7.6.1, 7.6.2, and 7.6.3

Warranty: 5-year limited warranty



Wedge Chair



Vinyl Color

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Submit "Cutting for Approval" for vinyl approval prior production.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Rocking Arm Chair

Departments: Crisis Stabilization & Residential

Manufacturer: ModuForm
Address: 172 Industrial Road
Fitchburg, MA 01420
Phone: (978) 345-7942
Rep: Donna Belton

Product Name: ModuForm Armchair, Rocking
Product #: 535-20
Dimensions: 30" Wide x 30" Deep x 32" Overall Height
Seat: 18" High
Arm: 24-1/2" High

Product Weight: 95lbs
Ballast: Unavailable on Rocker Bases

Vinyl Color: Slate Blue - 426

Construction: One-piece molded polyvinyl chloride cover. Fully molded one-piece without seams, gaps or added components to prevent hiding of contraband, absorption of fluids or other risks. Non-porous, pick and puncture resistant and sealed for long-life and humanizing use. Color is homogeneous through out to allow for aggressive cleaning and continuous use. Molded riser feet allow for air passage. Filled with high-density, soft and resilient molded polyurethane foam.

Weight Capacity: Rated for 550lbs
Sustainability: LEED v4 EQ Credit: Low-Emitting Materials furniture evaluation criteria

BIFMA: Testing: ANSI/BIFMA X7.1-2011 (R2016)
ANSI/BIFMA e3-2019 Furniture Sustainability Standard Sections 7.6.1, 7.6.2, and 7.6.3

Warranty: 5-year limited warranty



Rocking Arm Chair



Vinyl Color

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Submit "Cutting for Approval" for vinyl approval prior production.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Stool

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
Address: One Innovation Drive
West Chicago, IL 60185
Phone: (630) 231-1331
Rep: Bob Meucci

Product Name: Hondo Nuevo, Stool - Molded Plinth Base
Product #: HN840.HN850
Dimensions: 18" Diameter x 18-1/2" Overall Height

Product Weight: 23lbs
Ballast: Unavailable on Stool

Vinyl Color: Twilight

Construction: Premium TruColor polymer is fully compounded for superior color consistency and durability. One-piece rotationally molded, 0.25" thick flexible polyvinyl chloride exterior skin with softer durometer for a comfortable sit. Filled with flexible 2-part water-based polyurethane foam, fixtured with an interior 5/8" thick oriented strand board structural panel base plate, then attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low-density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Ligature resistant design with no internal openings

Weight Capacity: Rated for 750lbs
Sustainability: GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

BIFMA: -Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (250 lbs from 18")
-Tested to 184 lbs Puncture Resistance according to ASTM D4833-07
-Meets or exceeds the requirements of ANSI/BIFMA X5.4-205

Warranty: 10-year limited replacement warranty



Stool



Vinyl Color

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Submit "Cutting for Approval" for vinyl approval prior production.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Stool

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
Address: One Innovation Drive
West Chicago, IL 60185
Phone: (630) 231-1331
Rep: Bob Meucci

Product Name: Hondo Nuevo, Stool - Molded Plinth Base
Product #: HN840.HN850
Dimensions: 18" Diameter x 18-1/2" Overall Height

Product Weight: 23lbs
Ballast: Unavailable on Stool

Vinyl Color: Clay

Construction: Premium TruColor polymer is fully compounded for superior color consistency and durability. One-piece rotationally molded, 0.25" thick flexible polyvinyl chloride exterior skin with softer durometer for a comfortable sit. Filled with flexible 2-part water-based polyurethane foam, fixtured with an interior 5/8" thick oriented strand board structural panel base plate, then attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low-density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Ligature resistant design with no internal openings

Weight Capacity: Rated for 750lbs
Sustainability: GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

BIFMA: -Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (250 lbs from 18")
-Tested to 184 lbs Puncture Resistance according to ASTM D4833-07
-Meets or exceeds the requirements of ANSI/BIFMA X5.4-205

Warranty: 10-year limited replacement warranty



Stool



Vinyl Color

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Submit "Cutting for Approval" for vinyl approval prior production.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Power Panels - 1 lot

Departments: 1102a - Crisis Stabilization ICT

Mfr: Steelcase
 Address: 901 44th Street, SE
 Grand Rapids, MI 49508
 Phone: (616) 247-2710
 Rep: Capital Office

Product Name: Answer Beam, Power Spine Panels
 Product #: Confirm all product #'s for complete installation
 Dimensions: Refer to Panel Plans on I-439

Fence Panel: 60" W
 Fence Foot: Provide Fence Foot Panels for support.
 Fence Junctions: Junction-End Run, and Junction In-Line, Include all trims, caps, blocks and top cap rails required for a complete installation.
 Fence Power: Refer to Panel Plans for Receptacle Locations. Include Base Power Infeed and power harnesses. Provide power/ data receptacles for workstations. Provide pass-through power kits at all panels. Include Duplex Receptacles (Power), Receptacle Trim Rings, and Data Filler.

Base Finish: 7360 Merle
 Skins: Steel Skin with Big Open Base

Power: Power Infeed-Multipurpose, 3+1, Non PVC
 Cutouts for Power and Data access at 20"H.
 Receptacle filler package, receptacles, trim rings

Screen: Refer to corresponding specifications. PS1.60
 Refer to Panel Plans (I-439) for Screen Locations

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust. All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes

Sustainability: Level 3; SCS Indoor Advantage Gold - Furniture
 Healthier Hospitals Initiative (HHI) & Declare

BIFMA: ANSI/ BIFMA X5.6 Panel Systems
 Warranty: 10-year



Power Panels



Base Finish

Refer to following sheets for approved alternates product information

- Notes:**
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Power Panels - 1 lot

**Departments: 2150 - Crisis
Residential ICT**

Mfr: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Product Name: Answer Beam, Power Spine Panels
Product #: Confirm all product #'s for complete installation
Dimensions: Refer to Panel Plans on I-439

Fence Panel: 48" W and 60" W
Fence Foot: Provide Fence Foot Panels for support.
Fence Junctions: Junction-End Run, and Junction In-Line, Include all trims, caps, blocks and top cap rails required for a complete installation.
Fence Power: Refer to Panel Plans for Receptacle Locations. Include Base Power Infeed and power harnesses. Provide power/ data receptacles for workstations. Provide pass-through power kits at all panels. Include Duplex Receptacles (Power), Receptacle Trim Rings, and Data Filler.

Base Finish: 7360 Merle
Skins: Steel Skin with Big Open Base

Power: Power Infeed-Multipurpose, 3+1, Non PVC
Cutouts for Power and Data access at 20"H.
Receptacle filler package, receptacles, trim rings

Screen: Refer to corresponding specifications. PS1.48, PS1.60
Refer to Panel Plans (I-439) for Screen Locations

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust. All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes

Sustainability: Level 3; SCS Indoor Advantage Gold - Furniture
Healthier Hospitals Initiative (HHI) & Declare
BIFMA: ANSI/ BIFMA X5.6 Panel Systems
Warranty: 10-year



Power Panels



Base Finish

Refer to following sheets for approved alternates product information

Notes:

- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Power Panels - 1 lot

Departments: 1360 Detox/
1344 MAT ICT

Mfr: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Product Name: Answer Beam, Power Spine Panels
Product #: Confirm all product #'s for complete installation
Dimensions: Refer to Panel Plans on I-440

Fence Panel: 48" W, 60" W and 72" W
Fence Foot: Provide Fence Foot Panels for support.
Fence Junctions: Junction-End Run, Junction In-Line, and Junction-L. Include all trims, caps, blocks and top cap rails required for a complete installation.

Fence Power: Refer to Panel Plans for Receptacle Locations. Include Base Power Infeed and power harnesses. Provide power/ data receptacles for workstations. Provide pass-through power kits at all panels. Include Duplex Receptacles (Power), Receptacle Trim Rings, and Data Filler.

Base Finish: 7360 Merle
Skins: Steel Skin with Big Open Base

Power: Power Infeed-Multipurpose, 3+1, Non PVC
Cutouts for Power and Data access at 20"H.
Receptacle filler package, receptacles, trim rings

Screen: No Privacy Screens required

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust. All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes

Sustainability: Level 3; SCS Indoor Advantage Gold - Furniture
Healthier Hospitals Initiative (HHI) & Declare

BIFMA: ANSI/ BIFMA X5.6 Panel Systems

Warranty: 10-year



Power Panels



Base Finish

Refer to following sheets for approved alternates product information

Notes:
-Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
-Must be properly marked with Item Number and location.
-Must be contract quality and structurally stable for commercial use.
-Must meet or exceed Federal, State, Local Fire Codes and Standards.

Power Panels - 1 lot

**Departments: 3307 Pharmacy
Tech Stations**

Mfr: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Product Name: Answer Beam, Power Spine Panels
Product #: Confirm all product #'s for complete installation
Dimensions: Refer to Panel Plans on I-441

Fence Panel: 48" W
Fence Foot: Provide Fence Foot Panels for support.
Fence Junctions: Junction-End Run, and Junction In-Line, Include all trims, caps, blocks and top cap rails required for a complete installation.
Fence Power: Refer to Panel Plans for Receptacle Locations. Include Base Power Infeed and power harnesses. Provide power/ data receptacles for workstations. Provide pass-through power kits at all panels. Include Duplex Receptacles (Power), Receptacle Trim Rings, and Data Filler.

Base Finish: 7360 Merle
Skins: Steel Skin with Big Open Base

Power: Power Infeed-Multipurpose, 3+1, Non PVC
Cutouts for Power and Data access at 20"H.
Receptacle filler package, receptacles, trim rings

Screen: Refer to corresponding specifications. PS1.48
Refer to Panel Plans (I-441) for Screen Locations

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust. All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes

Sustainability: Level 3; SCS Indoor Advantage Gold - Furniture
Healthier Hospitals Initiative (HHI) & Declare
BIFMA: ANSI/ BIFMA X5.6 Panel Systems
Warranty: 10-year



Power Panels



Base Finish

Refer to following sheets for approved alternates product information

Notes:

- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION
YESHJESH T'UH
FF&E PACKAGE



spark design
architecture • interior design

Mfr: Steelcase
 Address: 901 44th Street, SE
 Grand Rapids, MI 49508
 Phone: (616) 247-2710
 Rep: Capital Office

Product Name: Answer Beam, Power Spine Panels
 Product #: Confirm all product #'s for complete installation
 Dimensions: Refer to Panel Plans on I-442

Fence Panel: 48" W, 60" W and 72" W
 Fence Foot: Provide Fence Foot Panels for support.
 Fence Junctions: Junction-End Run, Junction In-Line, and Junction-T. Include all trims, caps, blocks and top cap rails required for a complete installation.

Fence Power: Refer to Panel Plans for Receptacle Locations. Include Base Power Infeed and power harnesses. Provide power/ data receptacles for workstations. Provide pass-through power kits at all panels. Include Duplex Receptacles (Power), Receptacle Trim Rings, and Data Filler.

Base Finish: 7360 Merle
 Skins: Steel Skin with Big Open Base

Power: Power Infeed-Multipurpose, 3+1, Non PVC
 Cutouts for Power and Data access at 20"H.
 Receptacle filler package, receptacles, trim rings

Screen: Refer to corresponding specifications. PS1.48, PS1.60, PS1.72
 Refer to Panel Plans (I-442) for Screen Locations

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust. All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes

Sustainability: Level 3; SCS Indoor Advantage Gold - Furniture
 Healthier Hospitals Initiative (HHI) & Declare

BIFMA: ANSI/ BIFMA X5.6 Panel Systems

Warranty: 10-year



Power Panels



Base Finish

Refer to following sheets for approved alternates product information

Notes:
 -Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 -Must be properly marked with Item Number and location.
 -Must be contract quality and structurally stable for commercial use.
 -Must meet or exceed Federal, State, Local Fire Codes and Standards.

Approved Alternates

Rep: Think Office
Mfr: Knoll
Item: Antenna Power Beam

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Rep: System Center
Mfr: Haworth
Item: Compose Beam

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Privacy Screen, 48"


Departments: Staff ICTs

Mfr: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Product Name: Universal Beam Screens, Beam On-Module In-Line
Boundary Screens
Product #: To be Verified
Dimensions: 48" Wide x 13-1/2" High Screen
42" Datum (Overall Height)
Locations: Refer to Power Plans for layouts/ configurations
2150 - ICT (Crisis Residential)
3532 - ICT (OPBH)
Description: The Answer Beam System
A small Aligner is placed between (2) screens a the top, to
connect them for planar alignment.
Bracket Cover: 4799 Platinum Metallic
7360 Merle
Edge Color: Dark Heather Gray P631
Upholstery: See next sheet
Upholstery Detail: Tightly upholstered tackable screen.
Construction: All joints shall be welded, ground smooth, polished and
buffed prior to the finishing process. All metal parts shall be
treated to resist corrosion and rust.
Sustainability: Level 3
SCS Indoor Advantage Gold - Furniture
Healthier Hospitals Initiative (HHI)
Declare
BIFMA: ANSI/ BIFMA X5.6 Panel Systems
Warranty: 10-year



Privacy Screen



Brackets

Final screen heights to be confirmed prior to fabrication

Refer to following sheets for approved alternates product information

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crooking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Privacy Screen



Locations:

3301/ 3307 Pharmacy (level 3)
3532 OPBH ICT (level 3)

Screen Upholstery

Mfr.: Maharam
Pattern: Metaphor 466553
Color: 020 Undergrowth
Width: 54" Wide
Content: 100% Polyester
Backing: None
Durability: 100,000 DR



Locations:

1102a Crisis Stabilization ICT (level 1)
2150 Crisis Residential ICT (level 2)

Screen Upholstery

Mfr.: Maharam
Pattern: Metaphor 466553
Color: 022 Patina
Width: 54" Wide
Content: 100% Polyester
Backing: None
Durability: 100,000 DR

Privacy Screen, 60"


Departments: Staff Space

Mfr: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Product Name: Universal Beam Screens, Beam On-Module In-Line Boundary Screens
Product #: To be Verified
Dimensions: 60" Wide x 13-1/2" High Screen
42" Datum (Overall Height)
Locations: Refer to Panel Plans for layouts/ configurations
1102a - ICT Leadership (Crisis Stabilization)
2150 - ICT (Crisis Residential)
3532 - ICT (OPBH)
Description: The Answer Beam System
A small Aligner is placed between (2) screens a the top, to connect them for planar alignment.
Bracket Cover: 4799 Platinum Metallic
7360 Merle
Edge Color: Dark Heather Gray P631
Upholstery: See next sheet
Upholstery Detail: Tightly upholstered tackable screen.
Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.
Sustainability: Level 3
SCS Indoor Advantage Gold - Furniture
Healthier Hospitals Initiative (HHI)
Declare
BIFMA: ANSI/ BIFMA X5.6 Panel Systems
Warranty: 10-year



Privacy Screen



Brackets

Final screen heights to be confirmed prior to fabrication

Refer to following sheets for approved alternates product information

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION


YESHJESH T'UH

FF&E PACKAGE



spark design
architecture • interior design

Privacy Screen



Locations:

3301/ 3307 Pharmacy (level 3)
3532 OPBH ICT (level 3)

Screen Upholstery

Mfr.: Maharam
Pattern: Metaphor 466553
Color: 020 Undergrowth
Width: 54" Wide
Content: 100% Polyester
Backing: None
Durability: 100,000 DR



Locations:

1102a Crisis Stabilization ICT (level 1)
2150 Crisis Residential ICT (level 2)

Screen Upholstery

Mfr.: Maharam
Pattern: Metaphor 466553
Color: 022 Patina
Width: 54" Wide
Content: 100% Polyester
Backing: None
Durability: 100,000 DR



Privacy Screen, 72"


Departments: Staff Space

Mfr: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Product Name: Universal Beam Screens, Beam On-Module In-Line
Boundary Screens
Product #: To be Verified
Dimensions: 72" Wide x 13-1/2" High Screen
42" Datum (Overall Height)
Locations: Refer to Panel Plans for layouts/ configurations
3532 - ICT (OPBH)
Description: The Answer Beam System
A small Aligner is placed between (2) screens a the top, to
connect them for planar alignment.
Bracket Cover: 4799 Platinum Metallic
7360 Merle
Edge Color: Dark Heather Gray P631
Upholstery: See next sheet
Upholstery Detail: Tightly upholstered tackable screen.
Construction: All joints shall be welded, ground smooth, polished and
buffed prior to the finishing process. All metal parts shall be
treated to resist corrosion and rust.
Sustainability: Level 3
SCS Indoor Advantage Gold - Furniture
Healthier Hospitals Initiative (HHI)
Declare
BIFMA: ANSI/ BIFMA X5.6 Panel Systems
Warranty: 10-year



Privacy Screen



Brackets

Final screen heights to be confirmed prior to fabrication

Refer to following sheets for approved alternates product information

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Privacy Screen



Locations:

3301/ 3307 Pharmacy (level 3)
3532 OPBH ICT (level 3)

Screen Upholstery

Mfr.: Maharam
Pattern: Metaphor 466553
Color: 020 Undergrowth
Width: 54" Wide
Content: 100% Polyester
Backing: None
Durability: 100,000 DR



Locations:

1102a Crisis Stabilization ICT (level 1)
2150 Crisis Residential ICT (level 2)

Screen Upholstery

Mfr.: Maharam
Pattern: Metaphor 466553
Color: 022 Patina
Width: 54" Wide
Content: 100% Polyester
Backing: None
Durability: 100,000 DR

Approved Alternates

Rep: Think Office
Mfr: Knoll
Item: Antenna Power Beam Screen

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Rep: System Center
Mfr: Haworth
Item: Belong Plus Screens

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Mobile Pedestal

**Departments: Crisis, Detox, OPBH
& Reception Desks**

Manufacturer: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Product Name: TS Series Slim Storage
Product #: TS2SLIM
Dimensions: 12" Wide x 18-7/8" Deep x 20" Overall Height

Paint Finish: Sand - 7225
Pull: Ledge - Black
Lock: Digital Keyless

Description: Mobile Pedestal with front slide-out door. Interior configuration with recessed pencil drawer on top and drawer with two-sided access to accommodate hanging file folder. Slim pedestal file drawers support side-to-side filing. File drawer accommodates letter and legal size.

Accessories: TS2PFDD - File Drawer Divider
TS2PPT - Pencil Tray

Upholstery: See next sheet
Upholstery Detail: Tight upholstered seat cushion with double stitch detail at seams

Construction: Steel body and drawers with steel ball-bearing suspensions on drawers. 1-1/2"H, front locking, hard casters. .

Sustainability: SCS Indoor Advantage Gold - Furniture Healthier Hospital Initiative (HHI)
BIFMA: ANSI/ BIFMA X5.9-2019 - Storage Unit Tests, Level 3 Certified
Warranty: Limited Lifetime

Refer to following sheets for approved alternates product information



Mobile Pedestal



Drawer Pull




Digital Keyless Lock



Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-croaking.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Cushion Upholstery

Price Group 6

Mfr.: Momentum

Pattern: Whisp

Color: Blue Sage

Width: 54" Wide

Content: 70% Polyurethane/ PVC Free, 30% Silicone

Backing: Polyester

Durability: 500,000 DR

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Submit "Cutting for Approval" for fabric approval prior production.
- All fabrics to be dimensionally stable. Fabric must be first run goods from full bolts. Fabric should be pre-shrunk, non-fading and non-crocking.

Approved Alternates

Rep: Think Office
Mfr: Herman Miller

Item: Tu Storage, Mini Personal Tower
Pencil/ File with cushion top

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Rep: System Center
Mfr: Haworth
Item: X-Series Mobile Pedestal, Box/ File with cushion top

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Storage Credenza, 1.5H

Departments: OPBH

Manufacturer: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Product Name: Universal Storage, 1.5H
Product #: CRCD15HFSLFR (Drawers on Right Hand Side)
Dimensions: 66" Wide x 18" Deep x 22" Overall Height

Paint Finish: Merle - 7360
Laminate Finish: Clear Oak, 2LAK
Pull: Jazz, 7207 Black
Lock: Digital Keyless

Description: Steel body with proud laminate front on drawers and laminate top. Hanging file accessories for drawers and locking drawers. Counterweight required for proper installation.

Accessories: RAHF - Hanging Folder Bars
800RW - Rails, 18" Deep
Counterweight Package 3

Construction: Steel body and drawers with steel ball-bearing suspensions on drawers.

Sustainability: SCS Indoor Advantage Gold - Furniture Healthier Hospital Initiative (HHI)
BIFMA: ANSI/ BIFMA X5.9-2019 - Storage Unit Tests, Level 3 Certified
Warranty: Limited Lifetime

Refer to following sheets for approved alternates product information



Storage Credenza



Drawer Pull



Digital Keyless Lock



Paint Finish



Laminate Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Approved Alternates

Rep: Think Office
Mfr: Herman Miller
Item: Tu Storage Cabinet

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Rep: System Center
Mfr: Haworth
Item: X-Series Storage Credenza

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Storage Cabinet, (2) Door

Departments: Pharmacy

Manufacturer: Steelcase
 Address: 901 44th Street, SE
 Grand Rapids, MI 49508
 Phone: (616) 247-2710
 Rep: Capital Office

Product Name: Universal Storage Cabinet
 Product #: RSC18423CL
 Dimensions: 42" Wide x 18" Deep x 40" Overall Height
 Paint Finish: Sand 7225
 Laminate: Clear Oak, 2LAK
 Pull: Jazz Pull, 7207 Black
 Lock: Digital Keyless
 Glides: (4) adjustable glides
 Description: Steel cabinet with proud laminate door fronts. (2) adjustable shelves and keyed lock. 1-3/16" Thick Laminate top.
 Construction: Steel body and doors that open 110-degrees, adjustable in 3/4" increments steel shelves, finishes steel back, 3" High base.
 Sustainability: SCS Indoor Advantage Gold
 Furniture Healthier Hospital Initiative (HHI)
 BIFMA: ANSI/ BIFMA X5.9-2019 - Storage Unit Tests, Level 3 Certified
 Warranty: Limited Lifetime

Refer to following sheets for approved alternates product information



Storage Cabinet



Drawer Pull



Digital Keyless Lock



Paint Finish



Laminate Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Approved Alternates

Rep: Think Office
Mfr: Herman Miller
Item: Tu Storage Cabinet

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Rep: System Center
Mfr: Haworth
Item: X-Series Storage Cabinet

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



(2) Drawer Lateral File, 30" Wide

**Departments: 1344/1360 MAT/
Detox ICT, 3562 Novel ICT**

Manufacturer: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Product Name: Universal Storage, 2H Lateral File
Product #: RLF18302L
Dimensions: 30" Wide x 18" Deep x 29" Overall Height

Paint Finish: Sand, 7225
Laminate Finish: Clear Oak, 2LAK
Pull: Jazz, 7207 Black
Lock: Digital Keyless

Description: Steel body with proud laminate front on drawers and laminate top. Hanging file accessories for drawers and locking drawers. Counterweight required for proper installation.

Accessories: RAHF30 - Hanging Folder Bars, 30" Wide
800RW - Rails, 18" Deep
Counterweight Package 3

Construction: Steel body and drawers with steel ball-bearing suspensions on drawers.

Sustainability: SCS Indoor Advantage Gold - Furniture Healthier Hospital Initiative (HHI)
BIFMA: ANSI/ BIFMA X5.9-2019 - Storage Unit Tests, Level 3 Certified
Warranty: Limited Lifetime

Refer to following sheets for approved alternates product information

Note: When multiple units are in a row, a Common Top should be used. Refer to furniture plans

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Lateral File



Drawer Pull



Digital Keyless Lock



Paint Finish



Laminate Finish

(2) Drawer Lateral File, 36" Wide

**Departments: 1102a ICT, 1350 ICT,
2150 ICT, 3562 ICT**

Manufacturer: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Product Name: Universal Storage, 2H Lateral File
Product #: RLF18362L
Dimensions: 36" Wide x 18" Deep x 29" Overall Height

Paint Finish: Sand, 7225
Laminate Finish: Clear Oak, 2LAK
Pull: Jazz, 7207 Black
Lock: Digital Keyless

Description: Steel body with proud laminate front on drawers and laminate top. Hanging file accessories for drawers and locking drawers. Counterweight required for proper installation.

Accessories: TS2PBDD - Box Drawer Divider
TS2PFDD - File Drawer Divider
TS2PPT - Pencil Tray
Counterweight Package 3

Construction: Steel body and drawers with steel ball-bearing suspensions on drawers. 1-1/2"H, front locking, hard casters.

Sustainability: SCS Indoor Advantage Gold - Furniture Healthier Hospital Initiative (HHI)
BIFMA: ANSI/ BIFMA X5.9-2019 - Storage Unit Tests, Level 3 Certified
Warranty: Limited Lifetime

Refer to following sheets for approved alternates product information

Note: When multiple units are in a row, a Common Top should be used. Refer to furniture plans

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Lateral File



Drawer Pull



Digital Keyless Lock



Paint Finish



Laminate Finish

(3) Drawer Lateral File, 42" Wide

Departments: Pharmacy

Manufacturer: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Product Name: Universal Storage, 3H Lateral File
Product #: RLF18423L
Dimensions: 42" Wide x 18" Deep x 40" Overall Height

Paint Finish: Sand, 7225
Laminate Finish: Clear Oak, 2LAK
Pull: Jazz, 7207 Black
Lock: Digital Keyless

Description: Steel body with proud laminate front on drawers and laminate top. Hanging file accessories for drawers and locking drawers. Counterweight required for proper installation.

Accessories: TS2PBDD - Box Drawer Divider
TS2PFDD - File Drawer Divider
TS2PPT - Pencil Tray
Counterweight Package 4

Construction: Steel body and drawers with steel ball-bearing suspensions on drawers.

Sustainability: SCS Indoor Advantage Gold - Furniture Healthier Hospital Initiative (HHI)
BIFMA: ANSI/ BIFMA X5.9-2019 - Storage Unit Tests, Level 3 Certified
Warranty: Limited Lifetime

Refer to following sheets for approved alternates product information

Note: When multiple units are in a row, a Common Top should be used. Refer to furniture plans

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.



Lateral File



Drawer Pull



Digital Keyless Lock



Paint Finish



Laminate Finish

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
architecture • interior design

Approved Alternates

Rep: Think Office
Mfr: Herman Miller
Item: Tu Storage Lateral Files

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Rep: System Center
Mfr: Haworth
Item: X-Series Storage Lateral Files

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



(2)H Bookcase, 30" Wide

**Departments: 1344/ 1360 MAT/
Detox ICT**

Manufacturer: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Product Name: Universal Storage, 2H Bookcase
Product #: RBC1530A
Dimensions: 30" Wide x 15" Deep x 28" Overall Height

Paint Finish: Sand, 7225
Laminate Finish: Clear Oak, 2LAK
Accessories: Counterweight Package 3

Description: Steel body with laminate top. Counterweight required for proper installation.

Sustainability: SCS Indoor Advantage Gold - Furniture Healthier Hospital Initiative (HHI)
BIFMA: Level 3 Certified
Warranty: Limited Lifetime

Refer to following sheets for approved alternates product information


Note: When multiple units are in a row, a Common Top should be used. Refer to Furniture Plans.



Bookcase



Paint Finish



Laminate Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

(2)H Bookcase, 36" Wide

**Departments: Offices 2105 & 2106
OPBH - Therapy & Psych
Provider Offices**

Manufacturer: Steelcase
Address: 901 44th Street, SE
Grand Rapids, MI 49508
Phone: (616) 247-2710
Rep: Capital Office

Product Name: Universal Storage, 2H Bookcase
Product #: RBC1536A
Dimensions: 36" Wide x 15" Deep x 28" Overall Height

Paint Finish: Sand, 7225
Laminate Finish: Clear Oak, 2LAK
Accessories: Counterweight Package 3

Description: Steel body with laminate top. Counterweight required for proper installation.

Sustainability: SCS Indoor Advantage Gold - Furniture Healthier Hospital Initiative (HHI)
BIFMA: Level 3 Certified
Warranty: Limited Lifetime

Refer to following sheets for approved alternates product information


Note: When multiple units are in a row, a Common Top should be used. Refer to Furniture Plans.



Bookcase



Paint Finish



Laminate Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

(4)H Bookcase, 30" Wide

Departments: Kitchen Office

Manufacturer: Steelcase
 Address: 901 44th Street, SE
 Grand Rapids, MI 49508
 Phone: (616) 247-2710
 Rep: Capital Office

Product Name: Universal Storage,4H Bookcase
 Product #: RBC15304A
 Dimensions: 30" Wide x 15" Deep x 53-1/2" Overall Height
 Paint Finish: Sand, 7225
 Laminate Finish: Clear Oak, 2LAK
 Accessories: Counterweight Package 3
 Description: Steel body with laminate top. Counterweight required for proper installation.
 Sustainability: SCS Indoor Advantage Gold - Furniture Healthier Hospital Initiative (HHI)
 BIFMA: Level 3 Certified
 Warranty: Limited Lifetime


Refer to following sheets for approved alternates product information



Bookcase



Paint Finish



Laminate Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Approved Alternates

Rep: Think Office
Mfr: Herman Miller
Item: Tu Storage, Steel Bookcase with Laminate Top

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Rep: System Center
Mfr: Haworth
Item: X-Series Storage, Steel Bookcase with Laminate Top

Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes



Common Top - 15" Deep x 72" Wide

Manufacturer: Steelcase
 Address: 901 44th Street, SE
 Grand Rapids, MI 49508
 Phone: (616) 247-2710
 Rep: Capital Office


**Departments: 3526 Psych
 Provider Office**

Product Name: Answer Laminate Common Top, 92" Wide
 To use on Bookcases
 Product #: RATCL1572P
 Dimensions: 72" Wide x 15" Deep x 1-3/16" Thick
 Laminate Finish: Clear Oak, 2LAK
 Description: Laminate common top, 3mm plastic square edge, to be
 used with multiple lateral files or bookcases
 Sustainability: SCS Indoor Advantage Gold - Furniture Healthier Hospital
 Initiative (HHI)
 BIFMA: Level 3 Certified
 Warranty: Limited Lifetime

Refer to following sheets for approved alternates product information



Common Top



Laminate Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Common Top - 15" Deep x 92" Wide

Manufacturer: Steelcase
 Address: 901 44th Street, SE
 Grand Rapids, MI 49508
 Phone: (616) 247-2710
 Rep: Capital Office


**Departments: 1344 MAT ICT/
 1360 Detox ICT**

Product Name: Answer Laminate Common Top, 92" Wide
 To use on Bookcases
 Product #: RATCL1592P
 Dimensions: 92" Wide x 15" Deep x 1-3/16" Thick
 Laminate Finish: Clear Oak, 2LAK
 Description: Laminate common top, 3mm plastic square edge, to be
 used with multiple lateral files or bookcases
 Sustainability: SCS Indoor Advantage Gold - Furniture Healthier Hospital
 Initiative (HHI)
 BIFMA: Level 3 Certified
 Warranty: Limited Lifetime

Refer to following sheets for approved alternates product information



Common Top



Laminate Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Common Top - 18" Deep x 72" Wide

Departments: 1102A ICT, 2150 ICT

Manufacturer: Steelcase
 Address: 901 44th Street, SE
 Grand Rapids, MI 49508
 Phone: (616) 247-2710
 Rep: Capital Office

Product Name: Answer Laminate Common Top, 72" Wide
 To use on Lateral Files
 Product #: RATCL1872P
 Dimensions: 72" Wide x 18" Deep x 1-3/16" Thick
 Laminate Finish: Clear Oak, 2LAK
 Description: Laminate common top, 3mm plastic square edge, to be used with multiple lateral files or bookcases
 Sustainability: SCS Indoor Advantage Gold - Furniture Healthier Hospital Initiative (HHI)
 BIFMA: Level 3 Certified
 Warranty: Limited Lifetime

Refer to following sheets for approved alternates product information



Common Top



Laminate Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Approved Alternates

Rep: Think Office
Mfr: Herman Miller
Item: Tu Storage - Common Top



Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes

Rep: System Center
Mfr: Haworth
Item: X-Series Common Top



Images provided for concept only. Refer to basis of design specification for dimensions, configurations, accessories and approved finishes

Procedure Cart, Typical Exam

Departments: Detox Intake & Hybrid Exam; OPBH Exam, Therapy & Treatment Rooms

Manufacturer: Midmark Medical
 Address: 5171 California Ave Suite 150
 Irvine, CA 92617
 Phone: (503) 317-3050
 Rep: Kevin King

Product Name: Synthesis Cabinetry, Mobile Base
 Product Number: M251829-3 (Custom Quote Number)
 Dimensions: 18" Wide x 24" Deep x 31" Overall Height
 Item Weight: XXlbs

Top Finish: Kydex
 Body Finish: Pearl Essence 805
 Pull: Brushed Nickel - Edge
 Lock: Digital Punch Lock
 Casters: 60mm hard surface, locking
 Drawer Bins: (4) 3" x 12"
 (1) 6" x 12" + (2) 6" x 6"

Description: Mobile base storage cabinet, (2) 4" drawers, (1) file drawer. Provide file drawer hardware to accommodate hanging file folders. Serenity Panel Style, Solid cabinet finish, central file lock - keyless, hard surface locking casters, and contoured Kydex top.

Core: 45 lb. LEED IEQ compliant MDF board, 3/4 inch thick. Composite wood material to meet CARB P2 emission std of CARB regulation 91320.2

Shell & Frame: Powder-coated, 18-gauge cold rolled steel, multi-piece, riveted and press joined.

Drawers: 12mm sealless polymer-covered front, melamine back
 Drawer Slide: Accuride Aero (100lbs capacity) ball bearing slides

Sustainability: CARB 93129.2 Phase 2 Compliant and TSCA Title VI Compliant

BIFMA: N/A
 Warranty: 10-year for Midmark brand cabinetry products and components (except for shorter periods in B&C) including door and drawer fronts and casters


Note: **Must coordinate final product/ dimensions with item S30 - Healthcare Medical Casework and Typical Built-in Exam Room Casework prior to finalizing the order**



Mobile Medical Cart



Body Finish



Drawer Bins

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Snack Cart

**Departments: Crisis Stabilization
Intake Vestibule**

Manufacturer: Midmark Medical
Address: 5171 California Ave Suite 150
Irvine, CA 92617
Phone: (503) 317-3050
Rep: Kevin King

Product Name: Synthesis Cabinetry, Mobile Base
Product Number: M251829-3 (Custom Quote Number)
Dimensions: 24" Wide x 18" Deep x 34-1/2" Overall Height
Item Weight: XXlbs

Top Finish: Kydex
Body Finish: Pearl Essence 805
Pull: Brushed Nickel - Edge
Lock: Digital Punch Lock
Casters: 3" Caster - BM04
Drawer Bins: (3) 6" x 12"
(6) 3" x 12"
(1) 12" x 12" + (2) 6" x 6"

Description: Mobile base storage cabinet, (3) 4" drawers, (1) 8" drawer.
Serenity Panel Style, Solid cabinet finish, hard surface locking
casters, and contoured Kydex top.

Core: 45 lb. LEED IEQ compliant MDF board, 3/4 inch thick.
Composite wood material to meet CARB P2 emission std of
CARB regulation 91320.2

Shell & Frame: Powder-coated, 18-gauge cold rolled steel, multi-piece,
riveted and press joined.

Drawers: 12mm sealless polymer-covered front, melamine back
Drawer Slide: Accuride Aero (100lbs capacity) ball bearing slides


Sustainability: CARB 93129.2 Phase 2 Compliant and
TSCA Title VI Compliant

BIFMA: N/A



Warranty: 5-year for Midmark brand cabinetry products and
components (except for shorter periods in B&C) including
door and drawer fronts and casters



Mobile Medical Cart



Body Finish



Drawer Bins

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
architecture • interior design

Supply Cart

**Departments: Crisis Stabilization
Intake Vestibule**

Manufacturer: Midmark Medical
Address: 5171 California Ave Suite 150
Irvine, CA 92617
Phone: (503) 317-3050
Rep: Kevin King

Product Name: Synthesis Cabinetry, Mobile Base
Product Number: M251829-3 (Custom Quote Number)
Dimensions: 24" Wide x 18" Deep x 34-1/2" Overall Height
Item Weight: XXlbs

Top Finish: Kydex
Body Finish: Pearl Essence 805
Pull: Brushed Nickel - Edge
Lock: Digital Punch Lock
Casters: 3" Caster - BM04
Drawer Bins: (3) 6" x 12"

Description: Mobile base storage cabinet, (1) 4" drawers, (2) 8" drawer. Serenity Panel Style, Solid cabinet finish, hard surface locking casters, and contoured Kydex top.

Core: 45 lb. LEED IEQ compliant MDF board, 3/4 inch thick. Composite wood material to meet CARB P2 emission std of CARB regulation 91320.2

Shell & Frame: Powder-coated, 18-gauge cold rolled steel, multi-piece, riveted and press joined.

Drawers: 12mm sealless polymer-covered front, melamine back
Drawer Slide: Accuride Aero (100lbs capacity) ball bearing slides

Sustainability: CARB 93129.2 Phase 2 Compliant and TSCA Title VI Compliant


BIFMA: N/A
Warranty: 5-year for Midmark brand cabinetry products and components (except for shorter periods in B&C) including door and drawer fronts and casters



Mobile Medical Cart



Body Finish



Drawer Bins

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Medical Exam Casework

Manufacturer: Herman Miller Healthcare
Address: 855 East Main Drive
Zeeland, MI 49464
Phone: (888) 443-4357
Rep: Think Office

Departments: OPBH
Exam A & Exam B

Product Name: Mora System Medical Exam Casework
Product Number: N/A - confirm part item numbers for proper installation

Dimensions: 4'-6" Wide x 24" Deep x 7'-6" Overall Height
Counter: 34" Overall Height
Backsplash: 6" High (40" AFF to align with wall protection)

Countertop Finish: LG Hi Macs - Kamet L017
Laminate Finish: Clear on Ash
Lock: Digital Keyless

Description: (1) solid surface countertop with integrated solid surface sink and 6" high backsplash. (1) upper storage cabinet with glove holder dispenser and paper-towel opening. (1) upper double door storage cabinet with adjustable shelving. Provide sloped top for all upper storage units. (1) ADA sink base enclosure with finished ends. All ganging, cleats, mounting, wall fillers and wall attachment hardware to be provided for proper installation.

Construction: Fabricate with substrate suitable for contract use. All wood work materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength. All laminated finishes must have matching edge banding. Raw edges are not acceptable.

Sustainability: SCS Indoor Advantage Gold, Living Building Challenge
BIFMA: BIFMA Level 3
ANSI/BIFMA X5.9-2019: Storage Units

Warranty: Limited 12-year



Medical Exam Casework



Countertop Finish



Body Finish





Digital Keyless Lock

Refer to following sheets for approved alternates product information

- Notes:
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Medical Exam Casework

Departments: OPBH
Exam A & Exam B



Approved Alternates

Rep: VPI/ Mike McFarlane
Mfr: OFS/ Carolina
Item: Mile Marker.G2

Images provided for concept only. Refer to basis of design specification for upper and base cabinets configuration, countertop, installation hardware and finishes.

Open Line



Rep: Kevin King
Mfr: Midmark
Item: Synthesis Cabinetry

Images provided for concept only. Refer to basis of design specification for upper and base cabinets configuration, countertop, installation hardware and finishes.

Open Line



Rep: Capital Office
Mfr: Steelcase
Item: Convey Modular Casework

Images provided for concept only. Refer to basis of design specification for upper and base cabinets configuration, countertop, installation hardware and finishes.

Closed Line



Laptop Table

Manufacturer: Davis Furniture
Address: 2400 College Dr POB 2065
High Point, NC 27261
Phone: (336) 889-2009
Rep: Kayser Wesner/ Kevin Kayser

Departments: Public Learning Circles,
OPBH Offices, Staff Support

Product Name: Lift Laptop Table
Product Number: LT-1000
Dimensions: 22-5/8" Wide x 15-34" Deep x 20-1/8" - 32-1/8" High
Item Weight: 35lbs

Base Finish: Charcoal
Top Finish: FENIX Grigio Londra J0718

Description: Aluminum base, height adjustable laptop table with FENIX laminate top on painted MDF

Base: Die-cast aluminum base prongs, and steel column with gas cylinder

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust. Raw or veneered edges are not acceptable. Wood to be treated with clear protective sealer to prevent alcohol and stain damage

Weight Capacity: Rated for standard office items (laptop, books, drinks)
20-25lbs

Sustainability: Indoor Advantage Gold
BIFMA: BIFMA Certified. Level 1
Warranty: Limited Warranty

Note: This table's lifting mechanism is not rated to support a person sitting on it, and will void warranty.



Laptop Table



Top Finish



Base Finish

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Side Table

Departments: Public Lobbies,
OPBH

Manufacturer: OFS Brand
Address: 1204 East 6th Street
Huntingburg, IN 47542
Phone: (800) 521-5381
Rep: VPI/ Mike McFarlane

Manufacturer: OFS
Product Name: Denro End Table
Product Number: DNR-16ET
Dimensions: 12"-14" Diameter x 16" High
Product Weight: 35lbs

Wood Finish: White Oak, clear (super matte) factory finish
Glides: Adjustable Glides

Description: Wood log table. Each table is unique with asymmetrical face and bottom. Base is a solid section of the trunk of a debarked tree. Top shows cross-section of the trunk showing the rings of the tree.

Construction: Fabricate with hardwood suitable for contract use. All wood work materials must be new, free of any defects and must be premium grade. All wood veneers must have solid wood banding. Raw or veneered edges are not acceptable. Wood to be treated with clear protective sealer to prevent alcohol and stain damage

Sustainability: SCS Indoor Advantage Gold, Level 2
BIFMA: Conforms to ANSI/ BIFMA e3-2019 Furniture Sustainability Standard
Warranty: 12-year

Note: Denro tables are a natural species, every table will vary in appearance and color. Additional natural splitting can occur



Side Table



Wood Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Side Table

Departments: Public Lobbies,
OPBH

Manufacturer: OFS Brand
Address: 1204 East 6th Street
Huntingburg, IN 47542
Phone: (800) 521-5381
Rep: VPI/ Mike McFarlane

Manufacturer: OFS
Product Name: Denro End Table
Product Number: DNR-20ET
Dimensions: 12"-14" Diameter x 20" High
Product Weight: 44lbs

Wood Finish: White Oak, clear (super matte) factory finish
Glides: Adjustable Glides

Description: Wood log table. Each table is unique with asymmetrical face and bottom. Base is a solid section of the trunk of a debarked tree. Top shows cross-section of the trunk showing the rings of the tree.

Construction: Fabricate with hardwood suitable for contract use. All wood work materials must be new, free of any defects and must be premium grade. All wood veneers must have solid wood banding. Raw or veneered edges are not acceptable. Wood to be treated with clear protective sealer to prevent alcohol and stain damage

Sustainability: SCS Indoor Advantage Gold, Level 2
BIFMA: Conforms to ANSI/ BIFMA e3-2019 Furniture Sustainability Standard
Warranty: 12-year

Note: Denro tables are a natural species, every table will vary in appearance and color. Additional natural splitting can occur



Side Table



Wood Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Meeting Table

Manufacturer: OFS Brand
Address: 1204 East 6th Street
Huntingburg, IN 47542
Phone: (800) 521-5381
Rep: VPI/ Mike McFarlane

Departments: Public Talking Rooms,
CRS Offices, OPBH- ICT,

Manufacturer: OFS
Product Name: Applause
Product Number: A48R
Dimensions: 48" Diameter x 28-7/8" High

HPL Finish: Linen - CO2-Q
Edge Finish: H5H Matching Edge
Legs: Oiled Bronze - H1P
Glides: A4F Glides

Description: HPL 48" Diameter round table with Deuce Static X Base

Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premuim grade. All joints are to be glued, screwed and corner blocked for max strength. All wood veneers must have solid wood banding. Raw or veneered edges are not acceptable. Wood to be treated with clear protective sealer to prevent alcohol and stain damage. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Sustainability: Indoor Advantage Gold
BIFMA: BIFMA Certified
Warranty: 12-year



Meeting Table



Top Finish



Base Finish

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Meeting Table

Departments: Pharmacy Meeting Room

Manufacturer: OFS Brand
 Address: 1204 East 6th Street
 Huntingburg, IN 47542
 Phone: (800) 521-5381
 Rep: VPI/ Mike McFarlane

Manufacturer: OFS
 Product Name: Applause
 Product Number: A7236RS - Table Top
 PS-86B - Power/ Data
 ASCW - Deuce Center Static Base with Wire Management
 Cutout

Dimensions: 36" Wide x 72" Deep x 28-7/8" High
 Item Weight: 101lbs

HPL Finish: Linen - CO2-Q
 Edge Finish: H5H Matching Edge
 Base: Oiled Bronze - H1P
 Glides: A4F Glides
 Power Module: PS-86B, Black

Description: HPL Rectangular Meeting Table with Deuce Static Base with wire management cutout, power/ data at center of table top.

Power: 4-Trac multi-circuits system.

Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength. All wood veneers must have solid wood banding. Raw or veneered edges are not acceptable. Wood to be treated with clear protective sealer to prevent alcohol and stain damage. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Sustainability: Indoor Advantage Gold
 BIFMA: BIFMA Certified
 Warranty: 12-year



Meeting Table



Top Finish



Base Finish



Power Module

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Training Table with Modesty

Departments: Conference Rooms & 3504 Talking Room

Manufacturer: OFS Brand
 Address: 1204 East 6th Street
 Huntingburg, IN 47542
 Phone: (800) 521-5381
 Rep: VPI/ Mike McFarlane

Manufacturer: OFS
 Product Name: Applause
 Product Number: A6030R
 Dimensions: 60" Wide x 30" Deep x 27-7/8" High

HPL Finish: Linen - CO2-Q
 Edge Finish: H5H Matching Edge
 Legs: Oiled Bronze - H1P
 Casters: Black Caster

Description: HPL rectangular table with Flip and Nest base, matching HPL hinged modesty panel, locking casters, and connector brackets

Ergo Features: Flip and Nest base with casters provides ease of movement and reconfiguration

Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premuim grade. All joints are to be glued, screwed and corner blocked for max strength. All wood veneers must have solid wood banding. Raw or veneered edges are not acceptable. Wood to be treated with clear protective sealer to prevent alcohol and stain damage. All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Sustainability: Indoor Advantage Gold
 BIFMA: BIFMA Certified
 Warranty: 12-year



Training Table



Top Finish



Base Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Cafe Table, 36" Square

Departments: 2108, 3105 & 3106 Staff
Breakroom, 3306 Breakroom

Manufacturer: OFS Brand
Address: 1204 East 6th Street
Huntingburg, IN 47542
Phone: (800) 521-5381
Rep: VPI/ Mike McFarlane

Manufacturer: OFS
Product Name: Rowen Cafe Table
Product Number: 83-36SQ29H
Dimensions: 36" Square x 29" High

Top Finish: Cloudburst - CLBT
Base Finish: Oiled Bronze - H1P

Description: Solid surface table top with bullnose edge. Powder coated steel base with integrated steel bag hook

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Sustainability: SCS Indoor Advantage Gold, Level 2
BIFMA: Conforms to ANSI/ BIFMA e3-2019 Furniture Sustainability Standard
Warranty: 12-year



Cafe Table



Top Finish



Base Finish

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Cafe Table, 30" Square

Departments: 2108 & 3105 Staff
Breakroom

Manufacturer: OFS Brand
Address: 1204 East 6th Street
Huntingburg, IN 47542
Phone: (800) 521-5381
Rep: VPI/ Mike McFarlane

Manufacturer: OFS
Product Name: Rowen Cafe Table
Product Number: 83-30SQ29H
Dimensions: 30" Square x 29" High

Top Finish: Cloudburst - CLBT
Base Finish: Oiled Bronze - H1P

Description: Solid surface table top with bullnose edge. Powder coated steel base with integrated steel bag hook

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Sustainability: SCS Indoor Advantage Gold, Level 2
BIFMA: Conforms to ANSI/ BIFMA e3-2019 Furniture Sustainability Standard
Warranty: 12-year



Cafe Table



Top Finish



Base Finish

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Cafe Table, 24" Round

Departments: 3201 Breakroom

Manufacturer: OFS Brand
 Address: 1204 East 6th Street
 Huntingburg, IN 47542
 Phone: (800) 521-5381
 Rep: VPI/ Mike McFarlane

Manufacturer: OFS
 Product Name: Rowen Cafe Table
 Product Number: 83-24RD29H
 Dimensions: 24" Square x 29" High
 Top Finish: Cloudburst - CLBT
 Base Finish: Oiled Bronze - H1P
 Description: Solid surface table top with bullnose edge. Powder coated steel base with integrated steel bag hook
 Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.
 Sustainability: SCS Indoor Advantage Gold, Level 2
 BIFMA: Conforms to ANSI/ BIFMA e3-2019 Furniture Sustainability Standard
 Warranty: 12-year



Cafe Table



Top Finish



Base Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Coffee Table

Departments: Detox Milieu

Manufacturer: OFS Brands
 Address: 1204 East 6th Ave
 Huntingburg, IN 47542
 Phone: (800) 521-5381
 Rep: VPI/ Mike McFarlane

Manufacturer: Carolina
 Product Name: X&O Side Table
 Product Number: 810-36RDT-20
 Dimensions: 36" Diameter x 23" High

Solid Surface Top: Brushed Clay - L326
 HPL Body: Linen - COP-Q
 Plinth Base: Slate Grey - SGP-S

Description: Round tapered side table with 3" High plinth base. High Pressure Laminate surround with solid surface top

Construction: Fabricate with hardwood suitable for contract use. All woodwork materials must be new, free of any defects and must be premium grade. All joints are to be glued, screwed and corner blocked for max strength. Raw or veneered edges are not acceptable. Wood to be treated with clear protective sealer to prevent alcohol and stain damage.

Sustainability: SCS Indoor Advantage Gold, Level 2
 BIFMA: BIFMA Certified: ANSI/ BIFMA X5.5 Desk/ Table Products
 Warranty: 12-year



Side Table



Top Finish



Body Finish



Base Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

End Table

Manufacturer:

Address:

Phone:

Rep:

Kwalu

6160 Peachtree Dunwoody Rd
Atlanta, GA 30328

(887) 695-9258

Gina Principe

Departments: Detox, OPBH, Public

Product Name:

Product Number:

Dimensions:

Product Weight:

Protea Finish:

Top Finish:

Description:

Construction:

Sustainability:

BIFMA:

Warranty:

Brianza Drum End Table

BRIDRTBLA21

22-1/2" Diameter x 22" High

49lbs

Medium Oak, P-MO-0525

Coldstone - T-098


Round drum end table table with 3" High plinth base and solid surface top. Finished Kwalu's fusion finish material.

Kwalu's solid surface (1/8" thick) proprietary finish doesn't have any of the drawbacks of wood. The frames are moisture impervious, graffiti-resistant, easy to clean and maintenance-free.

LEVEL 1, Indoor Advantage Gold

BIFMA Certified

24/7, 10 year performance warranty on Kwalu-made frames



Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Coffee Table

Departments: Detox, OPBH, Public

Manufacturer: Kwalu
Address: 6160 Peachtree Dunwoody Rd
Atlanta, GA 30328
Phone: (887) 695-9258
Rep: Gina Principe

Product Name: Brianza Drum Round Coffee Table
Product Number: BRIDRTBLB21
Dimensions: 28" Diameter x 18" High
Product Weight: 90lbs

Protea Finish: Medium Oak, P-MO-0525
Top Finish: Coldstone - T-098

Description: Round drum coffee table table with 3" High plinth base and solid surface top. Finished Kwalu's fusion finish material.

Construction: Kwalu's solid surface (1/8" thick) proprietary finish doesn't have any of the drawbacks of wood. The frames are moisture impervious, graffiti-resistant, easy to clean and maintenance-free.

Sustainability: LEVEL 1, Indoor Advantage Gold
BIFMA: BIFMA Certified
Warranty: 24/7, 10 year performance warranty on Kwalu-made frames



Coffee Table



Top Finish



Base Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Dining Table

Departments: 1st Floor Lobby
& Detox Milieu

Manufacturer: OFS Brands
Address: 1204 East 6th Ave
Huntingburg, IN 47542
Phone: (800) 521-5381
Rep: VPI/ Mike McFarlane

Manufacturer: Carolina
Product Name: Chrys Table Base & Top
Base Product #: JBH-TB
Base Dimensions: 19-3/4" Square x 28-1/2" High
Top Product #: JBH-4242TP (HPL)
Dimensions: 42" Square x 1" Thick
Overall Table Height: 29-1/2" High

Product Weight: Top: 34 lbs + Base: 13lbs (without ballast)
Ballast: 35lbs of dry sand or gravel - Provide on-site ballasting
(ballast not provided by Carolina)

HPL Finish: Linen - CO2-Q
Edge Finish: H5H Matching Edge
Base Finish: Jute (JUTE) Plastic
Glides: Tamper-Resistant Fixed Glides

Description: Dining Table with laminate top with soft square corners,
durable one-piece HDPE base, tamper and ligature resistant

Base Construction: One-piece rotationally-molded polyethylene with lightly
textured maintenance-free surface. Ligature-resistant with no
internal openings, Tamper-resistant steel encased nylon
glides. Molded-in access port with threaded screw cap for
ballast weighting capability. High-impact polyethylene with
ultraviolet light stabilizers. Chemically resistant to blood,
vinegar, urine, feces, salt solution and chlorine solution.
Premium Tru-Color polymer is fully compounded for superior
color consistency and durability.

Sustainability: LEVEL 1, Indoor Advantage Gold
BIFMA: BIFMA Certified
Warranty: 12-year Limited



Dining Table



Top Finish



Base Finish

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Personal Table

Departments: Detox Milieu & Learning Circle

Manufacturer: Kwalu
Address: 6160 Peachtree Dunwoody Rd
Atlanta, GA 30328
Phone: (887) 695-9258
Rep: Gina Principe

Product Name: Vallo Cantilever Table
Product Number: VALLOA111
Dimensions: 13" Wide x 18" Deep x 25" High
Product Weight: 42lbs

Solid Surface Top: Coldstone - T-098
Base Finish: Matte Black

Description: Metal base personal table with 1" thick solid surface with an elliptical edge detail

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Sustainability: LEVEL 1, Indoor Advantage Gold
BIFMA: BIFMA Certified
Warranty: 24/7, 10 year performance warranty on Kwalu-made frames



Personal Table



Top Finish



Edge Detail



Base Finish

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Personal Table

Departments: Detox Milieu & Learning Circle

Manufacturer: Kwalu
Address: 6160 Peachtree Dunwoody Rd
Atlanta, GA 30328
Phone: (887) 695-9258
Rep: Gina Principe

Product Name: Terzo Cantilever Nesting - Large Table
Product Number: TZCTBLA111
Dimensions: 19-1/4" Wide x 18" Deep x 25" High
Base: 14" Diameter
Product Weight: 32lbs

Solid Surface Top: Coldstone - T-098
Metal Base Finish: Matte Black


Description: Metal base personal table with 1" thick solid surface with an elliptical edge detail

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Sustainability: LEVEL 1, Indoor Advantage Gold
BIFMA: BIFMA Certified
Warranty: 24/7, 10 year performance warranty on Kwalu-made frames



Personal Table



Top Finish



Edge Detail



Base Finish

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Personal Table

Departments: Detox Milieu & Learning Circle

Manufacturer: Kwalu
Address: 6160 Peachtree Dunwoody Rd
Atlanta, GA 30328
Phone: (887) 695-9258
Rep: Gina Principe

Product Name: Terzo Cantilever Nesting - Small Table
Product Number: TZCTBLA211
Dimensions: 15" Wide x 14" Deep x 23-1/2" High
Base: 12" Diameter
Product Weight: 30lbs

Solid Surface Top: Coldstone - T-098
Metal Base Finish: Matte Black

Description: Metal base personal table with 1" thick solid surface with an elliptical edge detail

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust.

Sustainability: LEVEL 1, Indoor Advantage Gold
BIFMA: BIFMA Certified
Warranty: 24/7, 10 year performance warranty on Kwalu-made frames



Personal Table



Top Finish



Edge Detail



Base Finish

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Workstation on Wheels

Departments: Detox

Manufacturer: Midmark Medical
 Address: 5171 California Ave Suite 150
 Irvine, CA 92617
 Phone: (503) 317-3050
 Rep: Kevin King

Product Name: 6215 Compact Workstation
 Product Number: M251829-3 (Custom Quote Number)
 Accessories: BCHR - Bar Code Holder- RH
 DWLW - Drawer w/ Lock- Work Surface Mounted
 RBWS - Rear Basket
 PMSR - Power Mount w/ Steel Cable Management-RH

Casters: 3.94" Diameter - Oversized Casters
 (2) Total-Locking Casters, Front
 (2) Non-Locking Bases, Rear

Base Dimensions: 20-1/2" Wide x 19-1/2" Deep
 Top Dimensions: 26" Wide x 21" Deep
 Height Adjustment: 26" of height adjustment from 23"H to 49"H

Product Weight: 75lbs
 Top Finish: Pearl Essence - 805
 Frame Finish: Polished Aluminum

Description: Workstation on Wheels with Factory installed accessories as listed above.

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust. All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes

Weight Capacity: Rated for 20lbs
 Sustainability: N/A
 BIFMA: ANSI/ BIFMA Compliant
 Warranty: (5) years for all Midmark Workstation products and components (except for the shorter periods in B), including drawer fronts and casters B. (1) year for Power system components and coiled power cords



Workstation on Wheels



Rear View



Top Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

SOUTHCENTRAL FOUNDATION

YESHJESH T'UH

FF&E PACKAGE



spark design
 architecture • interior design

Workstation on Wheels

Departments: Crisis Stabilization - Intake Vestibule

Manufacturer: Midmark Medical
 Address: 5171 California Ave Suite 150
 Irvine, CA 92617
 Phone: (503) 317-3050
 Rep: Kevin King

Product Name: 6211 Secure Laptop Workstation
 Product Number: M251829-3 (Custom Quote Number)
 Accessories: BCHR - Bar Code Holder- RH
 MPSF - Mobile Printer Shelf- LH
 DWNW - Drawer - Work Surface Mounted
 PMSR - Power Mount w/ Steel Cable Management-RH
 CCWT - Cart Counterweight

Casters: 3.94" Diameter - Oversized Casters
 (2) Total-Locking Casters, Front
 (2) Non-Locking Bases, Rear

Base Dimensions: 20-1/2" Wide x 19-1/2" Deep
 Top Dimensions: 26" Wide x 21" Deep
 Height Adjustment: 26" of height adjustment from 23"H to 49"H

Product Weight: 85lbs
 Top Finish: Pearl Essence - 805
 Frame Finish: Polished Aluminum

Description: Workstation on Wheels with Factory installed accessories as listed above.

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust. All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes

Weight Capacity: Rated for 20lbs
 Sustainability: N/A
 BIFMA: ANSI/ BIFMA Compliant
 Warranty: (5) years for all Midmark Workstation products and components (except for the shorter periods in B), including drawer fronts and casters B. (1) year for Power system components and coiled power cords



Workstation on Wheels



Rear View



Top Finish

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

Workstation on Wheels

Departments: OPBH - Exam A

Manufacturer: Midmark Medical
Address: 5171 California Ave Suite 150
Irvine, CA 92617
Phone: (503) 317-3050
Rep: Kevin King

Product Name: 6215 Compact Workstation
Product Number: M251829-3 (Custom Quote Number)
Accessories: DWLW - Drawer w/ Lock - Work Surface Mounted
RBWS - Rear Basket
PMSR - Power Mount w/ Steel Cable Management-RH

Casters: 3.94" Diameter - Oversized Casters
(2) Total-Locking Casters, Front
(2) Non-Locking Bases, Rear

Base Dimensions: 20-1/2" Wide x 19-1/2" Deep
Top Dimensions: 26" Wide x 21" Deep
Height Adjustment: 26" of height adjustment from 23"H to 49"H

Product Weight: 75lbs
Top Finish: Pearl Essence - 805
Frame Finish: Polished Aluminum

Description: Workstation on Wheels with Factory installed accessories as listed above.

Construction: All joints shall be welded, ground smooth, polished and buffed prior to the finishing process. All metal parts shall be treated to resist corrosion and rust. All materials, methods of construction and electrical components shall comply with Federal, State and Local Fire and Safety Codes

Weight Capacity: Rated for 20lbs
Sustainability: N/A
BIFMA: ANSI/ BIFMA Compliant
Warranty: (5) years for all Midmark Workstation products and components (except for the shorter periods in B), including drawer fronts and casters B. (1) year for Power system components and coiled power cords



Workstation on Wheels



Rear View



Top Finish

- Notes:**
- All Finish Samples to be submitted for approval prior to fabrication.
 - Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
 - Must be properly marked with Item Number and location.
 - Must be contract quality and structurally stable for commercial use.
 - Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Dining Table

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Evolve Table - Custom Laminate
 Product Number: EV4800
 Dimensions: 48" Diameter x 31" High

Product Weight: 106lbs
 Ballast: 50lbs of dry sand or gravel - Provide on-site ballasting (ballast not provided by Norix)

Laminate Top: Custom Laminate: Wilsonart- Landmark Wood 7981K-12
 Top Edge: Light Gray 10631
 Base Finish: Dove

Top Construction: Premium M3 Grade, 45 lb. density particle board tabletop core is sandwiched between 1/8" thick hardboard and faced with special 0.05" thick high-pressure laminate for superior quality and long-term durability. Molded edge is radiused for safety and comfort, pressure fused to the top, rendering it firmly attached and highly sanitary. Embedded T-nuts secure top to base with tight steel-to-steel connection for maximum long-term reliability. Robust 1.5" thick edge profile.

Base Construction: One-piece rotationally-molded polyethylene with lightly textured maintenance-free surface. Ligature-resistant with no internal openings, Tamper-resistant steel encased nylon glides. Molded-in access port with threaded screw cap for ballast weighting capability. High-impact polyethylene with ultraviolet light stabilizers. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Premium Tru-Color polymer is fully compounded for superior color consistency and durability.

Weight Capacity: Rated to 1,000lbs
 Sustainability: GREENGUARD and GREENGUARD Gold Certified
 BIFMA: BIFMA 5.4 15.4.2
 Warranty: 10-year limited replacement



Dining Table



Top Finish



Edge Banding Finish



Base Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Dining Table

Departments: Crisis Stabilization & Residential

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Evolve Table - Custom Laminate
 Product Number: EV4242
 Dimensions: 42" Wide x 42" Deep x 31" High

Product Weight: 104lbs
 Ballast: 50lbs of dry sand or gravel - Provide on-site ballasting (ballast not provided by Norix)

Laminate Top: Custom Laminate: Wilsonart- Landmark Wood 7981K-12
 Top Edge: Light Gray 10631
 Base Finish: Dove

Top Construction: Premium M3 Grade, 45 lb. density particle board tabletop core is sandwiched between 1/8" thick hardboard and faced with special 0.05" thick high-pressure laminate for superior quality and long-term durability. Molded edge is radiused for safety and comfort, pressure fused to the top, rendering it firmly attached and highly sanitary. Embedded T-nuts secure top to base with tight steel-to-steel connection for maximum long-term reliability. Robust 1.5" thick edge profile.

Base Construction: One-piece rotationally-molded polyethylene with lightly textured maintenance-free surface. Ligature-resistant with no internal openings, Tamper-resistant steel encased nylon glides. Molded-in access port with threaded screw cap for ballast weighting capability. High-impact polyethylene with ultraviolet light stabilizers. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Premium Tru-Color polymer is fully compounded for superior color consistency and durability.

Weight Capacity: Rated to 1,000lbs
 Sustainability: GREENGUARD and GREENGUARD Gold Certified
 BIFMA: BIFMA 5.4 15.4.2
 Warranty: 10-year limited replacement



Dining Table



Top Finish



Edge Banding Finish



Base Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Meeting Table

Departments: Crisis Stabilization & Residential - Visitation/ Court

Manufacturer: Norix
 Address: One Innovation Drive
 West Chicago, IL 60185
 Phone: (630) 231-1331
 Rep: Bob Meucci

Product Name: Leg Style Tables - Custom Laminate
 Product Number: LS3096
 Dimensions: 42" Wide x 42" Deep x 31" High
 Product Weight: 190lbs

Ballast: N/A
 Mounting: Bolt-Down Kit

Laminate Top: Custom Laminate: Wilsonart- Landmark Wood 7981K-12
 Top Edge: Light Gray 10631
 Legs: Black

Base Construction: Steel tubing welded to steel plate for attaching top. Bottom of leg sealed by means of a fully welded inset threaded to accommodate a tamper-resistant adjustable leveling glide. 4" diameter, 14-gauge wall thickness steel tubing welded to a 6" x 6" x 1/4" steel plate.

Top Construction: Premium M3 Grade, 45 lb. density particle board tabletop core is sandwiched between 1/8" thick hardboard and faced with special 0.05" thick high-pressure laminate for superior quality and long-term durability. Molded edge is radiused for safety and comfort, pressure fused to the top, rendering it firmly attached and highly sanitary. Embedded T-nuts secure top to base with tight steel to steel connection for maximum long-term reliability. Robust 1.5" thick edge profile.

Weight Capacity: Rated to 1,000lbs
 Sustainability: GREENGUARD and GREENGUARD Gold Certified
 BIFMA: BIFMA 5.4 15.4.2
 Warranty: 10-year limited replacement




Meeting Table



Top Finish



Edge Banding Finish



Legs

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Coffee Table

Departments: Crisis Stabilization & Residential

Manufacturer: Pineapple Furniture
 Address: 7105 19 Mile Rd
 Sterling Heights, MI 48314
 Phone: (800) 496-9324
 Rep: Edward Larsen

Product Name: Cirrus Coffee Table
 Product Number: 1CUF-WH
 Dimensions: 27-1/2" Diameter x 16-1/2" High

Item Weight: 132lbs
 Ballast: Unavailable

Top Finish: DURA-TEC, White
 Body Finish: Natural Rockford Hickory Wood-effect Wrap
 Base Finish: ABS Plastic, Gray

Description: Rounded corners and heavy weighted coffee table.

Construction: Heavily weighted body made vinyl-wrapped medium density fiberboard with a thermoformed waterproof ABS impact-resistant base, easy to clean white DURA-TEC solid surface and a Hickory effect vinyl wrap. Cirrus has an enclosed base to prevent concealment, and the table corners are smooth and rounded for additional safety.

DURA-TEC: Low-maintenance and difficult to damage, DURA-TEC's flexibility and toughness make it ideal for challenging environments. Its smart, non-porous matte finish does not retain moisture and does not sag or deform with age.

Test Standards: EN 15372:2016 Test Level 3 is a standard for furniture that specifies requirements for the safety, strength, and durability of non-domestic tables. This level, in particular, is intended for severe applications like night clubs, police stations, and transport terminals

Sustainability: FISP
 BIFMA: N/A
 Warranty: 7-year guarantee



Coffee Table



Top Finish



Body Finish



Base Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

BH - Side Table

Departments: Crisis Stabilization & Residential

Manufacturer: Pineapple Furniture
 Address: 7105 19 Mile Rd
 Sterling Heights, MI 48314
 Phone: (800) 496-9324
 Rep: Edward Larsen

Product Name: Cirrus Side Table
 Product Number: 1CUS-WH
 Dimensions: 15-3/4" Diameter x 18" High

Item Weight: 92lbs
 Ballast: Unavailable

Top Finish: DURA-TEC, White
 Body Finish: Natural Rockford Hickory Wood-effect Wrap
 Base Finish: ABS Plastic, Gray

Description: Rounded corners and heavy weighted side table.

Construction: Heavily weighted body made vinyl-wrapped medium density fiberboard with a thermoformed waterproof ABS impact-resistant base, easy to clean white DURA-TEC solid surface and a Hickory effect vinyl wrap. Cirrus has an enclosed base to prevent concealment, and the table corners are smooth and rounded for additional safety.

DURA-TEC: Low-maintenance and difficult to damage, DURA-TEC's flexibility and toughness make it ideal for challenging environments. Its smart, non-porous matte finish does not retain moisture and does not sag or deform with age.

Test Standards: EN 15372:2016 Test Level 3 is a standard for furniture that specifies requirements for the safety, strength, and durability of non-domestic tables. This level, in particular, is intended for severe applications like night clubs, police stations, and transport terminals

Sustainability: FISP
 BIFMA: N/A
 Warranty: 7-year guarantee



Side Table



Top Finish



Body Finish



Base Finish

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

Metal Table (Folding Laundry)

Departments: 1120 Laundry Room

Manufacturer: Eagle Group
Address: 100 Industrial Blvd
Clayton, DE 19938
Phone: (800) 441-8440
Rep: Ignite Pro-Pacific/ Don Riedthaler

Product Name: Deluxe Series Worktables - Flat Top, Galvanized Legs with Undershelf + Casters
Product Number: T2448EB
Dimensions: 48" Wide x 24" Deep x 35-1/8" High
Item Weight: 77lbs
Ballast: Unavailable
Finish: Stainless Steel
Description: Rounded corners and heavy weighted side table.
Construction: Top constructed of 16 gauge 300 series stainless steel with 1-1/2" roll on front and rear, and sides turned down 90°. Undershelf is adjustable and constructed of heavy gauge galvanized. Top reinforced with welded hat channels, and sound deadened. Constructed with uni-lok® patented gusset system with the gussets recessed into the hat channels to reduce lateral movement. Legs are 1-5/8" O.D. galvanized tubing with galvanized gussets.
Sustainability: N/A
BIFMA: N/A
Warranty: N/A



Stainless Steel Table

Notes:

- All Finish Samples to be submitted for approval prior to fabrication.
- Manufacturer to submit "to scale" shop drawings for approval prior to fabrication.
- Must be properly marked with Item Number and location.
- Must be contract quality and structurally stable for commercial use.
- Must meet or exceed Federal, State, Local Fire Codes and Standards.

